



VIETSOVPETRO

Совместное предприятие

XÍ NGHIỆP XÂY LẮP

Số 67, đường 30/4, P. Rạch Dừa

Tel.: +84.254.3839871

Fax: +84.254.3839796

Số:

V/v: Sửa đổi E-HSMT (lần 1)

Gói thầu “LQ Topside - Grating _Số hiệu: DVN-VT-2878/25-XL-TTH”.

Kính gửi: Nhà thầu

XNXL KS&SC – LD Việt Nga Vietsovpetro trân trọng cảm ơn nhà thầu đã quan tâm đến hồ sơ mời thầu (E-HSMT) của gói thầu “LQ Topside - Grating _Số hiệu: DVN-VT-2878/25-XL-TTH” - Dự án Cung cấp dịch vụ chế tạo trên bờ cho Giàn nhà ở (Living Quarter Platform), dự án phát triển mỏ khí Lô B.

Chúng tôi gửi thông tin sửa đổi E-HSMT như sau:

| STT | Tài liệu | Tài liệu số | Mục | Nội dung | Vietsovpetro sửa đổi |
|-----|------------------|---------------------|--|-----------------------------------|--|
| 1 | Yêu cầu kỹ thuật | OCD-LQ-BLOCKB-TR-16 | APPENDIX 2.1 Material take off for steel grating and stair treads | Cập nhật danh mục hàng hóa. | Nhà thầu chào theo tài liệu: Material take-off provision of steel grating & stair treads for living quarter – Block B Doc. No: OCD-LQ-BLOCKB- MTO-16 (rev: 1), đính kèm thông báo này. |

Trân trọng!

TUQ Tổng Giám đốc Vietsovpetro
(UQ số 557-UQ/PL)
Giám đốc XNXL

Nơi nhận:

- Như trên;
- Lưu theo HST.

PHẠM THANH BÌNH





VIETNAM BLOCK B GAS PROJECT

Agreed by
Deputy Director of OCD

Signed by: Lê Quốc Anh
Date: 13/08/2025 14:08:58
Certified by: Vietsovpetro CA

LE QUOC ANH

Approved by
Director of OCD

Signed by: Pham Thanh Binh
Date: 14/08/2025 22:38:06
Certified by: Vietsovpetro CA

PHAM THANH BINH

MATERIAL TAKE-OFF

PROVISION OF STEEL GRATING & STAIR TREADS FOR


LIVING QUARTER – BLOCK B

DOC. NO : OCD-LQ-BLOCKB-MTO-16

REV : 1

ISSUED FOR BID



| | | | |
|---|---|-------------|-----------------------------|
|  | MATERIAL TAKE-OFF PROVISION OF STEEL GRATING & STAIR TREADS FOR LIVING QUARTER – BLOCK B | DOC. NO. | OCD-LQ-BLOCKB-MTO-16 |
| | | REV. | 1 |
| | | Page 2 of 2 | |

Checked by:

| | | |
|----------------------------------|--|---------------------------|
| Manager of PM Dept. | Signed by: Trần Nguyên Hưng Date: 13/08/2025 10:55:52 Certified by: Vietsovetro CA | Tran Nguyen Hung |
| Manager of Design Dept. | Signed by: Trần Sỹ Thái Date: 13/08/2025 08:52:46 Certified by: Vietsovetro CA | Tran Sy Thai |
| Project Manager | Signed by: Trương Thanh Tuyết Trương Date: 13/08/2025 10:48:22 Certified by: Vietsovetro CA | Truong Thanh Tuyet Truong |
| Construction Manager | Signed by: Tạ Ngọc Hiếu Date: 13/08/2025 13:36:59 Certified by: Vietsovetro CA | Ta Ngoc Hieu |
| Construction Engineering Manager | Signed by: Lê chí Thành Date: 13/08/2025 08:28:52 Certified by: Vietsovetro CA | Le Chi Thanh |

Prepared by:

| | | |
|--------------------------|--|----------------|
| Engineer of Design Dept. | Signed by: Trần Đăng Hải Date: 13/08/2025 07:45:41 Certified by: Vietsovetro CA | Tran Dang Hai |
| Engineer of PM Dept. | Signed by: Nguyễn Văn Tài Date: 13/08/2025 08:04:23 Certified by: Vietsovetro CA | Nguyen Van Tai |



**MTO FOR STEEL GRATING AND STAIR TREADS
(Rev.1)**

| No | Description | Material Grade | Type | Unit Wide (mm) | Unit length (mm) | Q-ty (nos) | Construction Allowance (%) | Final Q-ty (nos) | Unit weight (Kg/m2) | Total weight (Kg) | Remark |
|-------------------|---|----------------|------|----------------|------------------|------------|----------------------------|------------------|---------------------|-------------------|--------|
| A. FOR LQM | | | | | | | | | | 41,171.5 | |
| 1 | Hot-Dip Galvanized Serrated Steel Grating 38x5/30x100 | ASTM A36 | IV | 1000 | 6000 (Span) | 105 | 6% | 112 | 53.60 | 36,019.2 | |
| 2.1 | 275W x 1219L Hot-Dip Galvanized Serrated Steel Stair Treads 38x5/30x100 with anti-slip nosing | ASTM A36 | IV | 275 | 1219 | 266 | 3% | 274 | 53.60 | 4,923.2 | |
| 2.2 | 275W x 914L Hot-Dip Galvanized Serrated Steel Stair Treads 38x5/30x100 with anti-slip nosing | ASTM A36 | IV | 275 | 914 | 16 | 3% | 17 | 53.60 | 229.0 | Rev.1 |
| 3 | Grating Clips: Type Hilti - Stud: X-BT GR M8/7 SN 8 - Disc: X-FCM-R HL 38/43 | SS316L | | | | 1836 | 10% | 2020 | | | Rev.1 |
| 4 | Hot-Dip Galvanized Serrated Steel Bar 38x5 | ASTM A36 | IV | | 6000 | 5 | | 5 | | | |
| B. FOR LQU | | | | | | | | | | 8,760.5 | |
| 5 | Hot-Dip Galvanized Serrated Steel Grating 38x5/30x100 | ASTM A36 | IV | 1000 | 6000 (Span) | 22 | 6% | 24 | 53.60 | 7,718.4 | |
| 6 | 275W x 1219L Hot-Dip Galvanized Serrated Steel Stair Treads 38x5/30x100 with anti-slip nosing | ASTM A36 | IV | 275 | 1219 | 56 | 3% | 58 | 53.60 | 1,042.1 | |
| 7 | Grating Clips: Type Hilti - Stud: X-BT GR M8/7 SN 8 - Disc: X-FCM-R HL 38/43 | SS316L | | | | 463 | 10% | 510 | | | Rev.1 |
| TOTAL | | | | | | | | | | 49,932.0 | |

