



* CONT. FROM SHT 1 *			

14	Y-TYPE STRAINER 150# RF WITH 20mm DRAIN CONN. SP-ITEM SP-FS-002	2	A 1
SUPPORTS			
15	PIPE SHOE PS04-50-2-A	2	- 2
16	SPS-SCD-145	2	- 1
17	T-POST PS32-05-05	2	- 2
18	PIPE SHOE STOP PS11-50-0	2	- 1
19	SPS-SCD-118	2	- 1

NOTES: 1. COORDINATE REFERENCE FROM COLUMN B IS N 100,000 & COLUMN 2 IS E 100,000	DESIGN PRESS: 151	kpag	DESIGN TEMP: 60/AMB	°C															
	TEST PRESS: 2940	kpag	TEST WITH: Water																
	RADIOGRAPHY: 100	%	STRESS RELIEVE: NO																
	INSULATION SPEC: DHF-00-M-S-0002																		
	COATING SPEC: DHF-00-M-S-0003																		
	STRESS CATEGORY THIS LINE HAS BEEN STRESS ANALYSED DO NOT ALTER THE ROUTING/MODIFY THE SUPPORTS WITHOUT THE PRIOR APPROVAL OF RANHILL WORLEY																		
	P&ID REF: WHP-DH2-R-D-1065	REV	DATE	BY	DESCRIPTION	CHECK'D	WP APPR'D	VSP APPR'D	DATE										


DAI HUNG PETROLEUM OPERATING COMPANY
DAI HUNG OIL FIELD DEVELOPMENT PHASE 2

CAD File No.:
 WHP-DH2-P-D-1057-SCD-2
 WP Project No.: 04211244
 Scale: NTS

PLANT: **WELLHEAD PLATFORM - DH2**
 PDMS LINE NO.: **SCD-2"-PL-A-1057-H-40**

Drawing No.:	SHEET NO.	REV.
WHP-DH2-P-D-1057-SCD-2	2 OF 2	CO