

INVITATION TO BID

Bidding package No:	VT-5000/25-KT-NMH
Title of bidding package:	Provision of “Material and equipment for the modernization of the oil metering system at BK5, CTP2, RP3” (VT-5000/25-KT-NMH)
Name of the project:	Provision of “Material and equipment for the modernization of the oil metering system at BK5, CTP2, RP3” (VT-5000/25-KT-NMH)
Issued on:	
Issued including Decision:	_____



CONTENTS

Brief description

Abbreviation

Part 1 – BIDDING PROCEDURES

Chapter I. Instructions to bidders

Chapter II. Bidding data sheet

Chapter III. Bid proposal evaluation criteria

Chapter IV. Bidding form

Part 2 – TECHNICAL REQUIREMENT

Chapter V. Technical Requirement

Part 3 – CONDITIONS OF CONTRACT AND CONTRACT FORMS

Part 4 – APPENDICES



BRIEF DESCRIPTION

Part 1. BIDDING PROCEDURES

Chapter I. Instructions to bidders

This Chapter provides information to help bidder in preparation of Bid Proposal. Information includes rules of preparation, submission of Bid Proposal, bid opening, bid evaluation and contract award. Chapter I contains provisions that are to be used without modification.

Chapter II. Bidding data sheet

This Chapter specifies in detail contents of Chapter I for applying for each bidding package.

Chapter III. Bid Evaluation criteria

This Chapter includes criteria for evaluation of Bid Proposal.

Chapter IV. Bidding forms

This Chapter includes forms that bidder shall complete to form a part of Bid Proposal.

Part 2. TECHNICAL REQUIREMENTS

Chapter V. Technical Requirements

This Chapter includes scope, progress of goods supply, technical requirements, drawing for description the specification of goods and related services; contents on inspection and testing of goods (if any).

Part 3. TERMS AND CONDITIONS OF CONTRACT AND CONTRACT FORMS

Chapter VI. General Conditions of Contract

This Chapter includes general conditions applied for all contracts of various bidding packages. Chapter VI contains common provisions that are completed by awarded bidder before contract comes into effect.

Chapter VII. Particular Conditions of Contract

This Chapter includes contract data and specific conditions, which specifies detailed conditions for each contract. Particular conditions of contract are to be modified and supplemented but not to replace general conditions of Contract.

Chapter VIII. Contract forms

This Chapter includes forms which, once completed, shall become integrated part of contract. Templates of contract performance guarantee (Performance Bond) and Advance payment guarantee (if any) are completed by awarded bidder before contract comes into effect.

Part 4. APPENDICES

- Scope of Supply
- Technical requirements
- Technical evaluation criteria
- Other technical documents.... with link for reference (if any).



ABBREVIATION

ITB	Instructions to Bid
BDS	Bid data sheet
GCC	General conditions of contract
PCC	Particular conditions of contract
VND	Vietnam Dong
USD	US Dollar
EUR	European currency



Part 1. BIDDING PROCEDURES

Chapter I. INSTRUCTIONS TO BIDDERS

1. Scope of bid	1.1. Employer as specified in the Bid Data Sheet (BDS) issues this Invitation to Bid for selection of Bidder to implement bidding package for procurement of goods following single-stage one-envelope procedure. 1.2. Title of the bidding package; number, quantity of parts (in case bidding package is divided into many independent parts) belongs to bidding package as specified in BDS.
2. Explanation of terms used in bidding	2.1. The Deadline for bid submission is the deadline for submission bids and is specified in the Invitation to Bid. 2.2. Day refers to Gregorian calendar day, including weekends, holidays, and Tet holidays according to the provisions of labor law. 2.3. Time and day, month on the national bidding network shall be defined time and day, month published the national bidding network (GMT+7).
3. Source of Funds	Source of funding (or method of capital arrangement) for bidding package as specified in BDS .
4. Prohibited acts in bidding	4.1. Offering, giving, receiving or taking a bribe. 4.2. Abusing positions or entrusted power to influence or illegally intervene in bidding process in any form. 4.3. Collusive practice, including: a) Reaching, with or without undue influence, an arrangement or agreement which is designed to let one or more parties to prepare bids for all bidders or to withdraw submitted bids so that one of them will win the bid; b) Reaching an arrangement or agreement on refusal to supply goods or services, or subcontract, or reaching other agreements to limit competition so that one party will win the bid; c) A bidder or investor with appropriate qualifications and experience has submitted a bid and meets the requirements laid down in the Invitation to Bid but deliberately refuses to provide additional documents proving their capacity and experience at the Vietsovpetro's request for clarification of the bid or verification of their submitted documents with the aim of facilitating one party's winning of the bid. 4.4. Fraudulent practice, including: a) Forging or falsifying information and/or documents used in bidding; b) Deliberately providing information and documents which are not accurate or objective in bids or proposals with the aim of falsifying the contractor selection result. 4.5. Obstructive practice, including: a) Destroying, deceiving, altering or concealing of evidence or making false statements; threatening, harassing or intimidating any party to prevent the verification or investigation into a corrupt, fraudulent or collusive practice made with a supervision, inspection or audit authority;



	b) Obstructing the competent person, employer, Vietsovpetro, bidders in the course of contractor selection; c) Impeding competent authorities' rights of supervision, inspection or audit of bidding activities; d) Deliberately making false complaints, denunciations or petitions with the aim of impeding bidding process; đ) Acts of violation against laws and regulations on cybersecurity and safety intended to intervene or impede the online bidding process. 4.6. Inequality and non-transparency, including: a) A bidder of a package or investment project is also the Vietsovpetro or employer or takes charge of performing tasks of the Vietsovpetro or employer of that package or investment project, violating against the regulations stated in Point 5 ITB b) A person or entity concurrently engages in the preparation and appraisal of Invitation to Bid, or RFP of the same package or investment project; c) A person or entity concurrently engages in the evaluation of bids or proposals and the appraisal of the contractor selection result of the same package or investment project; d) A person who is working for the Vietsovpetro/employer directly engages in the contractor selection, or acts as a member of the expert team or appraising team in charge of appraising the contractor selection result, or is a competent person or head of the Vietsovpetro/employer, for a package or investment project for which his/her family relative, as defined in the Law on enterprises, directly submits a bid or acts as the legal representative of a bidder; đ) A bidder submits a bid for a procurement, construction or non-consulting service package for which the bidder is also acting as a consultant on preparation, verification and appraisal of cost estimate, technical design, building drawings and designs, front-end engineering design (FEED); preparation and appraisal of Invitation to Bid; evaluation of bids; inspection of goods; appraisal of contractor selection result; supervision of contract execution; e) A person acts as a bidder for a package of a project or investment project of the Vietsovpetro or employer for which he/she worked and held the executive or managerial position within 12 months from the date of his/her resignation therefrom; g) A supervision consultant also acts as the inspection consultant of the same package; 4.7. Unauthorized disclosure of the following information and documents on the contractor/investor selection: a) Contents of bidding documents before they are issued as prescribed; b) Contents of Bids, notebooks, minutes of bid evaluation meetings, comments and evaluations for each Bids before publishing contractor selection result; c) Content of request for clarification of Bid proposals of the
--	--



	Vietsovpetro and responses of bidders during the evaluation process of Bid proposals before publishing the bidder selection result; d) Report of the Vietsovpetro, report of the Expert Group, appraisal report, report of consulting bidder, report of relevant professional authorized organization during the bidder selection process before publishing the bidder selection result; đ) The bidder selection result before being published according to regulation as prescribed; 4.8. Illegal transfer of awarded contract: a) The contractor transfers to other contractor(s) a workload of task of the package worth more than 10% of package value; or worth less than 10% of package value but more than 02 million USD (after deducting the workload of the subcontractor's responsibility as declared in the contract), calculated on the signed Contract price.
5. Eligibility of bidders	A bidder that is an organization shall be deemed to be eligible if complying the following requirements: a) It is required to have registration of establishment and operation issued by the competent authority of the country where the bidder is operating. b) It must keep independent accounting records; c) It is not undergoing dissolution process or subject to revocation of enterprise registration certificate, cooperative/cooperative union/ artel registration certificate; is not facing insolvency as prescribed by the law on bankruptcy; d) It must ensure competitiveness in bidding as prescribed in Point BDS; e) It is not being prohibited from participating in bidding; f) It is not liable to criminal prosecution; g) It is not the state of temporary suspension, termination of participation in national bidding network. h) It's name is registered on National bidding network before the grant of approval for contractor selection result as prescribed in BDS.
6. Contents of Invitation to Bid	6.1. The Invitation to Bid consists of Parts 1, 2, 3, 4 accompanied with documents of Bid Proposal amendment as specified in ITB 7 (if any) including as follows: Part 1. Bidding Procedures: - Chapter I. Instructions to Bidders (ITB); - Chapter II. Bidding Data Sheet (BDS); - Chapter III. Bid Proposal Evaluation Criteria; - Chapter IV. Bidding Forms. Part 2. Technical Requirements: - Chapter V. Technical Requirements. Part 3. Conditions and Forms of Contract: This part includes the terms, conditions, data and forms that constitute the complete contract. Part 4. Appendices 6.2. Vietsovpetro is not responsible for the preciseness, completeness of the Invitation to Bid, explanation for clarification documents or



	amendment of Invitation to Bid as prescribed in ITB 7 if these documents are not provided by Vietsovpetro. In case of any contradiction, documents issued by Vietsovpetro shall prevail. 6.3. The bidder shall examine all instructions, forms, supply requirements and other requirements in the Invitation to Bid for preparation Bid Proposal including all information or documentation as required by the Invitation to Bid.
7. Clarification, Amendment of Invitation to Bid	7.1. The amendment of the Invitation to Bid shall be made as prescribed in BDS prior to the deadline for submission of bid proposal by issuing the written documentation for amendment in accordance with the methods as prescribed in BDS. To give bidders reasonable time in preparing their bid proposal, Vietsovpetro may, at its discretion, extend the deadline for the submission of bid proposals. 7.2. Any bidder who needs clarification of the ITB shall send a written request to Vietsovpetro in a minimum period of time as prescribed in the BDS prior to date of Deadline for bid submission in order that Vietsovpetro shall take consideration. After receiving the written request for clarification by the deadline, Vietsovpetro shall make a written clarification response in a minimum period of time as prescribed in BDS, that specifying clarification content request without specifying the name of the requesting bidder, and send it to every bidder who have received the ITB from the Vietsovpetro. If the clarification leads to amendment ITB, Vietsovpetro shall amend the ITB in accordance with ITB 7.1. 7.3. If necessary Vietsovpetro hold pre-bidding conference to discuss the contents in Bidding Document in which the bidders are unclear as stipulated in BDS. Vietsovpetro shall send an invitation to the pre-bidding conference to all contractors who have received the Invitation to Bid and post it on the System. The discussion shall be formally recorded as minutes of clarification which shall be sent to all bidders who have bought or acquired Invitation to Bid from Vietsovpetro. 7.4. In case the Invitation to Bid is required to be modified after the pre-tender conference, Vietsovpetro shall issue a written document for amendment as specified in ITB 7.1, minutes of pre-bidding conference is not the amendment of Invitation to Bid. 7.5. No participation in pre-bidding conference or without a confirmation letter that bidder having participated in pre-bidding conference is not the reason to reject the Bid proposals' bidder.
8. Cost of bidding	The bidder shall bear all costs associated with the preparation and submission of its Bid Proposal. Vietsovpetro shall not be liable for those cost under any circumstances.
9. Language of Bid Proposal	The bid proposal, as well as all correspondence and documents relating to the bid proposal exchanged by the bidder and Vietsovpetro, shall be written in English. Any supporting documents in bid proposal can be written in other languages and concurrently attached with translation in English. In case of no translation, if necessary, Vietsovpetro may ask bidder for supplementation of documents.
10. Documents comprising the bid proposal	The Bid Proposal shall comprise of the following: 10.1. Application for bidding in accordance with ITB 11;



	10.2. Consortium agreement in case the bidder is Consortium in accordance with Template No.3, Chapter IV – Bidding forms; 10.3. Bid Bond, in accordance with ITB 18; 10.4. Proof documents for eligibility of bidder in accordance with ITB 5; 10.5. Proof documents for eligibility of signatory under the application for bidding, in accordance with ITB 20.3; 10.6. Proof documents for capacity and experience of bidder, in accordance with ITB 16; 10.7. Technical proposals and proof document for adequacy of goods and related services, in accordance with ITB 15; 10.8. Price proposals and price schedules with full information, in accordance with ITB 11, 13; 10.9. Proposals of technical alternatives, in accordance with ITB 12 (if any); 10.10 Other contents as specified in BDS.
11. Application for bidding form and price schedules	The application for bidding form and respective price schedules shall be prepared using the relevant forms furnished in Chapter IV, Bidding Forms.
12.Proposals of technical alternatives	12.1. In case Invitation to Bid stipulates in BDS for probability of technical alternatives, then those technical alternatives shall be considered. 12.2. Technical alternatives are only considered when main solution meets requirements and bidder is ranked first. In this case, bidder shall provide all information necessary for evaluation of the alternatives by Vietsovpetro, including: notes, drawings, technical specifications, progress of supply, costs and other relevant information. The evaluation of technical alternatives in accordance with Section 5, Chapter III.
13.Biding prices and discounts	13.1.Bidding price stated in the Application for bidding and in the bidding price tables with discounts must comply with the regulations as specified in this Section: a) The bidding prices means the price stated in Application for bidding, including all costs for implementation of bidding package (not including discounts). b) In case the bidding packages is not devided into independent parts, on condition that bidder offers discount, this can be offered directly in Application for Bidding or put in separate letter for discount. Bidder has to specify the content of discount and details of discount allocation into specific items in columns of “List of goods”, “Services description”. In case details are not provided, the discount is assumed to apply uniformly for all items in the columns of “List of goods”, “Services description”. Letter for discount (if any) can be submitted with Bid Proposal or separately provided that Vietsovpetro receive prior to Deadline for bid submission. c) Bidder shall submit Bid Proposal for all work described in ITB 1.1 and offer unit prices, extended amount for work specified in columns of “List of goods”, “Services description” in accordance with respective template prescribed in Chapter IV – Bidding forms. In case columns “Unit price” and “Extended amount” are not offered or offered “0”, it is assumed that bidder allocates prices of these goods and services into others prices of those in bidding package, bidder is responsible



	to provide goods, services in accordance with requirements of Invitation to Bid and not receive payment from Vietsovpetro during implementation of contract. Bidder is required to offer prices in each Price schedules as prescribed in BDS. 13.2. In case bidding package is divided into independent parts and bidder is allowed bidding in each part specified in BDS, bidder is able to bid for one or many parts of bidding package. Bidder has to bid all work of such part which the bidder attends. Should the bidder offer discount, bidder shall specify details and prices of discount in each part as per ITB 1.2. 13.3. The bidder shall be responsible for the bidding price quoted to perform and complete the work in accordance with the requirements as stated in the Invitation to Bid. In case the bidder offer a low unit price in abnormal manner which affecting to the quality of the bidding package, the Vietsovpetro may require the bidder to clarify the feasibility of such abnormal unit price. 13.4. Bidder's bidding price quoted shall include all taxes, fees and charges (if any) in response to tax rates, expenses, fees at the time of 28 days prior to the stipulated deadline for bid submission. In case bidders announce bidding prices not including taxes, fees, charges (if any), bidders' Bid Proposal shall be rejected. 13.5. Bidders offer the bidding price as stipulated in BDS.
14. Currencies of Bid and Payment	14.1 The currency of the bid shall be offered in <i>VND/ USD/ EUR</i>. Cost incurred inside Vietnam shall be offered in VND. Cost incurred outside Vietnam shall be offered in <i>VND/ USD/ EUR</i>. Bidders have to offer by only one currency for a specific work. In case bidding price is offered in foreign currency, bidder has to prove that the respective work has been using foreign currency. 14.2 The currency of payment for work items shall correspond with the currency of bid for those items. Domestic costs are only paid in VND. 14.3 The currency for conversion of different bidding prices from various currencies into unique currency for evaluation and comparison is: VND/USD applying the selling rate stated by Vietcombank on the date when the bid is closed. If all bidding prices are in foreign currency, then bid evaluation and comparison shall be done in USD. In the event that one of bidding prices is in VND, then bid evaluation and comparison shall be done in VND. 14.4 Without prejudice to any terms mentioned above and relevant applicable laws, contract currency for domestic bidders shall be in VND, applying the selling rate stated by Vietcombank on the date when the bid is closed.
15. Documents establishing the conformity of the Goods and Related Services	15.1. To establish the eligibility of the goods and related services in accordance with Invitation to Bid, the bidder shall furnish as part of its Bid Proposal the documentary evidence that the goods conform to the technical specifications and standards specified in Chapter V. 15.2. The term "Goods" is construed including but not limited to machinery, equipment, raw materials, fuel, materials, supplies, accessories; consumables; medical supplies used for medical establishment. 15.3 The term "origin" shall mean as country or territory where produces whole goods or implements final basic processing in case many



	countries or territories take part in production process of those goods. 15.4 The term “Related Services” including but not limited to the Services such as: warranty, maintenance, overhaul, repair, supply of spare parts or supply of other after sales services like training, technology transfer... 15.5. The documentary evidence responsiveness of the goods and related services may be in the form of documents, drawings, data, and shall consist of a detailed item by item description of the essential technical and performance characteristics of the goods and related services, demonstrating substantial responsiveness of the goods and related services to the technical specification, and if applicable, a statement of deviations and exceptions to the provisions of the Chapter V. 15.6. The bidder shall also provide a list giving full particulars, current prices of spare parts, special tools, etc., necessary for the proper and continuing functioning of the goods during the period specified in the BDS following commencement of the use of the goods. 15.7. Standards for manufacturing, production process of material and equipment, as well as references to brand names or catalogue numbers specified by Vietsovpetro in the Chapter V, are intended to be descriptive only and not restrictive to bidder. The bidder may offer other standards of quality, brand names, catalogue numbers, provided that it demonstrates, to Vietsovpetro’s satisfaction, that the substitutions ensure substantial equivalence or are superior to those specified in the Chapter V.
16.Documents establishing the capacity and experiences of the bidder	16.1. The bidder shall provide necessary information in templates in Chapter IV – Bidding Forms in order to demonstrate capacity and experiences for performance of contract as specified in Chapter III – Bid Proposal evaluation criteria. The bidder shall prepare original documents for verification with information stated in bidder’s Bid proposal if Vietsovpetro requires. 16.2. The documentary evidence of the bidder’s capacity to perform the contract if its bid proposal is awarded as specified in BDS.
17.Period of validity of Bid Proposal	17.1. Bid Proposal shall remain valid not shorter than the period specified in the BDS. 17.2. In exceptional circumstances, prior to the expiration of the bid proposal’s validity period, Vietsovpetro may request bidders to extend the period of validity of their Bid Proposal. The Bid Bond as also requested shall be extended for 30 days beyond the deadline of the extended validity period. If a bidder refuses to extend its Bid Proposal validity as required, the Bid Proposal shall not be further considered and the Bid Bond shall be returned to bidder. The bidder have accepted Vietsovpetro’s extension request shall not be permitted to modify any contents of its Bid Proposal. The extension request and acceptance or non-acceptance shall be in writing.
18.Bid Guarantee	18.1. When attending the bid, prior to deadline for bid submission, the bidder shall implement bid guarantee and attach it to Bid proposal under the following forms: i) a form unconditional guarantee issued by a bank or financial institution which is legally operating in Vietnam or foreign bank branches established under Vietnamese law;



	ii) submit a certificate of insurance guarantee issued by a domestic non-life insurance enterprise, or branch of a foreign non-life insurance enterprise established under the Vietnamese law. iii) pay a deposit or bank transfer to VSP's account as specified in BDS 18.2. In case the validity of Bid proposal is extended as specified in ITB 17.2, the Bid bond's validity shall be accordingly extended. In case of consortium bidder, all partners of consortium shall implement the same form of Bid bond. In case of Consortium, the Bid Bond shall comply with one of the following: a) Each Consortium partner shall provide a separate Bid Bond; however, the aggregate amount of Bid Bond submitted by all Consortium partners is not less than the required amount specified in ITB 18.2. If the Bid Bond of any Consortium partner is determined to be invalid, the bid of the Consortium shall not be considered and evaluated further. If any Consortium partner is in breach of the rules resulting in without return of Bid Bond in accordance with point b ITB 18.5, then Bid bond of all Consortium partners shall not be returned. b) All partners of the Consortium shall nominate one partner to arrange a single Bid Bond for itself and all other partners in the Consortium. In this case, the Bid Bond shall be in the name of the Consortium or the name of the partner who arranges the Bid Bond for the entire Consortium provided that the total amount is not less than the required amount in BDS of ITB 18.2. If any Consortium partner is in breach of the rules resulting in without return of the Bid Bond in accordance with ITB 18.5, the Bid Bond shall not be returned. 18.2. Amount, currency and valid period of the Bid Bond shall be as specified in the BDS. 18.3. The Bid Bond shall be considered illegitimate in one of following cases: having lower value, with shorter valid period as specified in ITB 18.2, incorrectly states the name of the beneficiary, not original and without legitimate signature, signed before Vietsovpetro issues the Invitation to Bid or accompanied with adverse condition for Vietsovpetro (including not fully committed with content of the Bid Bond Forms – 04A, 04B, 04C in Chapter IV). In case of using a letter of guarantee or certificate of insurance, the letter of guarantee or certificate of insurance must be provided, signed and stamped (if applied) by one of the following: a lawful representative of a domestic credit institution, a branch of a foreign bank established under Vietnamese law, a domestic non-life insurance enterprise, a branch of foreign non-life insurance enterprise established under Vietnamese law. In case of using a letter of guarantee (of deposit/transfer to Vietsovpetro's account), the letter must be signed and stamped by the legal representative of the contractor. 18.4. Unsuccessful bidder shall be returned or released the Bid Bond in the maximum duration specified in the BDS since the date for notification of result of selecting bidder. For successful bidder, the Bid Bond shall be returned or released after the bidder furnishes the contract performance guarantee. 18.5. The Bid Bond shall not be returned in one of following cases: a) After the deadline for submission of bids and during the validity period of the bid, the bidder withdraws their Bid proposals or gives a written refusal to perform one or some tasks proposed in their Bid proposals in
--	--



	accordance with the requirements laid down in the Invitation to Bid; b) The bidder performs any of the prohibited acts specified in Point 4 ITB or commits violations of the bidding law resulting in bid cancellation as prescribed in Point 32 ITB; c) The successful bidder fails to furnish the required performance security as prescribed Point 37 ITB; The first ranked bidder is invited to negotiate the Contract. Within seven (07) days from the date of receipt of the invitation to negotiate the Contract from Vietsovpetro, the bidder does not come to negotiate or refuses to negotiate the Contract or offers conditions different from the content in the Bid Proposals or withdrawing commitments in the Bid Proposals resulting to unsuccessful Contract negotiations, the Bid bond shall be not returned to bidder, except in cases of force majeure; d) The bidder fails or refuses to complete the Contract within twenty (20) days from the date of receipt of notification of Bid award from Vietsovpetro, except in cases of force majeure. e) The bidder refuses to sign the Contract within ten (10) days from the date of completion of the Contract, except in cases of force majeure. 18.6. In case the Invitation to Bid is divided into independent parts, bidder may submit the bid bond in either of the two ways as follows: a) A bid bond for all parts that bidder participate in the bidding (the value of bid bond will be equal to the total values of the parts that bidder takes part in). Where the value of bid bond submitted by the bidder is less than the total of values, Vietsovpetro is entitled to decide the application of such bid bond to the parts that bidder takes part in; b) Separated bid bonds for each part that bidder takes part in the bidding. Where the bidder's breach results in a failure to refund the bid bond as stipulated in section ITB 18.5, the failure to refund the value of bid bond shall be calculated on the part violated by the bidder.
19. Deadline for bid submission	19.1. The deadline for bid submission is the time specified in the BDS. 19.2. Vietsovpetro may at its discretion, extend the deadline for the submission of Bid Proposal by amending the Invitation to Bid in accordance with ITB 8, in which case all rights and obligations of Vietsovpetro and bidders previously subject to the deadline shall thereafter be subject to the new deadline as extended. 19.3 The bidder submits directly or delivers the Bid Proposal to Vietsovpetro address provided that it arrives before deadline for submission of bid specified in the BDS. Vietsovpetro receive Bid Proposal of all bidders before deadline for submission of bid, including even if bidder has not bought or received the Invitation to Bid from Vietsovpetro. In such case, the bidder shall pay an amount equal to the selling price of the Invitation to Bid to Vietsovpetro account prior to the Bid Proposal is received and before the deadline for bid submission.
20. Submission, Withdrawal, substitution, and amendment of Bid Proposal	20.1. The bidder shall prepare Bid Proposal comprising: one original as specified in ITB 10 and some copies with amount mentioned in the BDS. The cover of dossier shall be marked clearly “ORIGINAL OF BID PROPOSAL”, “COPY OF BID PROPOSAL”. In case of amendment, alternative of Bid Proposal, the bidder shall prepare one original and some copies of dossier with amount specified in the BDS. The cover of dossier shall be marked clearly “ORIGINAL OF AMENDED BID PROPOSAL”, “COPY OF



	AMENDED BID PROPOSAL”, “ORIGINAL OF ALTERNATIVE”, “COPY OF ALTERNATIVE”. In case of technical alternative in the Bid Proposal specified in ITB 12, the bidder shall prepare one original and some copies with amount mentioned in BDS. The cover of dossier shall be marked clearly “ORIGINAL OF TECHNICAL ALTERNATIVE”, “COPY OF TECHNICAL ALTERNATIVE OPTION”. 20.2. Bidders shall be responsible for the appropriateness of the copies compared to the original. In case of deviation between original and copy but without changing the bidder ranking, the original shall be used for evaluation. In case of deviation between original and copy leading to different results in evaluation of original and the copy, and resulting change in the bidder ranking, the Bid Proposal of that bidder shall be rejected. 20.3. The original of Bid Proposal shall be typed, printed with inerasable ink, with continuous page numbers. The application for bidding form letter, letter of discount (if any), supplementary documents, clarifying the Bid Proposal, price offer list and other forms in Chapter IV – Bidding forms shall be signed and stamped by the bidder's legitimate representative or the bidder’s legitimate attorney (if any), in case of attorney, letter of attorney specified in Template 02, Chapter IV – Bidding forms or certified copy of company charter, decision on establishment of branch or other documents to demonstrate power of attorney shall be submitted with the Bid Proposal. 20.4. In case of Consortium bidders, Bid Proposal shall be signed by legal representative of all partners in Consortium or legal partner representating Consortium bidders according to Consortium agreement. In order that all partnerss of Consortium to be legally bound, Consortium agreement must be signed by legal representatives of all partners of Consortium. 20.5. Any words added, written between lines, erased, overwritten shall only be deemed legitimate if having signature nearby or in that page of signatory on the application for bidding letter. 20.6 The envelope of Bid Proposal comprises of original and copies, duly marking “BID PROPOSAL”. In case of amendment, alternative of Bid Proposal, then the amended, alternative document (including original and copies) shall be placed in separated envelopes other than the envelope for Bid Proposal, clearly marking “AMENDMENT OF BID PROPOSAL”, “ALTERNATIVE BID PROPOSAL”. In case the bidder proposes an alternative technical plan, the entire alternative technical plan, including technical proposals and price proposals, must be contained in separate envelops from the Bid Proposal envelop, the outside must clearly state "PROPOSED ALTERNATIVE TECHNICAL OPTION". The envelopes: for Bid Proposal; amended Bid Proposal, proposed alternative technical options (if any) must be sealed. Sealing method is according to the bidders' own regulations. 20.7. The envelopes shall: - bear the name and address of the bidder; - be addressed to Vietsovpetro in accordance with BDS;
--	--



	c) bear title of bidding package in accordance with ITB 1.2; d) bear a warning “not to open before the time and date for bid opening”. 20.8. The bidder shall be responsible for aftermath or disadvantages if is not in accordance with this Invitation to Bid such as not sealing or losing seal of Bid Proposal during delivery to Vietsovpetro, not marking right information on envelopes of Bid Proposal as specified in ITB 20.6 and ITB 20.7. Vietsovpetro shall not be responsible for confidentiality of information in Bid Proposal if the bidders do not comply with above requirements. 20.9. Vietsovpetro shall not consider any Bid Proposals submitted after the Deadline for bid submission. Any Bid Proposals received by Vietsovpetro after the Deadline for bid submission shall be declared late submission, be rejected and be returned unopened to the Bidder. 20.10. After submitting the Bid Proposals, the Bidders may amend, replace or withdraw the Bid Proposals by sending a written notice signed by the bidder's legal representative, in case of attorney, a power of attorney letter must be enclosed as prescribed in ITB 20.3. Dossier for amendment or replacement of Bid Proposal must be enclosed with a written notification of the corresponding amendment, replacement and must ensure the following conditions: a) Being prepared by the Bidders and being submitted to the Vietsovpetro in accordance with ITB 20, the dossier containing the notification must be clearly stated "AMENDMENT OF BID PROPOSAL" or "SUBSTITUTION OF BID PROPOSAL" or "WITHDRAWAL OF BID PROPOSAL"; b) Being received by Vietsovpetro before the Deadline for bid submission as stipulated in ITB 19. 20.11. The Bid Proposals which the bidder requests to withdraw in accordance with ITB 20.10 shall be returned unopened to the bidder. 20.12. The Bidder is not allowed to modify, replace or withdraw the Bid Proposal after the Deadline for bid submission until the expiration of the Bid Proposal's validity as stated in the application for bidding form letter or until the expiration of the extended validity of the Bid Proposal.
21. Bid opening	21.1. Except in the cases specified in ITB 20, Vietsovpetro shall publicly open and read out, clearly information in accordance with ITB 21.3 of all Bid Proposal received before the deadline for submission of bids. The bid opening shall take place publicly at time and place specified in the BDS in the presence of bidders and representatives of related organizations. The bid opening does not depend on presence or absence of bidders' representatives attending the bid. 21.2. In case bidder requests withdrawal or substitution of Bid Proposal, Vietsovpetro shall firstly open and read out clearly information in envelope of which outer notification marks “WITHDRAWAL OF BID PROPOSAL”, the envelope of Bid Proposal of bidder with request for withdrawal shall remain sealed and be returned unopened to Bidder. Vietsovpetro shall not accept the Bidders' withdrawal of the Bid Proposal and still open such the Bid Proposal if the written notice of "Withdrawal of Bid Proposal" does not include documents providing that the person signing such documents is the bidder's legal representative and must be publicly announced during the bid opening.



	Next, Vietsovpetro shall open, read out clearly information in envelope of which outer notification marks “SUBSTITUTION OF BID PROPOSAL” and this shall be replaced with the previous. This previous shall not be opened and be returned unopened to bidder. Vietsovpetro shall not accept the bidder to replace the Bid Proposal if the written notice of Bid Proposal replacement is not accompanied by documents proving that the person signing the document is the bidder's legal representative and must be made public during the bid opening. For envelope with notification marked “SUBSTITUTION OF BID PROPOSAL”, any attached notification document accompanied with amended Bid Proposal shall be opened, read out clearly. Vietsovpetro shall not accept the bidder to amend the Bid Proposal if the written notice of Bid Proposal’s amendment does not include documents proving that the person signing the document is the bidder's legal representative. Only Bid Proposal opened and read out at the bid opening then shall be considered further and evaluated. 21.3 All the Bid Proposals shall be opened one at a time following the alphabetical sequence of the bidders’ names and sequence below: - Examine the seals; - Open original of Bid Proposal, amendment of Bid Proposal (if any) and read out clearly at least the following information: name of bidder, quantity of originals and copies, bidding price in letter of bid, bidding price in summarized price list, discount (if any), validity of Bid Proposal, date of contract performance, value, validity of Bid Bond and other necessary information. In case bidding package is divided into many independent parts, then bidding prices and discount for each part shall be read out. Only discount read out in bid opening shall be further considered and evaluated; - Representatives of Vietsovpetro shall countersign in original of letter of bid, Bid Bond, summarized price list, letter of attorney of bidder’s legal representative (if any), letter of discount (if any), Consortium agreement (if any). Vietsovpetro shall not reject any Bid Proposal at the bid opening, except for late submission Bid Proposals as specified in ITB 20. 21.4. Vietsovpetro shall prepare a record of the bid opening that shall include information specified in ITB 21.3. The record shall be signed by representatives of Vietsovpetro and bidders attending bid opening. The omission of a bidder’s signature on the record shall not invalidate the contents and effect of the record. The record shall be distributed to all bidders attending the bid.
22. Confidentiality	22.1. Information relating to the evaluation of bids and recommendation of contract award shall not be disclosed to bidders or any other persons not officially concerned with the bidder selection process until publication of result of bidder selection. Under no circumstances, is the information in Bid Proposal revealed to any other bidders, except for the information that need disclosing during the bid opening. 22.2. Except for the case of enquiries for clarification of Bid Proposal and comparing documents, bidder is not allowed to contact with Vietsovpetro for issues related to bidder’s Bid Proposal and other relevant issues of bidding package during the time from bid opening until the result of tendered selection is published.



23. Clarification of Bid Proposal	23.1. After bid opening, the bidder shall be responsible to clarify the Bid Proposal if required by Vietsovpetro, including eligibility, capacity and experiences of the Bidder. In terms of technical, financial proposal in bidder's Bid Proposal, the clarification shall comply with the principle of not changing the basic content of the submitted Bid Proposal and not changing the offered bidding price. 23.2. During the evaluation process, clarification of Bid proposal between Bidders and Vietsovpetro is performed directly in written. 23.3. Clarification of Bid Proposals is only performed between the Vietsovpetro and Bidder whose Bid Proposals need to be clarified. In terms of clarification contents that directly affect evaluation of eligibility, capacity, experiences, technical requirement, financial issues, if period of clarification exceeds deadline and bidder does not submit documentation for clarification or submitted documentation does not comply with requirements of clarification from Vietsovpetro, Vietsovpetro shall evaluate based on the Bid Proposal submitted before deadline for bid submission. Vietsovpetro shall give the Bidder a reasonable period of time to clarify the Bid Proposal. 23.4. In case after deadline for submission of bids, the bidder knowing that the Bid Proposal it has submitted falls short of documents establishing its eligibility, similar contracts, production capacity, financial reports, tax declaration and payment obligations, documents on personnel, specific equipment proposed in its Bid Proposal may provide such evidence to the Procuring entity within a period of time specified in the BDS. The Procuring entity shall receive, consider and evaluate the bidder's additional and clarifying documents, which shall be considered as part of the Bid Proposal. 23.5. In case of any inconsistencies in the Bid Proposal's content or on the condition that the content is unclear, Vietsovpetro request clarification toward the bidder based on compliance as specified in ITB 23.1. 23.6. In case of doubt about the authenticity of documents provided by the Bidder, Vietsovpetro shall verify with organizations and individuals related to the content of the documents. 23.7. In case the Invitation to Bid requires the commitment, Contract Principles for equipment rental, main material supply, warranty, upkeep and maintenance, but such documents are not enclosed in the Bid Proposals, Vietsovpetro shall request Bidders to clarify their Bid Proposals and supplement documents within an appropriate period of time but not less than 03 working days as a basis for evaluation of Bid Proposals.
24. Deviations, Imposing Conditions and Omissions	During the evaluation of bid proposal, the following definitions apply: 24.1. "Deviation" is a difference from the requirements specified in the Invitation to Bid; 24.2. "Imposing Conditions" is the setting of limiting conditions or withholding from complete acceptance of the requirements specified in the Invitation to Bid; 24.3. "Omission" is the Bidder's failure to submit part or all of the information or documentation required in the Invitation to Bid.
25. Determination of responsiveness	25.1. Vietsovpetro's determination of a responsiveness of Bid Proposal is to be based on the contents of the Bid Proposal itself, as defined in ITB 10. 25.2. A substantially responsive Bid Proposal is one that meets the requirements of the Invitation to Bid without material deviations,



	conditions, or omissions. A material deviation, reservation, or omission is one that: a) If accepted, would affect in any substantial way the scope, quality, or performance of the goods and related services; limit in any substantial way, inconsistent with the Invitation to Bid, Vietsovpetro's rights or the bidder's obligations under the contract; b) If rectified, would unfairly affect the competitive position of other bidders presenting substantially responsive Bid proposal that meet the requirement of the Invitation to Bid. 25.3. Vietsovpetro shall examine the technical aspects of the Bid Proposal submitted in accordance with ITB 15 and ITB 16, in particular, to confirm that all requirements of the Invitation to Bid have been complied without any material deviation or reservation, or omission. 25.4. If the Bid Proposal is not substantially responsive to the requirements of Bidding Document, it shall be rejected; not being allowed to deviations, reservation conditions or omission of basic content in such Bid Proposal with the purpose of making Bid Proposal to be met substantially responsive to the requirements of Bidding Document.
26.Nonmaterial mistake	26.1. Provided that a Bid Proposal is substantially responsive, Vietsovpetro may waive any mistakes in the bid proposal that not to be a material deviation, reservation or omission. 26.2. Provided that a bid proposal is substantially responsive, Vietsovpetro may request that the bidder submits the necessary information or documentation, within a reasonable period of time, to rectify inappropriate points or nonmaterial mistake in the bid related to documentation requirements. The request for provision of information and documentation to rectify such mistakes shall not be related to any aspect of the bidding price. Failure of the bidder to comply with the request may result in the rejection of its Bid Proposal. 26.3 Provided that a bid proposal is substantially responsive, Vietsovpetro shall rectify quantifiable nonmaterial mistakes related to the bidding price; the bidding price shall be adjusted to reflect the price of a missing or non-conforming item or component; this adjustment is for comparison purposes only.
27.Sub-contractor	27.1. Sub-contractors are organizations, individuals signing contracts with the bidders to perform related services. 27.2. Requirements of Subcontractors are specified in BDS. 27.3. Sub-contracting will not change the bidder's responsibilities. The bidders shall be responsible for the workload, quality, progress and other responsibilities for the parts of the contract carried out by the subcontractors. Sub-contractors' capacity and experiences shall not be considered in evaluation of the Bidder's Bid proposal. The bidder itself must comply with capacity criteria (no consideration of sub-contractors' capacity and experiences). 27.4. The bidder may sign contracts with sub-contractors according to the list of sub-contractors stated in the Bid Proposal or signing contracts with sub-contractors approved by Vietsovpetro to participate in performing the work. 27.5. The bidders is not allowed to utilize the sub-contractors to carry out the tasks other than the tasks of the subcontractors mentioned in the Bid Proposal; the replacement or addition of sub-contractors other than the list of sub-contractors prescribed in the Bid Proposal shall only be carried out



	when there is a valid and appropriate reason and is approved by Vietsovpetro; in case sub-contractors are utilized to carry out the tasks other than the tasks listed in the Bid Proposal that using a sub-contractor with a value of 10% or higher (after deducting the work part of the sub-contractor's responsibility) calculated on the contract price signed, as an act of "bid transfer".
28. Bid preferences in the selection of bidder	28.1. Rules of bid preferences: Bidders shall be granted preferential treatment when supplying goods of which costs for domestic production occupy 25% or higher. 28.2. Bid preferences are applied during evaluation process for comparing and rating Bid Proposal: Goods are eligible for bid preferences provided that bidders prove that domestic production costs account for above 25% of total price. Percentage (%) of domestic production cost of goods is calculated according to the following formula: $D (\%) = G^*/G (\%)$ Where: - G*: Domestic production cost calculated by quoted price of goods defined in the Bid Proposal which subtracts tax values and external costs, inclusive of fees and charges (if any); - G: Quoted price of goods defined in the Bid Proposal subtracting tax values; - D: Percentage (%) of domestic production cost of goods, D gains the rate of 25%, which can enable goods to receive the bid preferences as regulated in this clause. 28.3. Bid preferences calculation is specified in the BDS. 28.4. Bidder must declare information about the eligible types of goods for bid preferences according to Forms 15A, 15B and 15C Chapter IV that is on the basis of consideration and evaluation of bid preferences. In case bidders does not declare so, the Bidder's goods are considered not eligible for bid preferences. 28.5. In case goods do not receive bid preferences, evaluation and determination of bid preferences shall not be applied. 28.6. In case of bidders ranking equally, priority shall be given to those with: - Goods originating from the Socialist Republic of Vietnam and the Russia Federation. - Services/Jobs that employ workers from the Socialist Republic of Vietnam and the Russian Federation.
29. Bid Proposal evaluation	29.1. Vietsovpetro shall apply evaluation criteria listed in this clause and methods of evaluation are specified in the BDS. Any other criteria and methods of evaluation shall not be allowed. 29.2. Vietsovpetro shall evaluate directly on the bid proposals submitted by the bidder. 29.3. Verify and evaluate eligibility of Bid Proposal: a) The verification and evaluation of eligibility of Bid Proposal as specified in clause 1, Chapter III – Bid Proposal Evaluation criteria; b) Any bidders who have eligibility Bid Proposal shall be further considered and evaluated with respect to capacity and experiences.



	29.4. Evaluation of capacity and experiences: a) Capacity and experiences are evaluated as specified in clause 2, Chapter III – Bid Proposal Evaluation criteria; b) Bidders with satisfactory capacity and experiences shall be considered and evaluated to examine their technical capability. 29.5. Technical and price-based evaluation: a) Evaluation of technical capability must adhere to the evaluation standards and methods prescribed in Section 3, Chapter III – Bid Proposal Evaluation criteria; b) Bidders who satisfy technical requirements shall be considered to evaluate the price specified in Section 4, Chapter III – Bid Proposal Evaluation criteria. 29.6. After price-based evaluation, Vietsovpetro shall make and approve ranking list of bidders. The bidder ranked at the first position in the bidder's ranking list shall be eligible for the contract negotiation. Ranking of bidders shall be made as prescribed in the BDS. 29.7. In case the Invitation to Bid is divided into independent parts and bidder is allowed bidding in each part prescribed in ITB 1.2, bid evaluation is carried out with those respective parts of the bidder as prescribed in Section 6, Chapter III – Bid Proposal Evaluation criteria. 29.8. Principle of Bid proposal's evaluation: a) Vietsovpetro evaluate directly based on the bid proposals submitted by the bidder. In case the information committed, declared in the Bid proposal is not truthful, leading to false results of evaluating Bid proposal of the bidder, bidder shall be considered to have committed fraudulent; b) In case there is inconsistency between information of similar contract and supporting documents proving information of such similar contract, Vietsovpetro request bidder to clarify the Bid proposal. In case the contracts declared, enclosed in the Bid proposal that not meeting the requirements of Invitation to Bid or the Bidder does not declare or incompletely declares the similar contracts, Vietsovpetro request the bidder to clarify and supplement the another contract to meet the requirements of the Invitation to Bid within an appropriate period of time but not less than 03 working days. In case the bidder does not have a contract met the requirements of the Invitation to Bid, the bidder shall be disqualified; d) In case the key personnel and key equipment (if any) proposed by the contractor in the Bid proposal not meeting the requirements, Vietsovpetro allow the bidder to supplement or replace. Bidders are only allowed to add or replace each personnel position, equipment once within an appropriate period of time but not less than 03 working days. In case the Bidder does not have the replacement of personnel and equipment that meet the requirements of the Invitation to Bid, the bidder will be disqualified. Under any circumstances, on condition that the Bidder dishonestly declares personnel and equipment, the Bidder is not allowed to substitute other personnel or equipment, the Bidder's Bid proposal shall be rejected and the Bidder shall be considered having committed fraudulent according to regulations with legislation on bidding or other relevant legislation and shall be subject to be handled according to regulations. e) For the origin of the goods, in case there is any inconsistency between the declared information and attached documents, Vietsovpetro request clarification of the Bid proposal;
--	---



	f) For contents other than those mentioned in Points a, b, c and d of this Clause, in case there is inconsistency between the information in the original Bid proposal and the copy of the Bid proposal, the information in the original Bid proposal is the basis for review and evaluation; g) At the financial assessment step, in case the Bidder does not declare information in the bid preferences's form for domestically produced goods (for Goods procurement bidding packages) in order that Vietsovpetro have a basis for calculating bid preferences, then Bidder will not receive the bid preferences;
30.Contract negotiation	Contract negotiation shall be stipulated in BDS. 30.1. Contract negotiation shall be based on the followings: a) Report on evaluation of the Bid Proposal; b) Bid Proposal and bidder's records of clarification of bidding package (if any); c) Invitation to Bid. 30.2. Principles of the contract negotiation: a) Not negotiating on the contents the bidder offered in accordance with the requirements of the Invitation to Bid. b) While evaluating Bid Proposal and negotiating contract, if realizing the scope of supply/ work, workloads specified in Chapter V – Scope of Supply are insufficient compared with the design documentation, Vietsovpetro shall request bidder to add supplement scope for this insufficient part, on the basis of the quoted price; if the Bid Proposal has not provided the unit price, Vietsovpetro shall consider and decide on applying the unit price approved estimated price for these scope of work/ inadequate workloads compared to the design documentation or the unit price quoted by other bidders who have passed the technical evaluation if this unit price is lower than the approved unit price in the estimated bidding package; c) When negotiating a contract for the deficient deviation, if the Bidder's bid proposal does not have a unit price corresponding to the deviation, the lowest bid unit price among other bidders' bid proposals that meet the technical requirements must be taken or taking the unit price in the approved estimate if this is the only bidder who passes the technical evaluation step as a basis for negotiating that deficient deviation. 30.3. Contents of contract negotiation: a) Unspecified, inappropriate and inconsistent contents between Invitation to Bid and Bid Proposal, between different contents in the Invitation to Bid may lead to incidents, disputes or impact on the contractual obligations of contracting parties; b) Deviations that have been found by the Bidder and Bidder's recommendations (if any), including proposal of amendment or technical alternatives which Bidder is allowed to provide according to relevant bidding regulations;



	c) Any issue that arises during the selection of Bidder (if any) in the aim of completing detailed contents of the bidding package; d) Nonmaterial omissions specified in ITB 30; đ) Other necessary issues. 30.4. During contract negotiation, negotiating parties must proceed to draft and complete the official agreement, detailed terms and conditions and annexes that determine detailed list of scope of supply, price list and progress of supply. 30.5. If the negotiation fails, Vietsovpetro shall consider, decide to invite the bidder who is ranked at the next positions for contract negotiation; if the successive negotiations also fail, Vietsovpetro shall report to the Investor to consider, decide the bidding cancellation as regulated in point a, ITB 32.1
31.Conditions for recommendation as the awarded bidder	Bidder shall be considered for recommendation as the winning bidder upon satisfying the following conditions: 31.1. Having Eligibility Bid Proposal as prescribed in Section 1, Chapter III; 31.2. Having capacity and experiences satisfying requirements as prescribed in Section 2, Chapter III; 31.3. Having technical proposals satisfying requirements as prescribed in Section 3, Chapter III; 31.4. Having deficient deviation not exceeding 10% of bidding price; 31.5. Meeting requirements specified in the BDS; 31.6. The bidder has the proposed price award (including taxes, fees, charges (if any) not exceeding the approved bidding package price. If the approved estimated budget of bidding package is lower than or higher than the approved bidding package price, this estimate shall replace the bidding package price as basis for consideration for recommendation as the winning bidder.
32.Bidding cancellation	32.1. Vietsovpetro shall notify the bidding cancellation in following cases: a) All Bid Proposals fail to satisfy the requirements of the Invitation to Bid; b) Change of the objectives, scope of procurement resulting in changes in volume of work and evaluation criteria stated in the Invitation to Bid at Vietsovpetro's decision; c) The Invitation to Bid fails to comply with legislation on bidding or other relevant legislation that lead to the failure of the selected bidder to meet requirements for performing bidding package; d) The award bidder commits prohibited acts specified in section 4 prohibited acts - Chapter I Instructions to Bidders. e) Organizations and individuals other than the awarded bidder commit prohibited acts specified in section 4 prohibited acts - Chapter I Instructions to Bidders leading to deviations in bidder selection results. 32.2. Organizations and individuals infringing law on bidding that lead to bidding cancellation as prescribed in point c, d, e in ITB 32.1 is undertaken to compensate expenses for related parties and be handled as prescribed by law.



	32.3. In case of bidding cancellation specified in this section, Vietsovpetro shall return or release Bid Bond to bidders who has submitted the original Bid Bond within 05 working days, except the bidder violates the regulation as specified in point d and point đ, ITB 32.1.
33. Notice of bidder selection result	33.1. Vietsovpetro shall publish notice of bidder selection results within 05 working days from the date of approval of bidder selection results. Notice of bidder selection result shall include following contents: a) Information of the bidding package: - Number of Invitation to Bidder; - Name of the bidding package; - Bidding package price or approved estimate (if any); - Name of Investor; - Form of bidder selection; - Type of contract; - Time to implement the bidding package; - Time of contract performance. b) Information of the awarded bidder: - Tax code; - Contractor name; - Bidding price; - Bidding price after discount (if any); - Technical scores (if any); - Evaluation price (if any); - Awarded bidding price; - Time to implement the bidding package. c) For each type of goods and equipment in the bidding package, the Investor must publish the following information: - Goods name; - Wattage; - Features and technical specifications; models, part numbers, labels; - Origin; - Awarded of bidding unit price. d) List of unselected bidders and brief reasons of each bidder for not being selected. 33.2. In case of bidding cancellation as prescribed in point a, ITB 32.1, in the notice of bidder selection results and on the national bidding network must be clearly stated the reason for cancellation of bidding.
34. Change in volume of goods and services	34.1. At the time of awarding contract, Vietsovpetro are entitled to increase or decrease the volume of services stated in Chapter IV provided that such change not exceeding the rate specified in the BDS and there is not any change in the unit price or other terms and conditions of the Bid Proposals and Invitation to Bid. The rate of increase and decrease in volume shall not exceed 10%. 34.2. Additional purchase option: Before the contract expires, the Investor has the right to purchase an additional volume of goods or services in the bidding package other than



	the volume stated in Chapter IV provided that not exceeding the rate specified in the BDS .
35. Notice of Bid Proposal acceptance and contract award	After publishing the notice of bidder selection results, Vietsovpetro send a notice of acceptance of the Bid proposals and award the contract, including requirements on measures of contract performance guarantee, completion time, and contract signing. VND according to the provisions in Form as prescribed in Part 4 for the awarded bidder. Notice of acceptance of bid proposals and contract award are part of the contract documentation. In case the awarded bidder fails to complete, sign the contract or submit the contract performance guarantee within the deadline stated in the notice of bid proposal's acceptance and contract award, the bidder shall be disqualified and shall not be refunded the value of Bid bond as prescribed in Section 18.5 ITB. The period of time stated in the notice of bid proposal acceptance is calculated from the date Vietsovpetro sending this acceptance notice to the awarded bidder on the nation bidding network.
36. Conditions for signing contract	36.1. At time of signing contract, Bid Proposal of the selected bidder are still valid. 36.2. At time of signing contract, the selected bidder must ensure to meet requirements on technical and financial capability for implementation as prescribed in the Invitation to Bid. If the bidder no longer meets basic requirements of technical and financial capability prescribed in the Invitation to Bid, Vietsovpetro shall refuse to sign contract with the bidder. Vietsovpetro shall therefore cancel previous decision on approval of bidder selection result and contract award, and shall invite the bidder who is ranked at the next position for comparing documentation and contract negotiation (if required). 36.3. Vietsovpetro shall ensure conditions on funding for advance payment, payment funding and other necessary conditions for carrying out the bidding package on the schedule.
37. Contract performance guarantee	37.1. Before signing a contract or before the contract comes into effect, the bidder shall provide contract performance guarantee as specified in Part 3. In case of applying a form of contract performance guarantee, the form specified in Part 3 or another form approved by Vietsovpetro shall be complied. 37.2. The bidder shall not be entitled for the returning of the contract performance guarantee in the following cases: - The bidder refuses to perform the contract after the date the contract comes into force; - The bidder violates agreements in contract; - Performing the contract behind schedule due to bidder's fault but refusing to extend the validity of the contract performance guarantee.
38. Handling of Complaints in Bidding	38.1. When bidder's legal rights and interests are affected, the bidders, agencies and organizations may file any complaint to Vietsovpetro with respect to procurement process, bidder selection result according to the regulations of Vietsovpetro. 38.2. In case of petition to Vietsovpetro, the bidder shall send the petition to the address specified in the BDS.
39. Monitoring, supervising of	When detecting violated behavior or content inconsistent with the provisions of bidding law, the bidder is responsible for notifying the



Bidder selection process	organization, individual performing the monitoring task and supervision as prescribed in the BDS .
---------------------------------	---



Chapter II. BIDDING DATA SHEET

ITB 1.1	Name of Investor: Vietsovpetro
ITB 1.2	Title of bidding package: Provision of “Material and equipment for the modernization of the oil metering system at BK5, CTP2, RP3” (VT-5000/25-KT-NMH). Name of project: Vietsovpetro will evaluation and selection following Groups (08 groups): + Group I: Item 1 + Group II: Item 2 ÷ 8 + Group III: Item 9 ÷ 29 + Group IV: Item 30 ÷ 44 + Group V: Item 45 ÷ 57 + Group VI: Item 58 ÷ 62 + Group VII: Item 63 ÷ 102 + Group VIII: Item 103 ÷ 113 Year of production: Technical requirements attached Scope of supply see Attachment 1 of PART 4. Technical requirement see Attachment 2 of PART 4. Technical Evaluation Criteria see Attachment 3 of PART 4.
ITB 3	The source of funding: Block 09-1
ITB 5 (d)	Competitiveness in the bidding must be ensured by following rules: - Bidders participating in bidding do not have a shareholding or equity contribution representing more than 30% with:_____ [insert full name and address of the Employer, Procuring entity], except in the case of: (i) The bidder is an affiliate or subsidiary of a state-owned corporation or group whose main production and business lines are consistent with the nature of the bid package of that state-owned corporation or group. (ii) The bidder is a parent company, subsidiary, or affiliate of a state-owned corporation or group whose main production and business lines are suitable for products and services under the bid package, and this bid package belongs to its subsidiary or affiliate. - The bidder do not either have a shareholding or equity contribution relationship with consultants or have a shareholding or equity contribution representing more than 20% of equity owned by a third party being an entity or a natural person, specifically as follows: + Consulting on preparation for technical design:___ [insert full name and address of consultants (if any)]; + Consulting on verification of bid price:___ [insert full name and address of consultants (if any)]; + Consulting on supervision of contract execution and inspection:___ [insert full name and address of consulting unit (if any)]; + Consulting on preparation for the BD:___ [insert full name and address of consultants (if any)]; + Consulting on appraisal of the BD:___ [insert full name and address of consultants (if any)]; + Consulting on evaluation BDBs:___ [insert full name and address of consultants (if any)]; + Consulting on appraisal of bidder selection results:___ [insert full name and address of the consultants (if any)];



	+ Project management consulting, contract management, other consulting services whose work is directly related to the bid package: ____ [insert full name and address of the consultants (if any)]; - The bidder does not belong to the same agency or organization directly managing the consultants (mentioned above)*. - Public sector entities and employers, procuring entities that have the same direct governing authority, and equity contribution when participating in bidding for each other's bid packages shall not have to satisfy the regulations on legal and financial independence between the bidder and the employer and the procuring entity. - Public sector entities and enterprises that have the same direct governing authority, and equity contribution when participating in bidding for each other's bid packages shall not have to satisfy the regulations on legal and financial independence between the bidder and the employer and the procuring entity. - The ratio of shares, equity contributions between the parties is determined at the deadline for submission of bids and according to the ratio stated in the business registration certificate, establishment decision, and other documents of equivalent value. 'In case the bidder participates in the bidding as a joint venture or the consultant is selected as a joint venture, the equity ownership ratio of other organizations and individuals in the joint venture is determined according to the following formula: $\text{Ownership ratio} = \sum_{i=1}^n X_i \times Y_i$ Of which: X_i: Equity ownership ratio of other organizations and individuals in the i-th joint venture member; Y_i: Percentage (%) of the work volume of the i-th joint venture member in the joint venture agreement; n: Number of members participating in the joint venture *Only evaluate this content for bidders that are public sector entities"
ITB 5 (h)	Bidder's name is registered on National bidding network before the grant of approval for contractor selection result as prescribed: - Bidders have to register procurement information on the National bidding network: To be applied - Bidders are to provide confirmation of information registration on the national bidding network system in according to the Circulars issued by Ministry of Planning & Investment for providing provisions on posting information about bidding, on the roadmap for applying online Contractor selection, and managing the use of the value of bidding guarantee, ensuring the performance of non-refundable contracts: Detailed instructions of the National bidding network system are on the website: http://muasamcong.mpi.gov.vn.
ITB 7.1	The amendment of Invitation to Bid shall be published in National bidding network at least 03 working days prior to the Deadline for bid submission.
ITB 7.2	Requests for clarification should be received by Vietsovpetro at least 05 working days prior to the Deadline for bid submissions.



	Vietsovpetro shall clarify the request of clarification at least 03 working days prior to Deadline for bid submissions.
ITB 7.3	Pre-bidding conference: No
ITB 8	Payment for the Invitation to Bid: Interested bidders can buy Invitation to Bid with non-refundable cost of VND 500,000.00/set (in word: Five hundred thousand Vietnam Dong/set). Payment for Invitation to Bid shall be made by Telegraphic Transfer to the following Vietsovpetro's account: Account No. 008.100.000001.1 Beneficiary: Vietsovpetro VIETCOMBANK, Vung Tau Branch Please indicate: Bidder Name, payment for Invitation to Bid [Thiết bị, Vật tư cho Nâng cấp hệ thống đo dầu và khí trên BK5, CTP2, RP3], Bidding package No. VT-5000/25-KT-NMH.
ITB 10.10	The Bidder shall submit the following additional documents in its bid proposal: Scope of supply, scope and work and Technical Documentation as required Technical Requirement (Section Part 2 Chapter V: Scope of supply, Scope of works and Technical documents, etc. in ITB).
ITB 12.1	Bidder is allowed to submit Technical alternative: (Not Applicable). The bidder is required to clearly state the main offer and the alternative offer in the bidding proposal. Technical alternatives are only considered when main solution meets requirements and bidder is ranked first. In this case, bidder shall provide all information necessary for evaluation of the alternatives by Vietsovpetro, including notes, drawings, technical specifications, progress of supply and other relevant information.
ITB 13.5	In the detailed price quotation table, bidder shall offer prices according to the following requirements: For foreign bidders: the Bidders are requested to offer price on delivery term: CFR Vietsovpetro port, Ho Chi Minh city, S.R. Viet Nam in accordance with Incoterms accompanied with appropriate amendments - if necessary as Bidding form No.12A, Chapter IV- Bidding form and provide "Incoterms 2020". In case goods are accompanied with services, commissioning.... Bidders have to clearly state that whether the offered price includes Foreign Contractor Withholding Tax (FCWT) as Bidding form No.13. If the offered price has not included, Vietsovpetro will calculate and add FCWT into the offered price for comparison and evaluation (<i>FCWT tax rate is: 1.01% for goods; 15.79% for services; 12.24% for services included in goods</i>). Vietsovpetro shall do necessary procedures for tax exemption of goods. For Vietnamese Bidders: For Block 09-1: The Bidders are requested to offer price on delivery to Vietsovpetro warehouse, Ho Chi Minh city, S.R. Viet Nam including all taxes, fees and charges (if any) arisen inside Vietnam and shall be taken into consideration exemption of import tax and VAT for imported goods from using List of exempted goods available for Vietsovpetro in Block 09-1 as Bidding form No. 12A and 12B, Chapter IV- Bidding form.



ITB 15.6	Expected operating duration of Goods (for the purpose of requirement of spare parts, specialized tools): Not applicable.
ITB 16.2	The documentary evidence of the Bidder's capacity to perform the contract if the bidder win the bid including: Manufacturer's License for sale or the Certificate of Partnership or similar documents: <i>as per Technical requirement, Chapter V in Invitation to Bid.</i>
ITB 17.1	The Bid proposal shall be valid for: 90 days from the deadline for bid submission.
ITB 18.2	Contents of Bid Bond: In case bidding package is divided into many independent parts, the amount and currency of the Bid Bond shall be: + Group I (Item 1) : 913,00 USD / 23.900.000 VND + Group II (Item 2 ÷ 8): 92,00 USD / 2.400.000 VND + Group III (Item 9 ÷ 29): 147,00 USD / 3.900.000 VND + Group IV (Item 30 ÷ 44): 67,00 USD / 1.800.000 VND + Group V (Item 45 ÷ 57): 26,00 USD / 700.000 VND + Group VI (Item 58 ÷ 62): 44,00 USD / 1.200.000 VND + Group VII (Item 63 ÷ 102): 39,00 USD / 1.100.000 VND + Group VIII (Item 103 ÷ 113): 94,00 USD / 2.500.000 VND If bidder attends the bid for one or more than one Group, value of Bid Bond should be equal to Sum of those above value with respective Groups. Total value of bid bond in case Bidder offer all groups: 1.422,00 USD or 37.500.000 VND The Bid Bond shall be valid for: 120 days from the Deadline for bid submission. In case the Bidder provides the Bid Bond through Deposit/Telegraphic Transfer to the following Vietsovpetro's account: Account: (VND) 008.100.000001.1; (USD) 0081370000029 Beneficiary: Vietsovpetro VIETCOMBANK, Vung Tau Branch
ITB 18.4	The Bid Bond of unsuccessful Bidders shall be returned or released in maximum 14 days from the date of Notification of Bidder selection Result.
ITB 19.1	The Deadline for bid submission at: hour minute, date / /2026
ITB 20.1	In addition to original of Technical Proposal and Financial Proposal, the quantity of copies of Technical Proposal (as per required in Technical requirement), Financial Proposal (01 copy). In case of modification, substitution of Technical Proposal, Financial Proposal or technical alternative, the bidders must submit the equal number of copies of modification, substitution or Technical alternative. Note: Quantity of Proposal: + Technical Proposal: 01 original and 01 copies; + Financial Proposal: 01 original; + Soft copy:



	01 USB included scanned Technical Proposal, 01 USB Financial Proposal and native excel file of Financial Proposal; + All of the Proposals shall be sealing and marking as requirement in Chapter I point 21.
ITB 20.7 (a)	Bidders shall submit their Bid Proposals to: Recipients: Vietsovpetro Address: 105 Le Loi Str., Vung Tau Ward, Ho Chi Minh City, S.R. Vietnam
ITB 21.1	The Bid proposal shall be opened publicly at: Time: hour minute, date / /2026 at the following address: Vietsovpetro, 105 Le Loi Str., Vung Tau Ward, Ho Chi Minh City, S.R. Vietnam
ITB 23.4	Bidders themselves can provide such evidence to the Procuring entity within 05 days from the deadline for submission of bids.
ITB 27.2	Total value of sub-contractor(s) shall not exceed: 0 % of total value of Bid proposal. Specialized sub-contractor: Not applicable.
ITB 28.3	Calculation of preferential treatment: <i>[In case of Lowest price method]:</i> Goods that do not receive bid preferences must add a monetary amount accounting for 7.5% of bidding price after rectification of errors, adjustment of deviations and deduction of discounts (if any) of these goods to the bidding price after rectification of errors, adjustment of deviations and deduction of discounts (if any) of bidders for comparison and ranking.”.
ITB 29.1	Bid proposal evaluation methods: a. Evaluation of the bidder’s capacity and experience: using Pass/Fail criteria b. Technical evaluation: <i>to apply evaluation method using Pass/Fail or Yes/No criteria in accordance with evaluation criteria stipulated in Section III, Chapter III, Bid Proposal Evaluation Criteria</i> c. The price evaluation: <i>to apply lowest price method for groups in accordance with evaluation criteria stipulated in Section V, Chapter III, Bid Proposal Evaluation Criteria.</i>
ITB 30	Contract negotiation: <i>Not applicable.</i>
ITB 31.5	Ranking of bidders: <i>the bidder who has the lowest price for groups after rectification of errors, adjustment of deviation and deduction of discounts (if any) is ranked the first.</i>
ITB 34.1	The maximum percentage of work volume may be increased is: <i>Not applicable</i> The maximum percentage of work volume may be decreased is: <i>Not applicable</i>
ITB 34.2	Additional purchase option: <i>Not applicable</i> The maximum of additional purchase option: <i>Not applicable</i>
ITB 38.2	Vietsovpetro’s address: 105 Le Loi Str., Vung Tau Ward, Ho Chi Minh City, S.R. Vietnam, Tel: (84 254) 3 839 871, Fax: (84 254) 3 839 857
ITB 39	Address of organization, individual in charge of supervision: Mr. Vu Mai Khanh - General Director of Vietsovpetro 105 Le Loi, Vung Tau Ward, Ho Chi Minh City, S.R. Viet Nam, Fax: 84-254-3839857



CHAPTER III: BID PROPOSAL EVALUATION CRITERIA

Section 1: Verification and evaluation the eligibility of Bid Proposal

1.1 Verification the Bid Proposal:

- a) Verify the number of original and copies of the bid proposal;
- b) Verify the documents comprising the original Bid proposal including: administrative documents, legal documents, Bidder's capacity and experience documents, technical proposal as stipulated in Invitation to Bid, in which there are: Application for Bidding, Consortium Agreement (if any), Power of Attorney for signing Application for Bidding (if any); Bid Bond/ Deposit; documentary evidence establishing the Bidder's eligibility to bid; documentary evidence Bidder's capacity and experience; technical proposal; price proposal and any other relevant documents of Bid Proposal as stipulated in ITB 10;
- c) Verify the consistency of contents between the original and copies for detailed evaluation process of bidding package.

1.2 Evaluation the eligibility of Bid Proposal

A Bid proposal is considered eligibility when it fully meets the following requirements:

- a) The Bidder submits the original of Bid proposal.
- b) The Application for Bidding is signed and stamped (if any) by the legitimate representative of the bidder as required by Invitation to Bid. For consortium, the Application for Bidding is signed and stamped (if any) by the legitimate representatives of each member of the consortium or the authorized leader member of the consortium sign the Application for Bidding according to responsibilities in written agreement of consortium.
- c) Bidding prices in Application for Bidding must be detailed, fixed, indicated by numbers, words and in accordance with total bidding prices mentioned in Summary of bidding price table. Bidders are required not to propose different bidding prices or conditions that put Vietsovpetro in disadvantage.
- d) The validity period of the Bid proposal must meet the requirements stipulated in ITB 17.1.
- e) The Bid Bond/Deposit must satisfy all the requirements as stipulated in ITB 18.3.
- f) The bidder is not named in 2 or more Bid proposals as a main bidder (independent bidder or a member of consortium) in one bidding package. In case the bidding package is divided into many independent parts, the bidder is not named in 2 or more Bid proposals as the main bidder for the parts that bidder participates.
- g) For consortium, written agreement of consortium is signed and stamped (if any) by the legitimate representative of each member of the consortium and the consortium agreement must specify the detail scope of work and estimated respective percentage that each member will implement as Bidding Form No.3, Chapter IV, Bidding Form.
If the scope of supply includes only one unit/ one piece and no related service, bidder is not allowed to enter into a consortium; in case that Bidders is still in a consortium, agreement of consortium shall be considered invalid and Bidder shall be rejected.
- h) The bidder is eligible as stipulated ITB 5.

Bidders who submit eligible bid proposals shall be considered and evaluated on their capacity and experience.

Section 2: Capacity and experience evaluation criteria

Standards of competence and experience are mandated and listed in Table No. 01 (for bidders who are Non-manufacturers of goods within the scope of the bid package) or Table No. 02 (for bidders who are manufacturers of goods within the scope of the bid package). A bidder's evaluation of competence and experience is subjected to whether it meets all standards. A



subcontractor's competence and experience will not be taken into consideration when evaluating a bid proposal. The contractor itself must meet the evaluation standards of competence and experience.

In case the currency used in similar contracts or one of the following - Investor's payment confirmation for past contracts for the supply of goods, tax declarations, documents proving the bidder's competence and experience - is not VND: in the bid proposal, the bidder must convert them to VND as a basis for evaluation. The conversion is subject to the exchange rate of [*Vietcombank's selling rate*] at the date of signing a similar contract.

In case the currency used in similar contracts or one of the following – Investor's payment confirmation for past contracts for the supply of goods, tax declarations, documents proving the bidder's competence and experience – is not VND: in the bid proposal, the bidder must convert them to VND as a basis for evaluation. The conversion is subject to the exchange rate of [selling rate of Vietcombank] at the date of signing a similar contract.

In case the Bidder participating in bidding is the parent company (for example, Corporation) assigning a subsidiary to perform part of the work in the bid package, the contractor must declare specifically which part using Form No. 11C Chapter IV. The evaluation of experience in fulfilling similar contracts is based on the value and volume of work that the parent company and subsidiary delivered in the bidding package.

For Consortium, capacity and experience will be defined by the aggregated capacity and experience of each member of Consortium, but it must be assured that each member of Consortium must satisfy the requirement of capacity and experience for the volume of work implemented by him; if any of the members in Consortium do not satisfy the capacity and experience criteria, the Consortium will be evaluated as fail to meet the requirement on capacity and experience.

Sub-contractors' capacity and experience will not be considered in the evaluation of the Bid proposal of main Bidder (unless the Invitation to Bid allows to use specialized sub-contractor). The main bidders themselves must satisfy criteria on capacity and experience (not considered the sub-contractors' capacity and experience).

In case application of pre-qualification, if there are changes in capacity and experience when submitting the bid proposal in comparison with the information in the evaluated pre-qualification documents, the bidders must update their capacity and experience; in case there is no change in bidders' capacity and experience, the bidders must send a written commitment that they still satisfy the bidding package's requirements.

If there is no pre-qualification, the evaluation of capacity and experience will be carried out in accordance with the following evaluation criteria, the bidders are considered "pass" the capacity and experience requirements if they satisfy all the criteria.



2.1 Criteria for evaluation of capacity and experience

The evaluation of capacity and experience will be carried out as in following table:

CRITERIA TABLE FOR EVALUATION OF BIDDER'S CAPACITY AND EXPERIENCE

(For Bidders who are Non-manufacturers⁽¹⁾ of goods under the scope of the bid package)

Table No. 01

Criteria on capacity and experience			Compliance Requirements			Documents
No.	Description	Requirement	Single Entity	Consortium		Submission Requirements
				All Members Combined	Each Member	
1	Historical Contract Non-Performance ⁽¹⁾ due to Bidder's fault	From January 1, year 2022 ⁽²⁾ to Deadline for bid submission, the contractor does not have a contract for the supply of goods, not fulfilled through fault of the bidder.	Must meet requirement	not applicable	must meet requirement	Form 09
2	Tax obligations fulfilment	Has fulfilled tax obligations of the last fiscal year before Deadline for bid submission.	Must meet requirement	not applicable	must meet requirement	Form 10

Note:

⁽¹⁾ Non performance contracts due to Bidder's fault shall include all contracts where:

- Non performance contracts, as concluded by employer, and were not objected by the Bidder,
- Non performance, as concluded by the employer, and were so objected by the Bidder but fully settled against the Bidder by Arbitration or Court.

Non performance shall not include contracts where employer decision was overruled by the dispute resolution mechanism. Non performance must be based on all information on fully settled disputes or litigation, i.e. dispute or litigation that has been resolved in accordance with the dispute resolution mechanism under the respective contract or applicable law and where all appeal instances available to the Bidder have been exhausted.

⁽²⁾ Time requirement, usually 03 to 05 years before bid closure year. For example, from January 1, 2018 to Deadline for bid submission.



Criteria on capacity and experience			Compliance Requirements			Documents
No	Description	Requirement	Single Entity	Consortium		Submission Requirements
				All Members Combined	Each Member	
3	Financial Capacity					
3.1	Financial Performance	Submission of financial statements 03 years (from year 2023 to year 2025) to demonstrate the current soundness of the Bidder's financial position. The Bidder's net worth for the last fiscal year, (calculated as the difference between total assets and total liabilities) should be positive.	Must meet requirement	not applicable	must meet requirement	Form 10
3.2	Average Annual business activities Turnover (excluding VAT)	Minimum average annual turnover of following value within the latest 03 fiscal years ⁽¹⁾ : see the Note ⁽²⁾ . (Incase Company of the Bidder established less than 3 years, the value of Average annual business activity turnover will be sum total value of business activity turnover and divide to total number of years have activities) Evaluate separate Groups, see the Note ⁽²⁾	must meet requirement	must meet requirement	not applicable	Form 10

Notes:

¹ In case of Consortium, the evaluation of the turnover criteria will be total turnover of all members for compare and evaluation.

² If bidder bids in one or more than one Group, Minimum average annual turnover within the last 03 fiscal years should be equal to Sum of those below value with respective groups:

Group I (Item 1)	136.844,00 USD	3.580.092.000 VND
Group II (Item 2 ÷ 8)	13.679,00 USD	357.867.000 VND
Group III (Item 9 ÷ 29)	21.938,00 USD	573.942.000 VND
Group IV (Item 30 ÷ 44)	9.932,00 USD	259.825.000 VND
Group V (Item 45 ÷ 57)	3.894,00 USD	101.854.000 VND
Group VI (Item 58 ÷ 62)	6.457,00 USD	168.917.000 VND
Group VII (Item 63 ÷ 102)	5.756,00 USD	150.570.000 VND
Group VIII (Item 103 ÷ 113)	14.020,00 USD	366.766.000 VND
For whole package: 212.520,00 USD or 5.559.833.000 VND		



(*) In case the bidder bids in one or more than one Part, minimum revenue evaluation is based on the total average revenue required of those Parts offered by bidder. In case the bidder bids in 01 Part, it only needs to meet the revenue requirement of that Part

Criteria on capacity and experience			Compliance Requirements			Documents
No	Description	Requirement	Single Entity	Consortium		Submission Requirements
				All Members Combined	Each Member	
4	Experience on implementing Contracts of supplying similar goods	Requires at least 01 contract for supplying goods for the Oil and Gas industry or other industries as described hereunder that has been completed ⁽¹⁾ as main Contractor (individually or partner of Consortium) or sub-contractor ⁽²⁾ within the last 05 years to the deadline for bid submission. Number of contract is 01, the minimum value of the contract is: see the Note ⁽³⁾ If bidder attends the bid for one or more than one group, see Note (3)	must meet requirement	must meet requirement	must meet requirement (equivalent to the volume of work implemented)	Form 07A

Notes:

⁽¹⁾ “Level of completion” shall be up to 80% of the total contract value. To verify that the Similar Contract has been completed to the required extent, the Bidder shall submit supporting Invoices.

⁽²⁾ For contract implemented by bidder as member of Consortium or sub-contractor, only the amount of work implemented by Bidder itself will be considered.

⁽³⁾ If Bidder bids in one or more than one group, Bidder’s similar contracts value within the latest 05 fiscal years should be equal to those below value with respective groups. Evaluation of similar contract is based on each respective groups offered by bidder. The bidder does not have to comply with the size of total similar contract for all those groups bidder offers.

Group I (Item 1)	45.615,00 USD	1.193.363.933 VND
Group II (Item 2 ÷ 8)	4.560,00 USD	119.288.779 VND
Group III (Item 9 ÷ 29)	7.313,00 USD	191.313.942 VND
Group IV (Item 30 ÷ 44)	3.311,00 USD	86.608.124 VND
Group V (Item 45 ÷ 57)	1.298,00 USD	33.951.082 VND
Group VI (Item 58 ÷ 62)	2.153,00 USD	56.305.464 VND
Group VII (Item 63 ÷ 102)	1.919,00 USD	50.189.966 VND
Group VIII (Item 103 ÷ 113)	4.674,00 USD	122.255.157 VND
For whole package: 70.843,00 USD or 1.853.276.447 VND		



Criteria on capacity and experience			Compliance Requirements			Documents
No	Description	Requirement	Single Entity	Consortium		Submission Requirements
				All Members Combined	Each Member	
5	The ability of performing warranty, maintenance, repair, overhaul and provision of spare parts and other after-sale services ¹ (To be evaluated in the Technical evaluation stage)	The bidder must be represented by an Agent (or Representative) who is available to carry out the Bidders' obligations such as warranty, maintenance, repair and provision of spare parts by one of following: - The bidder commits its capability in fulfilling obligations of warranty, maintenance, repair, supply of spare parts or providing after-sales services as required by the Invitation to Bid. (as per required in the Technical requirement) - The bidder signs a principle contract with an entity capable of fulfilling the obligations of warranty, maintenance, repair, supply of spare parts or providing after-sales services as required by the Invitation to Bid. (as per required in the Technical requirement).	must meet requirement	must meet requirement	must meet requirement (equivalent to the volume of work implemented)	



CRITERIA TABLE FOR EVALUATION OF BIDDER'S CAPACITY AND EXPERIENCE

(For Bidders who are manufacturers⁽¹⁾ of goods under the scope of the bid package)

(NOT APPLICABLE)

Criteria on capacity and experience			Compliance Requirements			Documents
No.	Description	Requirement	Single Entity	Consortium		Submission Requirements
				All Members Combined	Each Member	
1	Historical Contract Non-Performance ⁽²⁾ due to Bidder's fault	From January 1, year 2022 ⁽²⁾ to Deadline for bid submission, the contractor does not have a contract for the supply of goods, not fulfilled through fault of the bidder.	Must meet requirement	not applicable	must meet requirement	Form 09
2	Tax obligations fulfilment	Has fulfilled tax obligations of the last fiscal year before Deadline for bid submission.	Must meet requirement	not applicable	must meet requirement	Form 07B

Note:

⁽¹⁾ Manufacturer is understood as an enterprise/manufacturing facility that produces goods itself or participates in the production process of goods or a subsidiary or parent company in charge of distributing and consuming products produced by the parent company and other subsidiaries within the Group or Corporation.

⁽²⁾ Non performance contracts due to Bidder's fault shall include all contracts where:

- Non performance contracts, as concluded by employer, and were not objected by the Bidder,
- Non performance, as concluded by the employer, and were so objected by the Bidder but fully settled against the Bidder by Arbitration or Court.

Non performance shall not include contracts where employer decision was overruled by the dispute resolution mechanism. Non performance must be based on all information on fully settled disputes or litigation, i.e. dispute or litigation that has been resolved in accordance with the dispute resolution mechanism under the respective contract or applicable law and where all appeal instances available to the Bidder have been exhausted.

⁽³⁾ Time requirement, usually 03 to 05 years before bid closure year. For example, from January 1, 2018 to Deadline for bid submission.



Criteria on capacity and experience			Compliance Requirements			Documents
No	Description	Requirement	Single Entity	Consortium		Submission Requirements
				All Members Combined	Each Member	
3	Financial Capacity					
3.1	Financial Performance	Submission of financial statements 03 years (from year ... to year or from year ... to year ...) to demonstrate the current soundness of the Bidder's financial position. The Bidder's net worth for the last fiscal year, (calculated as the difference between total assets and total liabilities) should be positive.	Must meet requirement	not applicable	must meet requirement	Form 10
3.2	Average Annual business activities Turnover	Minimum average annual turnover of following value within the latest 03 fiscal years ⁽¹⁾ ≥ [...] USD/ [...] VND. (Incase Company of the Bidder established less than 3 years, the value of Average annual business activity turnover will be sum total value of business activity turnover and divide to total number of years have activities)	must meet requirement	must meet requirement	not applicable	Form 10

Notes:

¹ In case of Consortium, The Evaluation of the turnover criteria will be total turnover of all members for compare and evaluation.



Criteria on capacity and experience			Compliance Requirements			Documents
No	Description	Requirement	Single Entity	Consortium		Submission Requirements
				All Members Combined	Each Member	
4	Capacity of goods production^(*)	The contractor provides documents as proof of production capacity, including either: - The capacity of factories or production lines with minimum output of: ____ units/month; Or: - The highest output per month within the last 05 years prior to the deadline for bid submission: ____ units	must meet requirement	must meet requirement	must meet requirement (equivalent to the volume of work implemented)	Form 07B

Notes:

(*) The design capacity of the factory, manufacturing line or highest production quantity of 01 month in the latest 05 years before the deadline for bid submission is equal to: $k \times$ (Quantity required of the Invitation to Bid $\times$ 30/implementation time in the Invitation to Bid (calculated in days)). Normally $k = 1.5$; in case of centralized procurement or procurement of goods with large quantity and volume of the Invitation to Bid, $k = 1$.

In case the goods are products produced domestically by a Vietnamese bidder (which may or may not have been sold in the market), the bidder must prove that the design capacity or production quantity complies with the requirements.

In case the bidder is both a manufacturer and a supplier (some goods or a part of the volume of goods offered by the bidder in the Bid proposal which are produced by the bidder, some other goods or a part of the volume of goods are purchased by the bidder from other manufacturers or suppliers to supply for the bidding package), in addition to declaring production capacity, the bidder shall also declare experience in performing similar contracts as prescribed in Section 4-Table No. 01 of this Chapter. The evaluation of the bidder's experience will be done on the basis of providing the similar contract for supply of goods (in response to the part of goods bidder purchases from other manufacturers or suppliers) and the bidder's production capacity (in response to the part of goods that the bidder produces itself providing in the bidding package). Bidder may use documents such as sales invoices, inventory quantities... to prove the quantity produced in 1 month.



Criteria on capacity and experience			Compliance Requirements			Documents
No	Description	Requirement	Single Entity	Consortium		Submission Requirements
				All Members Combined	Each Member	
5	The ability of performing warranty, maintenance, repair, overhaul and provision of spare parts and other after-sale services ¹ (To be evaluated in the Technical evaluation stage)	The bidder must be represented by an Agent (or Representative) who is available to carry out the Bidders' obligations such as warranty, maintenance, repair and provision of spare parts by one of following: - The bidder commits its capability in fulfilling obligations of warranty, maintenance, repair, supply of spare parts or providing after-sales services as required by the Invitation to Bid. (as per required in the Technical requirement) - The bidder signs a principle contract with an entity capable of fulfilling the obligations of warranty, maintenance, repair, supply of spare parts or providing after-sales services as required by the Invitation to Bid. (as per required in the Technical requirement).	must meet requirement	must meet requirement	must meet requirement (equivalent to the volume of work implemented)	

2.2 Evaluation Criteria for Key personnel *(Not applicable)*

2.3 Sub-contractors and Specialized Sub-contractors *(Not applicable)*

Section 3: Technical evaluation criteria (see Part 2, Chapter V)

Section 4: Price evaluation criteria

Lowest price method: (Applicable)

To be evaluated by the lowest price method as the following steps:

Determination of lowest price as following steps:

Step 1: Determination of bidding price including all taxes, fees, charges (if any) arisen inside Vietnam and shall be taken into consideration exemption of import tax and VAT for imported goods from using List of exempted goods available for Vietsovpetro in Block 09-1;

Step 2: Rectification of errors (apply in accordance with Note (1));

Step 3: Adjustment of deviations (apply in accordance with Note (2));

Step 4: Determination of bidding price after rectification of errors, adjustment of deviations, discount deduction (if any);

Step 5: Conversion of bidding price into a single currency (if any);



Step 6: Determination of preferential treatment value (if any) as stipulated in ITB 28;

Step 7: Ranking the bidders: the Bid proposal which has the **lowest bidding price for Groups** after rectification of errors, adjustment of deviations, discount deduction (if any), conversion of bidding price into a single currency, addition preferential treatment value (if any), including all taxes, fees, charges (if any) arisen inside Vietnam and shall be taken into consideration exemption of import tax and VAT for imported goods from using List of exempted goods available for Vietsovpetro in Block 09-1 shall be ranked the first.

Notes:

(1) Rectification of errors

Provided that the bid proposal substantially satisfies Invitation to Bid, Vietsovpetro shall rectify arithmetical errors and other errors on the following basis:

a) Arithmetical errors include mistakes from calculation such as: addition, subtraction, multiplication, division when calculating bidding price. If there is a discrepancy between the unit price and the total price, the unit price shall prevail and the total price shall be corrected; If there is unusual differences in unit price due to decimal errors (10 times, 100 times, 1000 times), the total price should be used as a legal basis for correction; when the bidder fills without price or “0” in the column of unit price and total price, price of this item shall be deemed to be allocated among the prices for the other items of work of the package and Bidder will not be paid for by Vietsovpetro during contract performance.

b) Other errors:

- If the Total price column is filled without the corresponding unit price, the unit price shall be determined by dividing the total price by the quantity; if the unit price is filled in, but the total price is missing, the total price shall be determined by multiplying the quantity by the unit price; if one of the items has the unit price and total price filled in, but the quantity is missing, the quantity shall be determined by dividing the total price by the unit price of that particular item. In case the aforesaid quantity that has been additionally defined is different from the quantity mentioned in the Invitation to Bid, that value difference is the deviation in the scope of supply, which shall be adjusted under regulations specified in Step 3;

-Mistake in Unit must be corrected to meet the requirements specified in the Invitation to Bid;

-Mistakes in using comas (instead of periods) and vice versa shall also be corrected in accordance with the written in Vietnamese customary. If Vietsovpetro determines the obvious mistake in placing of comas and periods, the total price shall prevail and the unit price shall be corrected.

-If there is an error in a total corresponding to the addition of subtotals, the subtotals shall prevail and the total shall be corrected;

-If there is a discrepancy between words and numbers, the amount in words shall used as a legal basis for correction. If the amount expressed in words is incorrect, then the number after rectification of error as stipulated in this article should be used as a legal basis for correction.

(2) Adjustment of deviation:

a) In case of deviation in the scope of supply compared to the Invitation to Bid, what is deficient shall be added, and what is redundant shall be subtracted according to respective unit price in the Bid proposal of bidder that has deviation;

In case of deficient deviation (lack of items of work in comparison with the scope of supply, lack of inland transportation cost to Vietsovpetro warehouse/ Vietsovpetro port in case Bidder does not offer delivery term to Vietsovpetro warehouse/ Vietsovpetro port), if there is no respective unit price in the Bid proposal with deficient deviation, the adjustment of deviation will be as follows:

- **Lack of items of work in comparison with the scope of supply:**

The highest unit price offered for such item of Bid proposals which pass the Technical evaluation shall be used as legal basis for adjustment of deviation. In case the Bid proposals passed the Technical evaluation has no unit price, unit price in the value of bidding package shall be used as legal basis for adjustment of deviation. In case not having value of bidding package, unit price for calculating price of the bidding package shall be used as legal basis for adjustment of deviation.



In case only one bidder passes the Technical evaluation, adjustment of deviation shall be made based on respective unit price in the Bid proposal of this bidder; In case this Bid proposal has no respective unit price, unit price in value of bidding package shall be used. In case not having value of bidding package, unit price for calculating price of the bidding package shall be used as legal basis for adjustment of deviation.

- Lack of inland transportation cost to Vietsovpetro warehouse/ Vietsovpetro port:

In case Bidder does not offer delivery term to Vietsovpetro warehouse/ Vietsovpetro port and not having value/ unit price for inland transportation cost to Vietsovpetro warehouse/ Vietsovpetro port, unit price in the value of bidding package shall be used as legal basis for adjustment of deviation. In case of not having unit price in the value of bidding package, the following rates shall be used as legal basis for adjustment of deviation:

**: The inland transportation cost = 0.25% x Total proposed bid price.*

- b) In case bidder has discount letter, rectification of errors and adjustment of deviation shall be made based on bidding price without discount. Percentage (%) of deficient deviation shall be determined on basis of comparison of bidding price in Application for Bidding.

Section 5: Technical alternative (If applied)

Bidder is allowed to submit Technical alternative and requested to identify clearly which is “**The Main offer**” and which is “**The alternative offer**” in the Proposal.

Note: Technical alternatives are only considered when main solution meets requirements and bidder is ranked first. In this case, bidder shall provide all information necessary for evaluation of the alternatives by Vietsovpetro, including notes, drawings, technical specifications, progress of supply and other relevant information.

Section 6: Bidding package with multiple independent parts (If applied)

If the bidding package is divided into multiple independent parts as stipulated in ITB 1.2, implement as follows:

1. The evaluation and approval of the winning of bid will be carried out on the basis that the total proposed bid winning prices of the bidding package are lowest (for lowest price method); the total evaluated prices are lowest (for evaluated price method); the total proposed bid winning prices shall not exceed the approved value of bidding package but are not compared to the estimated value of each part.
2. There is one contract if only one bidder wins all the parts of the bidding package. There are many contracts if many bidders win the different parts of the bidding package.

Section 7: The right to unilaterally terminate contract negotiations with the first-ranked contractor in in contract negotiation satge.

For the proposal of goods originating from countries affected by armed conflict, in state of war, sanctioned or embargoed, and the importation of the those may be interrupted and affect the contract performance and delivery schedule, explanations and commitments on the ability to deliver goods must be provided by the Bidder for Vietsovpetro to consider and evaluate.

Based on the actual situation at that time, Vietsovpetro will have the sole and exclusive right to review and decide to reject the proposals of those goods, or not to continue the evaluation, if in the opinion of Vietsovpetro there is any risk to the contract performance and delivery schedule. In that case, Vietsovpetro at its sole and absolute discretion will have the right to stop contract negotiation, and the next ranked bidder will be invited to negotiate the contract.



CHAPTER IV: BIDDING FORM

No	Bidding Form	Performance	Responsibility for performance	
			Vietsovpetro	Bidder
1	Form 01. Application for bidding form	Submission with Bid Proposal		X
2	Form 02. Power of Attorney			X
3	Form 03. Consortium Agreement			X
4	Form 04A. Guarantee for Bid Participation (<i>Bid Bond</i>), <i>applicable to independent bidders</i>			X
5	Form 04B. Guarantee for Bid Participation (<i>Bid Bond</i>), <i>applicable to consortium bidders</i>			X
6	Form 04C. Form of Deposit for bid participation	Submission with Bid Proposal		X
7	Form 05. Bidder's information form			X
8	Form 06. Information form for consortium bidders			X
9	Form 07A. Similar contract performed by bidder (<i>applicable to commercial bidders</i>)			X
10	Form 07B. Declaration of goods production capacity (<i>applicable to bidders who are manufacturers</i>)			X
11	Form 08A. Proposed Key Personnel			X
11	Form 08B. Profession skill curriculum vitae of key personnel			X
12	Form 08C. Professional Experience			X
13	Form 09. Historical Contract Non-Performance for the supply of goods due to fault of the bidder in the past.			X
14	Form 10. Bidder's Financial Status			X
15	Form 11A. Scope of work using sub-contractors			X
16	Form 11B. List of specialized sub-contractors			X
17	Form 11C. List of subsidiaries and member companies delivering work in the bidding package			X



18	Form 12. Summary of bidding prices			X
19	Form 12A. Bidding price schedule of goods <i>(manufactured, processed outside Vietnam)</i>			X
20	Form 12B. Bidding price schedule of goods <i>(domestically manufactured, processed or goods manufactured, processed outside Vietnam but already imported and being offered in Vietnam)</i>			X
21	Form 13. Bidding price schedule for related services			X
22	Form 14A. Spare parts for replacement <i>(Optional Scope) for Goods manufactured, processed outside Vietnam)</i>			X
23	Form 14B. Spare parts for replacement <i>(Optional Scope) for Goods domestically manufactured, processed or goods manufactured, processed outside Vietnam, but already imported and being offered in Vietnam)</i>			X
24	Form 15A. Declaration of goods with bid preferential treatments			X
25	Form 15B. Costs of goods manufactured domestically with bid preferential treatments <i>(in case of declaration for cost of import)</i>			X
26	Form 15B. Costs of goods manufactured domestically with bid preferential treatments <i>(in case of declaration for cost of manufacturing in Vietnam)</i>			X
27.	Form 15C. Costs of goods manufactured domestically with bid preferential treatments <i>(in case of declaration for cost of manufacturing in Vietnam)</i>			X



APPLICATION FOR BIDDING ¹

Date: (Date of signing application for bidding)
 Name of bidding package: (Name Package according to Bid Announcement)
 Name of project: (Name project)
 Bid invitation No. : (In case of limited tendering)
 Attention to: (full name and address of employer)

After studying the Invitation to Bid and the documents for Amendment of the Invitation to Bid [insert the code of the amendment documents, if any] that we have received, we [insert the name of the bidder] commit to execute [name of bidding package] as required by the Invitation to Bid at the total amount of [specify in number, in words, and currency of bid proposal] ² and the summary of bidding price.

In addition, we voluntarily offer a discount with amount: ____ [specify in number, in words, and currency of bid proposal].

The bidding price after application of discount is: ____ [specify in number, in words, and currency of bid proposal].³

Validity of the Proposal⁴: ____ [write the validity period from the deadline for submission of bids in accordance with the BDS] days, from the deadline for submission of bids.

Bid Security: ____ [State the value in figures, in words and in currency of the bid security]

Validity of Bid Security: ____ [insert validity period from deadline for submission of bids]

Time for contract implementation: (Total time to perform all work required in Bidding package)⁵

We commit:

1. We are not in the process of carrying out dissolution procedures or having its business registration certificate, cooperative registration certificate, cooperative union registration certificate, or cooperative group registration certificate revoked, not in a case of insolvency according to the provisions of the law on bankruptcy (not in the process of ceasing operations or having its business household registration certificate revoked for Bidders that are household businesses).
2. We do not violate regulations on ensuring fair competition in bidding.
3. We have fulfilled the tax liabilities of the most recent fiscal year prior to the deadline for submission of bids.
4. We are not being under suspension from participating in bidding according to the provisions of the law on bidding.
5. We are not being prosecuted for criminal liability (the household owner is not being prosecuted for criminal liability in case the bidder is a business household).
6. We do not proceed any practices of corruption, bribe, collusion, obstruction and other violated provisions of the law on procurement when participating this package.
7. The information declared in the bid is truthful.
8. In case of winning the bid, the Proposal and clarification, supplemental documents of the Proposal constitute the agreement of responsibilities between the two parties until the contract is signed.
9. If our bid is accepted, we shall furnish a performance security as specified in IBT 37.1 of the Bidding document.

Legitimate representative of the bidder⁶
(Specify name, title, sign and stamp)



Notes:

¹ Application for bidding must be filled with sufficient and accurate information of Vietsovpetro, Bidder, the validity duration of Bid proposal, signed and stamped by legitimate representative of the bidder.

² Bidding prices in Application for bidding must be specific, fixed, indicated by numbers, words and in accordance with total bidding prices mentioned in price list. Bidders are required not to propose different bidding prices or conditions that put Vietsovpetro in disadvantage. In case of multiple parts, the Bidder must write the total bidding price of each parts and total bidding price of all parts that bidder participates.

³ Specify discount for the whole bidding package or for one or many works, items (specify detailed discounted works, items)

⁴ The validity of Bid proposal shall be counted from the date of Deadline for bid submission to the last date of validity period as stipulated in the Invitation to Bid. From the time of Deadline for bid submission until 24:00 of the date which has the deadline for bid submission is considered as one day.

⁵ Duration of contract implementation in Application for bidding must be in accordance with Technical proposal and completion schedule specified in the Bid Proposal.

⁶ If legitimate representative of bidder authorizes the subordinate to sign the application for bidding, the bidder must submit Power of Attorney according to Form No.2 of this Chapter; if the company's Charter/regulations or other related documents have the assignment of responsibilities to subordinates to sign application for bidding, the bid proposal must include these documents (no Power Of Attorney is required in accordance with Form No.2 of this Chapter).

For consortium, the application for bidding must be signed by the legitimate representative of each member of the consortium, except in Consortium agreement (as in Form No.3 of this chapter), the members of Consortium agree to authorize the leader member of the consortium to sign the Application for bidding. If each member of consortium has its own authorization, apply as for independent bidders. If the bidder wins the bidding package, the bidder must present to the Employer the notarized/certified copy of these documents before signing the contract. If the information declared is not accurate, the bidder is considered violation of ITB 4.



POWER OF ATTORNEY ¹

Date _____ / _____ /20____ At (name of place).....:

I,.....[insert Name, ID/passport number, position of Legitimate representative of the bidder], the Legitimate representative of _____ [insert the bidder name] at _____ [insert address]

To issue this Power of Attorney to :

Mr/Mrs _____

ID/Passport number _____

Position _____

To do, execute and perform the following acts and things during the process of participating the Bidding package _____ (Name of Bidding Package) of Project _____ (Name of project) held by Vietsovpetro:

- [-Sign the Application for bidding form;
- Sign the Consortium agreement (if any);
- Sign all documents, correspondences to Vietsovpetro during the bidding process, including the written requests to clarify Invitation to Bid, written clarification of Bid proposal, or written requests to withdraw, modify or substitute the bid proposal;
- Negotiate and finalize contract with Vietsovpetro;
- Sign the Bidder's arising claims (if any);
- Sign contract with Vietsovpetro (if awarded the Bidding package)] ²;

The Attorney shall lawfully perform acts within the scope of Power of Attorney as the legitimate representative of _____ (name of bidder).

The Mandator, [name of Legitimate representative of the bidder] () will be completely responsible for acts performed by the Attorney, _____ [name of the Attorney] in the scope of Power of Attorney.

This Power of Attorney is valid for the period from _____ to _____ ³ and will be made in _____ originals, _____ of which will be retained by Mandator; _____ of which will be retained by Attorney and the rest will be retained by Vietsovpetro. All original copies hereof are identical and legally equal.

Attorney
(Signature)
(Name, position and stamp (if any))

Mandator
(Signature)
(Name, position and stamp (if any)
of Legitimate representative of the bidder)

Note:

¹The original of this Power of Attorney must be submitted to Vietsovpetro together with the application for bidding as stipulated in ITB 20.3. Legitimate representative of bidder gives the power of attorney to the deputy, subordinate, branch's manager, chief of bidder's representative office to perform one or more above mentioned listed acts. The stamp used in case of power of attorney can belong to the bidder or to the entity of Attorney. The Attorney can not subsequently give this authorization to another.

²The scope of Power of Attorney may include one or more above mentioned listed acts.

³Specify the date the power of attorney come into force and expiry date, in accordance with the bidding process.



CONSORTIUM AGREEMENT ¹

_____, day ____ month ____ year ____

Bidding package: _____ [name of bidding package]

Under the project: _____ [name of project]

- Based on the Invitation to Bid _____ [name of bidding package] date ____ month ____ year
_____ [date recorded on the Invitation to Bid];

We, the representatives of the parties sign the Consortium Agreement, including:

Names of Consortium members _____ [name of each consortium member]

Represented by Mr./Ms.: _____

Position: _____

Address: _____

Tel: _____

Fax: _____

E-mail: _____

Account: _____

Tax code: _____

Power of Attorney No. ____ date ____ month ____ year ____ (in case of authorization).

The parties (hereinafter referred to as members) agreed to sign this Consortium Agreement with the following contents:

Article 1. General principles

1. The members voluntarily establish a Consortium to participate in the bidding package _____ [name of bidding package] under the project _____ [name the project].

2. The members agree the name of the Consortium for any transactions related to this package as: _____ [name of the Consortium as Agreement].

3. The members commit that there is not any member to arbitrarily join independently in this bidding package or join consortium with other members to participate in this bidding package. In case of winning the bid, all members of the Consortium shall sign the Contract and there is not any member to have the right to refuse performance of the responsibilities and obligations stipulated in the Agreement. In case a member of the Consortium refuses to fulfill their own responsibilities as agreed or violates the provisions of the signed contract, such member shall be handled as follows:

- Compensating for damages to the parties in the consortium;
- Working with members of the Consortium to compensate for all damages to the Vietsovpetro in accordance with the provisions stipulated in the Contract (corresponding to the proportion of each member specified in Article 2 of this Agreement);
- Other forms of handling ____ [Specify other forms of handling].

Article 2. Assignment of responsibilities

Consortium members agree to assign responsibilities for implementation of the bidding package _____ [write name of bidding package] under the project _____ [write name of project], for each member as follows:

1. Leader of the consortium:



The parties agree to authorize to _____ [Write name of a party] as a leader of the consortium, representing the Consortium in the following part of work ²:

- Signing the application of bidding;
- Signing all documents, correspondences to Vietsovpetro during the bidding process, including the written requests to clarify Invitation to Bid, written clarification of Bid proposal, or written requests to withdraw, modify or substitute the bid proposal;
- Performing Bid Bond on behalf of Consortium;
- Participating in the process of negotiation and finalization of the Contract;
- Performing Performance Bond for the entire Consortium in case the Consortium wins the bid;
- Signing the Bidder's arising claims (if any);
- Performing all obligations of the Consortium which are not specified in the Table of Responsibility between the Consortium members in item 2 as follows;
- Performing other works except for signing Contract _____ [specify the detail content of other jobs (if any)].

2. The members of the Consortium agree to assign the responsibility of members as following table ³:

No.	Name	Content of assigned work	Respective percentage to total bidding price	Amount by percentage to total bidding price
(1)	(2)	(3)	(4)	(5)
1	Name of the first member (Leader of the Consortium)	- Work 1:	_____ %	VND/USD
		- Work 2:		
		- Work 3:		
				
2	Name of the second member	- Work 1:	_____ %	VND/USD
		- Work 2:		
		- Work 3		
....				
Total		All work of bidding package	100%	VND/USD

3. The payment method for the Consortium in case of winning the bid and signing a contract with the Investor ... is as follows:

- The Investor shall make direct payment to each member of the Consortium in accordance with the payment schedule specified in the Contract with the distributed amount corresponding to the proportion of workload agreed by the Consortium members and shown in column (4) of the Table of Responsibility in item 2 of this Consortium Agreement.
- Each member of the Consortium shall issue a Legal Invoice in accordance with the amount of the work performed by such Consortium member pursuant to the progress of each payment specified in the Contract.

Article 3. Validity of Consortium Agreement

1. This Consortium Agreement valid from its signing date.
2. This Consortium Agreement shall be determined to be invalid in the following cases:
 - In case the Consortium wins the bid, this Consortium Agreement is an integral part of the contract signed with the Investor ...and shall only be terminated when the parties fulfill their responsibilities and obligations and complete the liquidation of the contract;
 - The parties agree to terminate;
 - The Consortium does not win the bid;



- Cancellation of bidding package under the project as notified by the Vietsovpetro.

Consortium Agreement is made in ____ copies, each party keeps ____ copy, each having equal legal force and authenticity.

LEGAL REPRESENTATIVE OF CONSORTIUM LEADER

[Full name, title, signature and stamp]

LEGAL REPRESENTATIVE OF CONSORTIUM MEMBERS

[Full name of each member, title, signature and stamp]

Note:

¹ *Depending on the size and nature of bidding package, the content of agreement as in this form can be amended appropriately. If the bidding package is divided into multiple independent parts, the consortium agreement must specify clearly the name, reference number of parts that the consortium participates, specify mutual responsibility and separate responsibility of each member in accordance with respective parts that bidder participates.*

² *The scope of authorization may include one or more above mentioned listed acts*

³ *Bidder must specify the detail work and the estimated percentage of respective value that each member will implement, mutual responsibility and separate responsibility of each member, including head member of the Consortium.*



GUARANTEE FOR BID PARTICIPATION ¹

(BID BOND)

(applicable to independent bidder)

Beneficiary: VIETSOVPETRO,
105 LE LOI STR, VUNG TAU WARD, HO CHI MINH CITY, S.R. VIETNAM.
(Hereinafter referred to as the employer)

Date: _____ *[Insert date of issue]*

BID GUARANTEE No.: _____ *[Insert guarantee reference number]*

Guarantor: _____ *[Insert name and address of place of issue, unless indicated in the letterhead]*

We have been informed that*[insert name of the Bidder.]* (hereinafter called "the Applicant") will participate bid for execution of the bidding package _____ *[name of the bidding package]* under project _____ *[name of the project]* according to Bid Invitation Letter No/Bid Announcement No. _____. *[insert No. of Bid Invitation letter/ Bid Announcement No].*

We *[name of the bank]*, hereinafter referred to as "the bank", pledge Beneficiary to guarantee for the bidder to participate in bidding for this bidding package with an amount of *[specify the value in number, in words, and the currency in use]*.

This guarantee is effective for².days, from the date.....month.....year ³

At the request of the Applicant, we, as Guarantor, hereby unconditionally and irrevocably undertake to pay the Beneficiary any sum or sums not exceeding in total an amount of *[insert amount in figures, insert amount in words]* within 05 working days upon our receipt of written notice from Beneficiary stating without requiring proof that bidder violates the regulations as follows:

1. Bidder has withdrawn its Bid proposal after Deadline for bid submission and during the validity period of bid proposal;
2. Bidder violating Law on Bidding leads to cancellation of Bid in accordance with point d, ITB 32.1;
3. Bidder fails or refuses to conduct contract negotiations within 05 working days from the date receipt of notification for negotiation of contracts by Vietsovpetro; or Bidder conducts contract negotiations but withdraws its Bid proposal leading to failed contract negotiations, except for force majeure;
4. Bidder fails or refuses to conduct contract finalization within 20 days from the receipt date of Bid Award Notification from Vietsovpetro or bidder finalized contract but refuses to sign contract, except for force majeure;
5. Bidder does not conduct performance bond in accordance with ITB 37.1;

The said guarantee amount shall be paid by Guarantor forthwith to Beneficiary notwithstanding any contestation or protest by Guarantor or Applicant or by any third party, and irrespective of whether or not there is any dispute between Applicant and Beneficiary in respect of or relating to the Bidding package or in respect of any other matter and irrespective of whether or not such said dispute, if any, has been settled, resolved, litigated, or adjudicated upon otherwise howsoever.



If Applicant is selected as successful bidder: This guarantee will expire immediately if the Applicant signs contract and submit Performance Bond to Beneficiary in accordance with agreement in contract.

If Applicant is not selected as successful bidder: This Guarantee will expire immediately after we receive a copy of the Beneficiary's notification to the Applicant about the result of the Bidder selection; within 30 days after the validity period of bid proposal.

Any demand for payment under this guarantee must be received by us at the office indicated above on or before that date.

Legitimate representative of the bank

(Specify name, title, sign and stamp)

Note:

¹ Apply if Bid Guarantee is in form of Letter of Guarantee from financial institution or foreign bank's branches which is legally operating in Vietnam.

² Insert as stipulated in BDS 18.2

³ Insert Deadline for bid submission as stipulated in BDS 19.1



GUARANTEE FOR BID PARTICIPATION ¹*(BID BOND)**(applicable to consortium bidders)*

Beneficiary: VIETSOVPETRO,
105 LE LOI STR, VUNG TAUWARD, HO CHI MINH CITY, S.R. VIETNAM.
(Hereinafter referred to as the employer)

Date: _____ *[Insert date of issue]*

BID GUARANTEE No.: _____ *[Insert guarantee reference number]*

Guarantor: _____ *[Insert name and address of place of issue, unless indicated in the letterhead]*

We have been informed that*[insert name of the Bidder.]*² (hereinafter called "the Applicant") will participate bid for execution of the bidding package__ *[name of the bidding package]* under project *[name of the project]* according to Bid Invitation letter No...
[name No. of Bid Invitation letter].

We *[name of the bank]*, hereinafter referred to as "the bank", pledge Beneficiary to guarantee for the bidder to participate in bidding for this bidding package with an amount of *[specify the value in number, in words, and the currency in use]*.

This guarantee is effective for³ days, from the date.....month... year ⁴

At the request of the Applicant, we as Guarantor, hereby unconditionally and irrevocably undertake to pay the Beneficiary any sum or sums not exceeding in total an amount of *[insert amount in figures, insert amount in words]* within 05 working days upon our receipt of written notice from Beneficiary stating without requiring proof that bidder violates the regulations as follows:

- 1) Bidder has withdrawn its Bid proposal after bid submission deadline and during the validity period of bid proposal;
- 2) Bidder violating Law on Bidding leads to cancellation of Bid in accordance with point d, ITB 32.1;
- 3) Bidder fails or refuses to conduct contract negotiations within 05 working days from the date receipt of notification for negotiation of contracts by Vietsovpetro; or Bidder conducts contract negotiations but withdraws its Bid proposal leading to failed contract negotiations, except for force majeure;
- 4) Bidder fails or refuses to conduct contract finalization within 20 days from the receipt date of Bid Award Notification from Vietsovpetro or bidder finalized contract but refuses to sign contract, except for force majeure;
- 5) Bidder does not conduct performance bond in accordance with ITB 37.1.

If any member of consortium__ *[insert name of consortium]* violates the Law, that leads to the Bid Bond not to be returned as specified in Point b, ITB 18.5 of Invitation to Bid, then the Bid Bond of all consortium members shall not be returned.

The said guarantee amount shall be paid by Guarantor forthwith to Beneficiary notwithstanding any contestation or protest by Guarantor or Applicant or by any third party, and irrespective of whether or not there is any dispute between Applicant and Beneficiary in respect of or relating to the Bidding package or in respect of any other matter and irrespective of whether or not such said dispute, if any, has been settled, resolved, litigated, or adjudicated upon otherwise howsoever.



This guarantee will expire: (a) if the Applicant is the successful Bidder, upon our receipt of copies of the contract agreement signed by the Applicant and the performance security issued to the Beneficiary upon the instruction of the Applicant; or (b) if the Applicant is not the successful Bidder, upon the earlier of our receipt of a copy of the Beneficiary's notification to the Applicant of the name of the successful bidder within 30 days after the expiration of Bid Proposal.

Any demand for payment under this Bid Bond must be received by us at the office on or before that date.

Legal representative of Bank

[name, position, signature and stamp]

Note:

Applying in case the bid security (bank security) is a letter of guarantee of credit institutions or foreign banks' branches which are established under Vietnamese law. The bank is recommended to use this Bid security (bid bond) form, in case of applying for other different forms that violates one of following regulations: bid security has lower value than required, the validity period of bid security is shorter than regulation prescribed in ITB 18.2, invalid name of Beneficiary, not original and without valid signature or with the disadvantageous conditions to Vietsovpetro, bid security shall be invalid.

² Bidders' name can be one of following cases:

- Name of consortium participates in bid, for instance consortium bidder A + B participates in bid, name of bidders shall be written "Consortium bidder A + B";
- Name of the member undertakes implementation of bid security for the entire consortium or for other partners in consortium, for instance consortium A + B + C participates in bid, case of the consortium agreement appointed bidder A performing bid security for whole consortium, the name of bidder shall be "Bidder A (on behalf of consortium bidder A + B + C), in case the consortium agreement appointed bidder B performing bid security for bidder B and C, then name of bidder shall be written as "Bidder B (for the behalf of bidder B and C)";
- Name of consortium's member perform separate the bid security;

³ Insert as prescribed in BDS 18.2.

⁴ Insert date deadline for bid submission in accordance with BDS 19.1.



FORM OF DEPOSIT FOR BID PARTICIPATION

Date: (Date of signing application for bidding)
 Name of bidding package:..... (Name Package according to Bid Announcement)
 Name of project: (Name project)
 Bid invitation No. :.....(In case of limited tendering)
 Attention to: _____ (full name and address of employer)

With reference to the above mentioned bidding package, we *[insert the name of the bidder]* hereby would like to confirm as follows:

1. In lieu of the submission of Bid Bond issued by a bank, *[insert the name of the bidder]* shall implement bid guarantee for *[name of bidding package]* in the form of transfer to Vietsovpetro's bank account a deposit amount equivalent to the Bid Bond amount specified in the ITB, i.e *[specify in number, in words, and currency of deposit]*
2. Bidder confirm that Bidder shall comply all conditions as stipulated in Bid bond form of ITB. *(In the event that Bidder confirms not to comply all conditions in the Bid bond's form in ITB, Bidder's bidding proposal shall not be evaluated)*
3. After *[insert the required bid bond validity period]* days from the bid closing date, Vietsovpetro shall transfer deposit amount above to *[insert the name of the bidder]*'s account. *[insert the name of the bidder]* shall be responsible for all the bank fees in connection with this transfer.
4. Vietsovpetro's bank account:
 Beneficiary's name: Vietsovpetro
 Beneficiary's Bank: Joint Stock Commercial Bank for Foreign Trade of Vietnam – Vungtau Branch
 Account Number: 008.100.00000.11 (VND)

Legitimate representative of the bidder
[name, position, signature and stamp]

Notes:

Along with this letter, bidder must enclose the Payment order or appropriate document evidencing that bidder executed the payment to Vietsovpetro account.



BIDDER'S INFORMATION FORM

Date: _____
 NCB No. and title: _____

Bidder's name: _____ *[specify Bidder's name]*

In case of consortium, insert name of each partner in consortium

Place of business registration: _____ *(indicate province/city of Constitution)*

Year of business founding / incorporation _____ *[year of company founding]*

Bidder's legal address *(in country of registration)*

Bidder's legitimate representative information:

Name:

Address:

Telephone/fax numbers:

E-mail address:

- a. Attached are copies of original documents: Articles of Incorporation, Business Registration, Decision of Establishment or equivalent documents of constitution or association issued by authority of country where Bidder is operating.
- b. Included the organizational chart.

Note:

- (1) In case of consortium Bidder, each consortium member must declare this form.

Legitimate representative of the bidder
[name, position, signature and stamp]



INFORMATION FORM FOR CONSORTIUM BIDDER'S MEMBERS

Date: _____

Bid package No. and titles: _____

Consortium Bidder's name:

Consortium member's name:

Consortium member's country of registration:

Consortium member's year of foundation:

Consortium member's legal address in country of registration:

Consortium member's legitimate representative information:

Name:

Address:

Telephone/fax numbers:

E-mail address:

1. Attached are copies of original documents of: Business Registration of Company, Certificate of Investment, Decision of Establishment, etc.
2. Included is the organizational chart.

Note:

- (1) In case of consortium Bidder, each consortium member must declare this form.

Legitimate representative of the bidder
[name, position, signature and stamp]



SIMILAR CONTRACT PERFORMED BY BIDDER¹
(applicable to commercial bidders)

Date __ month __ year __

Bidder's name: ____ [full name of bidder]

Descriptions of each contract should contain following information:

Name and contract number	<i>[Full contract name and number]</i>		
Contract signing date	<i>[Date, month, year]</i>		
Completion date	<i>[Date, month, year]</i>		
Contract Value ⁽³⁾	<i>[Total signed contract value and the original currency]</i>		Equivalent to ____ VND
If the bidder is a consortium member, provide a summary of the work undertaken and its value	<i>[Summary of the work]</i>	<i>[Value of the work undertaken (amount in original currency and %)]</i>	Equivalent to ____ VND
Project or Procurement name	<i>[Full name of the project/procurement estimate whose contract is being declared]</i>		
Name of Investor:	<i>[Full name of the Investor in the contract being declared]</i>		
Address:	<i>[Full current address of the Investor]</i>		
Telephone/fax:	<i>[Phone number, fax number including country code, area code]</i>		
Email:	<i>[Email address]</i>		
Describe similarities in accordance with Section 2.1 of Chapter III⁽²⁾			
1. Type of goods	<i>[Correct type]</i>		
2. Fulfilled contract value ⁽³⁾	<i>[Actual contract value fulfilled based on acceptance value, contract liquidation]</i>		
3. Scale	<i>[Scale according to the contract]</i>		
4. Other characteristics	<i>[Other characteristics, if needed]</i>		

Note:

The contractor shall carefully study the Invitation to Bid and proposes similar contracts to ensure the requirements of the Invitation to Bid are complied.

1. In case of consortium, each member must declare according to this Form.
2. Bidders only declare the similar content with the requirements of the bidding package.
3. In case the contract value is not in VND, it shall be converted to VND at the exchange rate specified in Section 2 of Chapter III as a basis for evaluation.

Legitimate representative of the bidder
[name, position, signature and stamp]



DECLARATION OF GOODS PRODUCTION CAPACITY
(applicable to bidders who are manufacturers)

The number of factories and production facilities (collectively referred to as factories): ____
[Number of factories]

For each factory, the bidder declares the following information:

Factory Name:	<i>[Factory name]</i>
Address:	<i>[Factory address]</i>
Total investment:	<i>[Total investment]</i>
Design capacity:	<i>[Design capacity]</i>
Effective capacity:	<i>[Effective capacity of last year]</i>
Production standard:	<i>[Current production standard, if applicable]</i>
Number of employees:	<i>[Total number of employees working at the factory]</i>

Notes:

For a consortium, each member of the consortium shall declare using this Form.

Legitimate representative of the bidder
[name, position, signature and stamp]



PROPOSED KEY PERSONEL

The Bidder shall declare its key personnel as required in Section 2 of Chapter III and shall demonstrate its capability to mobilize these people to deliver the bidding package. Key personnel may be on the contractor's payroll or mobilized by the bidder. In case the key personnel declared by the bidder in its bid proposal does not meet the requirements or the contractor cannot demonstrate mobilization capability (including cases where said personnel has been mobilized for another contract with overlapping execution timeline), Vietsovpetro shall allow the bidder to make addition or replacement. The bidder is allowed to make addition or replacement once for each position for a suitable period of time not less than 03 working days. In case the bidder does not have a replacement complying the Invitation to Bid's requirements, the contractor shall be disqualified. In all cases, if the bidder declares personnel in a dishonest manner, making replacement shall not be allowed, the bid proposal shall be disqualified and the bidder shall be considered fraudulent according to the provisions of legislation on bidding or other relevant legislation and penalized accordingly.

1	Job position <i>[detailed job position in the bidding package]</i> Name <i>[name of key personnel]</i>
2	Job position <i>[detailed job position in the bidding package]</i> Name <i>[name of key personnel]</i>
3	Job position Name
4	Job position Name
5	Job position Name
—	Job position Name
	Legitimate representative of the bidder <i>[name, position, signature and stamp]</i>



PROFESSIONAL CURRICULUM VITAE OF KEY PERSONNEL

The Bidder must supply all required information below and attach certified copies of original related documents.

Position		
Personnel Information	Name	Date of Birth
	Professional Qualification	
Current Job	Employer's name	
	Employer's address	
	Telephone no:	Contact person (Deputy / HR officer)
	Fax	E-mail
	Title	Number of years of experience with the present employer
	Legitimate representative of the bidder <i>[name, position, signature and stamp]</i>	



PROFESSIONAL EXPERIENCE

Summarize professional experience in reverse chronological order. Specify professional and management experience related to the bidding package

from	To	Company/Project/Position/Related professional and management experience
		Legitimate representative of the bidder <i>[name, position, signature and stamp]</i>



HISTORICAL CONTRACT NON-PERFORMANCE FOR THE SUPPLY OF GOODS NOT FULFILLED DUE TO FAULT OF THE CONTRACTOR IN THE PAST ⁽¹⁾

Name of contractor: _____

Date: _____

Name of member of the consortium contractor (if any): _____

Contracts for the supply of goods not fulfilled due to fault of the contractor in the past in accordance with Clause 2.1 Section 2 Chapter III			
☐ No contract Supply of goods not fulfilled through bidder's fault as of January 1, [...] in accordance with Criterion 1 in the Evaluation Standards for Competence and Experience under Clause 2.1, Section 2, Chapter III.			
☐ There is a contract Supply of goods not fulfilled through bidder's fault as of January 1, [...] in accordance with the Evaluation Standards for Competence and Experience under Clause 2.1 Section 2 of Chapter III.			
Year	Scope of work not fulfilled	Contract description	Total contract value (value, currency, exchange rate, equivalent value in VND)
		Contract Description: _____ Name of Investor: _____ Address: _____ Causes of non-fulfillment of the contract: _____	

Notes:

(1) The Bidder must accurately and truthfully declare contracts for the supply of goods that were not fulfilled through fault of the Bidder in the past. In case Vietsovpetro discovers that the bidder has a contract for the supply of goods that is not fulfilled due to fault of the bidder in the past which was not declared, the bidder is deemed to have committed fraud and its bid proposal shall be disqualified. For a consortium bidder, each member of the consortium must declare using this form.

Legitimate representative of the bidder
[name, position, signature and stamp]



BIDDER'S HISTORICAL FINANCIAL PERFORMANCE¹

Bidder's name: _____

Date: _____

Name of Consortium member (if any): _____

Financial Data for Previous 3 Years ² [VND/USD]: 2022÷2024		
Year 1	Year 2	Year 3

Information from balance sheet

Total assets			
Total liabilities			
Net worth			
Current assets			
Current liabilities			
Working capital			

Information from Income Statement

Total turnover			
Average annual turnover from business activities ³			
Profits before taxes			
Profits after taxes			

Attached are copies of financial statements (balance sheets, including all related notes and income statements) for the last **03 years⁴**, as indicated above, complying with the following conditions:

- All such documents reflect the financial situation of the legal entity or entities comprising the Bidder and not the Bidder's parent companies, subsidiaries or affiliates.
- Historic financial statements must be audited in accordance with the applicable laws and regulations.
- Historic financial statements must be complete, including all notes to the financial statements.
- Historic financial statements must correspond to accounting periods already completed and audited. Attached with notarized copies one of following original documents:
 - Tax finalization inspection report.
 - Declaration form of self tax finalization report (VAT and CIT) confirmed by the Tax department/ District tax department at the time of submitting the declaration form.
 - Proper documentation in which the bidder has declared the electronic tax finalization.
 - Confirmation in writing from tax department/ district tax department (confirmed the cumulative payment for full year) about complying paying tax duty.
 - Audited report
 - Other documents



Note:

(1) In case of Consortium Bidder then each member of Consortium Bidder must declare according to this Form.

(2), (4) The period stated here should be the same as the period indicated under Criterion 2.1 of Chapter III (Bid Evaluation Criteria).

In case Bidder has less than the number of years of establishment as required in ITB, the average annual turnover is calculated on the number of years that Bidder has been established.

(3) To determine average annual turnover from business activities, the Bidder will divide total turnover from business activities in years to number of years based on supplied information.

Legitimate representative of the bidder
[name, position, signature and stamp]



SCOPE OF WORK USING SUB-CONTRACTORS¹

No.	Name of sub-contractor ²	Scope of work ³	Amount of work ⁴	Value estimated ⁵	Contract or agreement document with sub-contractor ⁶
1					
2					
3					
4					
...					

Note:

¹ Applying this form in case of using sub-contractors.

² Bidder specifies the sub-contractor's names. In case at the moment at participating in bid, the sub-contractors have not yet been identified, bidders do not have to provide information in this column, but it should be declared in the column "Scope of work". After that, if bidder is being successful, since the sub-contractors mobilized for implementing the work have to be approved by the Vietsoy petro.

³ Bidder specifies name and work description for the sub-contractor.

⁴ Bidder specifies the scope of work for the sub-contractor.

⁵ Bidder specifies the value of work percentage which the sub-contractor undertakes compared to the bidding price.

⁶ Bidder specifies the contracts number or agreement documents, the bidder should submit the original or notarized copy of these documents.

Legitimate representative of the bidder
[name, position, signature and stamp]



LIST OF SPECIALIZED SUB-CONTRACTORS¹

Bidder must provide the proof evidence which meets requirements prescribed at Point 2.3 Chapter III, Bid Proposal Evaluation criteria.

STT No	Name of specialized subcontractor²	Scope of work³	Amount of work⁴	Percentage value estimated⁵	Contract or agreement document with specialized sub-contractor⁶
1					
2					
3					
4					
...					

Note:

¹ Applying this form in case of using sub-contractor.

² Bidder specifies the specialized sub-contractor's name.

³ Vietsovetro specifies names and work description that are implemented by the specialized sub-contractor.

⁴ Bidder specifies the scope of work assigned to the specialized sub-contractor.

⁵ Bidder specifies the value of work in percentage which the specialized sub-contractor undertakes to perform, compared to the bidding price.

⁶ Bidder specifies the contract numbers or agreement documents, the bidder should submit the original or notarized copy of these documents.

Legitimate representative of the bidder
[name, position, signature and stamp]



**LIST OF SUBSIDIARIES AND MEMBER COMPANIES DELIVERING WORK
IN THE BID PACKAGE ⁽¹⁾**

No.	Name of subsidiary/ member company⁽²⁾	Scope of work⁽³⁾	Value (% out of bid value)⁽⁴⁾	Notes
1				
2				
...				

Notes:

(1) In the case the contractor participating in bidding, being a parent company (for example, the Corporation), mobilizes its subsidiary or member company to deliver part of the work in the bid package, it must be specifically declared in this table. The evaluation of experience and competence of the bidder is based on the value and volume of work delivered by the parent company, subsidiary and member company in the bidding package. In case the bidder participating in bidding is not the parent company, this Form shall not apply.

(2) Specify the name of the subsidiary or member company.

(3) Specify the work delivered by the subsidiary or member company.

(4) Specify how many % the value of work delivered by the subsidiary or member company accounts for in the total bid proposal value.

Legitimate representative of the bidder
[name, position, signature and stamp]



SUMMARY OF BIDDING PRICE
(Apply for international bidding)

Stt	Content	Bid price
1	Goods manufactured, processed outside Vietnam	(M ₁)
2	Goods domestically manufactured, processed or goods manufactured, processed outside Vietnam, but already imported and being offered in Vietnam	(M ₂)
3	Related services: Not Applicable	(I)
	Total bidding price (Transfer to Application for Biding form)	(M₁) + (M₂) +(I)

Legal representatives of bidder
(name, position, signature and stamp)



FORM 12A

**BIDDING PRICE SCHEDULE OF GOODS MANUFACTURED, PROCESSED
OUTSIDE VIETNAM**

FOR BLOCK 09-1

1	2	3	4	5	6	7	8	9
Line item	Description of goods	Part number/ model of goods	MNF	CO	Unit	Required quantity	Unit price	Extended Price per line item (Col. 6x7)
1								
*	<i>Total bidding price of goods including taxes, fees, charges (if any) arisen inside Vietnam and shall be taken into consideration exemption of import tax and VAT for imported goods from using List of exempted goods available for Vietsovpetro in Block 09-1.</i> <i>(Transfer to the Summary of Bidding Price Form)</i> <u>Note:</u> - Request to describe all the works and the Goods following requirements in Scope of supply indicated in Technical requirement (attached). - Request to breakdown value for each line item and for all items in Scope of supply.							M1

**Legal representatives of bidder
(name, position, signature and stamp)**

Notes:

Col. (1), (2), (6), (7): In accordance with List of goods stipulated in Part 4 – the scope of supply’s Requirement and Technical requirement.

The bidder offers in Col. (3) (4) (5) (8) (9).

For Vietnamese Bidders: The Bidders are requested to offer price on delivery to **Vietsovpetro warehouse, Ho Chi Minh city, S.R. Viet Nam**, including taxes, fees, charges (if any) arisen inside Vietnam and shall be taken into consideration exemption of import tax and VAT for imported goods from using List of exempted goods available for Vietsovpetro in Block 09-1.

For Foreign Bidders: The Bidders are requested to offer price on delivery term: CFR Vietsovpetro Port, Ho Chi Minh city, S.R. Viet Nam, Incoterm 2020. *Bidders must clearly state in the offered price, as followings:*

- *Bidder intends to use inland transportation to delivery the goods from any discharge port in Vietnam to Vietsovpetro port: Yes/No*
- *If Bidder declares its attention to use inland transportation to deliver the goods from discharge port in Vietnam to Vietsovpetro port, Vietsovpetro will calculate and add FCWT into the offered price for comparison and evaluation.*
- *If Bidder declares NOT to use inland transportation to transport the goods to Vietsovpetro port, or makes no statement in this regard, Vietsovpetro will not calculate and add FCWT into the offered price for comparison and evaluation. Bidder shall acknowledge that, if any inland transportation is used during performance of Contract (if awarded to Bidder), Bidder will be subject to FCWT according to the applicable regulations of S.R Vietnam. FCWT incurred will be deducted from payment by Vietsovpetro*

When participating in bidding, all bidders have to take responsibility of researching, calculating and offering sufficient tax, fees, charges (if any) in response to tax rates, expenses, fees at the time 28 days prior to the stipulated deadline for bid submission.



In case the bidder announces the bidding price not including taxes, fees, charges then the Bid Proposal of the bidder will be rejected.



**BIDDING PRICE SCHEDULE OF GOODS DOMESTICALLY MANUFACTURED,
PROCESSED OR GOODS MANUFACTURED, PROCESSED OUTSIDE VIETNAM,
BUT ALREADY IMPORTED AND BEING OFFERED IN VIETNAM**

1	2	3	4	5	6	7	8
Line item	Description of goods	Unit	Required quantity	Country of origin, Part number, model of goods	Unit price	Extended Price per line item (Col. 4x6)	Taxes, fees, charges (if any)
1						A1	T1
						A2	T2
n	Goods n					An	Tn
Total bidding price of goods not including taxes, fees, charges (if any)						A=A1+A2+...+An	
Total value of taxes, fees, charges (if any)							T=T1+T2+...+Tn
Total bidding price of goods including taxes, fees, charges (if any) (Transfer to the Summary of Bidding Price Form)						M₂=A+T	

Legal representatives of bidder
(name, position, signature and stamp)

Notes:

Detailed T1, T2, Tn (type, calculation).

Col. (1), (2), (3), (4): In accordance with List of Goods as stipulated in Part 4 – Scope of supply Requirement and Technical requirement.

The bidder offers at Col. (5) (6) (7) (8). The bidder offers unit price at col (6), including necessary expenses to supply goods in response to requirements of Vietsovpetro, not including tax, fees, charges (if any) offered at col (8).

Col. (8) includes all tax, fees, charges (if any). When participating in bidding, bidders have to take responsibility of researching, calculating and offering sufficient tax, fees, charges (if any) in response to tax rates, expenses, fees at the time 28 days prior to the stipulated deadline for bid submission. In case the bidder announces the bidding price not including taxes, fees, charges then the Bid Proposal of the bidder will be rejected.

Legitimate representative of the bidder
[name, position, signature and stamp]



BIDDING PRICE SCHEDULE OF RELATED SERVICES
NOT APPLICABLE

1	2	3	4	5	6	7	8
No	Description of Services	Required quantity	Unit	Place where services will be performed	Final completion date	Unit price	Extended price per Service (Col. 3x7)
I	Onshore Technical service						
							
II	Offshore technical service						
							
III	Training (if any)						
							
IV	Other services (if any)						
1							
2							
Total bidding price of related services not including taxes, fees, charges							
Taxes, fees, charges							
Total bidding price of related services including taxes, fees, charges (if any) (Transfer to the Summary of Bidding Price Form)							(I)

Legal representatives of bidder
(name, position, signature and stamp)

Notes:

Col. (1) (2) (3) (4) (5) and (6): In accordance with Table of Related Services stipulated in Article 1 Part 2 - The scope of supply's Requirement.

The bidder offers Col. (7) and (8).

Foreign bidders have to clearly state that whether the offered price includes Foreign Contractor Withholding Tax (FCWT). If the offered price has not included, Vietsovpetro will calculate and add FCWT into the offered price for comparison and evaluation.

Legitimate representative of the bidder
[name, position, signature and stamp]



**BIDDING PRICE OF GOODS (OPTIONAL SCOPE)
FOR GOODS MANUFACTURED, PROCESSED
OUTSIDE VIETNAM
NOT APPLICABLE**

FOR BLOCK 09-1

1	2	3	4	5	6	7	8	9
Line item	Description of goods	Part number/ model of goods	MNF	CO	Unit	Required quantity	Unit price	Extended Price per line item (Col. 6x7)
	Priced list of recommended spares for 2 years' operation. (i.e.: as stated in Technical Requirement) Detailed list of spares part and prices shall be provided:							
1								
2								
*	Total bidding price of goods including taxes, fees, charges (if any) arisen inside Vietnam and shall be taken into consideration exemption of import tax and VAT for imported goods from using List of exempted goods available for Vietsovpetro in Block 09-1. (Transfer to the Summary of Bidding Price Form) <u>Note:</u> - Request to describe all the works and the Goods following requirements in Scope of supply indicated in Technical requirement (attached). - Request to breakdown value for each line item and for all items in Scope of supply.							M1

Notes:

Refer to Notes in Form 12A

Legitimate representative of the bidder
[name, position, signature and stamp]



BIDDING PRICE OF GOODS (OPTIONAL SCOPE)
FOR GOODS DOMESTICALLY MANUFACTURED, PROCESSED OR GOODS
MANUFACTURED, PROCESSED OUTSIDE VIETNAM, BUT ALREADY IMPORTED
AND BEING OFFERED IN VIETNAM
NOT APPLICABLE

1	2	3	4	5	6	7	8
Line item	Description of goods	Unit	Required quantity	Country of origin, Part number, model of goods	Unit price	Extended Price per line item (Col. 4x6)	Taxes, fees, charges (if any)
1	<i>Goods 1</i>					A1	T1
2	<i>Goods 2</i>					A2	T2
n	<i>Goods n</i>					An	Tn
Total bidding price of goods not including taxes, fees, charges (if any)						A=A1+A2+...+An	
Total value of taxes, fees, charges (if any)							T=T1+T2+...+Tn
Total bidding price of goods including taxes, fees, charges (if any) (Transfer to the Summary of Bidding Price Form)						M₂=A+T	

Note:

Refer to Notes in Form 12B

Legitimate representative of the bidder
[name, position, signature and stamp]



DECLARATION OF PREFERENTIAL GOODS ⁽¹⁾

No.	Item	Origin <i>[name of country, origin, marks and numbers, model/PN, manufacturer]</i>	Goods with domestic production cost of 25% or higher		Domestic cost declaration	
			Yes	No	Form 15B	Form 15C
	(1)	(2)	(3)	(4)	(5)	(6)
1	Goods 1		☐	☐	☐	☐
2	Goods 2		☐	☐	☐	☐
...	...					
n	Goods n		☐	☐	☐	☐

Notes:

(1), (2): The bidder fills consistently with Form No. 15B or Form No. 15C

(3), (4): The bidder checks the correct box for each goods.

(5), (6): For goods with a domestic production cost of 25% or higher, the contractor either declares the cost of domestic production using Form 15B (declaration of cost of import) or Form 15C (declaration of production cost in Vietnam).

Legitimate representative of the bidder
[name, position, signature and stamp]



**DECLARATION OF DOMESTIC PRODUCTION COSTS FOR PREFERENTIAL
GOODS**

(in the case of declaring cost of import)

No.	Item	Offered price in Bid proposal	Taxes	Cost of import	Cost of domestic production	Cost of domestic production (%)
		(I)	(II)	(III)	$G^* = (I) - (II) - (III)$	$D(\%) = G^* / G$ where đó $G = (I) - (II)$
	(1)	(2)	(3)	(4)	(5)	(6)
1	Goods 1					
2	Goods 2					
...	...					
n	Goods n					

Notes:

- (1): The bidder fills in the checked goods in column (3) and (5) of Form No. 15A.
 (2): The bidder fills in the unit price offered (including all taxes, fees, charges (if any)).
 (3), (4): The bidder self-declares.
 (5), (6): The bidder fills.

Legitimate representative of the bidder
[name, position, signature and stamp]



DECLARATION OF DOMESTIC PRODUCTION COST FOR PREFERENTIAL⁽¹⁾
(in the case of declaring production costs in Vietnam)

STT No.	Tên hàng hóa Item	Offered price in Bid proposal	Taxes ⁽²⁾	Cost of domestic production	Cost of domestic production (%)
		(I)	(II)	G*	$D(\%) = G^*/G$ where $G = (I) - (II)$
	(1)	(2)	(3)	(4)	(5)
1	Hàng hoá thứ 1				
2	Hàng hoá thứ 2				
...	...				
n	Hàng hoá thứ n				

Ghi chú Note:

- (1): The bidder fills in the checked goods in column (3) and (6) of Form No. 15A.
 (2): The bidder fills in the unit price offered (including all taxes, fees, charges (if any)).
 (3), (4): The bidder self-declares.
 (5): The bidder fills;

Legitimate representative of the bidder
[name, position, signature and stamp]

PART 2. TECHNICAL REQUIREMENTS



Chapter V. Technical Requirements

(Refers to attachment in Part 4.Appendices)

PART 3. CONDITIONS OF CONTRACT AND CONTRACT FORMS

Trang 81



FORM 16. Letter of Proposal Acceptance and Contract Award

FORM 17. Contract form

FORM 16

Trang 82



LETTER OF PROPOSAL ACCEPTANCE AND CONTRACT AWARD

_____, day ____ month ____ year ____

To: _____ [*name and address of awarded Contractor, hereinafter referred to as "Contractor"*]

Subj: Notification of Proposal Acceptance and Contract Award

Dear Sir/Madam,

In accordance with the Letter of Invitation to Tender (ITB No.) regarding tender process, we would like to notify that you are the tender winner for the items listed hereunder (scope of supply) based on the following basic terms and conditions:

- Scope of Supply:
- Total price: – CFR Vietsovpetro port, Ho Chi Minh City, S.R.Vietnam.
- Delivery time: days from the date of Letter of Award / contract signing.
- Payment condition: TT / LC.

As soon as possible but not later than 07 working days from the date signing this Purchase Order, you should open the Performance Bond which is issued by banks / branches legally operated in Vietnam with amount 03% (three percents) of Purchase Order and send to Vietsovpetro. The validity of the Guarantee is equal to the delivery time plus 60 calendar days.

Please acknowledge the receipt of this letter and send us your acceptance / comments as soon as possible but not later than 02 working days from the date of this letter.

Looking forwards to receiving your favorable reply.

LEGAL REPRESENTATIVE OF THE EMPLOYER

[*Full name, title, signature and stamp*]

FORM 17

Trang 83



Contract form

GENERAL CONDITIONS OF CONTRACT (GCC)

1. Definitions.

As used in this Contract:

- 1.1 Company means Vietsovpetro, as specified in the Purchase Order;
- 1.2 “Purchase Order” means the documented Agreement between the Company and the Contractor, including all attached appendices and documents; herein called PO.
- 1.3 “Contractor” means the bidder who has been awarded PO by the Company (either Independent or Consortium Contractor) and is specified in the PO;
- 1.4 “Subcontractor” means a person, or entity, Contractor whose name is proposed in the list of subcontractors by the Contractor in the Proposal or who carries out any part of work proposed by the Contractor in the Bid Proposal. Subcontractor enters into the PO with the Contractor to perform part of work, as specified in the Proposal and accepted by the Company;
- 1.5 “PO Documents” means the documents listed in the PO, including any amendments, addendums thereto;
- 1.6 “PO Price” means the total price as specified in the PO for supplying Goods (and Related Services). PO Price include all taxes, fees and charges (if any).
- 1.7 “Date” means calendar day; “Year” means 365 days;
- 1.8 “Goods” means all of the machinery, equipment, commodities, spare parts, raw materials, consumer goods, medical material used at medical facilities;
- 1.9 “Related Services” means the services such as warranty, maintenance, overhaul, repair, supply of spare parts and/or other after-sale services including training, technology transfer;
- 1.10 “Completion” means the fulfillment of the Related Services by the Contractor in accordance with the terms and conditions set forth in the Contract;
- 1.11 “The Project Site” means the place named in the PO.

2. Order of precedence

The documents forming the Contract is arranged in the following order of precedence:

- 2.1 PO, including all Appendix;
- 2.2 Letter of Proposal Acceptance and Contract Award;
- 2.3 Bidding Result Approval;
- 2.4 General Conditions of Contract (GCC);
- 2.5 Proposal and Clarifications (if any);
- 2.6 Invitation for Bid and Bulletins (if any);
- 2.7 Any other document listed in the PO.

3. Governing law and Language

The Contract shall be governed by and interpreted in accordance with the laws of the Socialist Republic of Vietnam. The Contract shall be written in English.

4. Notice

- 4.1 Any notice from one Party to another relating to the PO shall be conducted in writing, to addresses specified in the PO. The term “in writing” means communicated in written form with proof of receipt.



- 4.2 A notice from one Party shall be considered as effective from the date the other Party receives it or from the effective date as specified in the notice, whichever comes later.

5. Performance Bond

- 5.1 Performance Bond shall be submitted to the Company no later than the date specified in Letter of Proposal Acceptance and Contract Award. Performance Bond shall be issued in one of following forms:

- a) Submit a performance bond issued by a legally domestic bank or foreign bank's branch established under Vietnamese law;
- b) Submit the certificate of guarantee insurance from a domestic non-life insurance enterprise or a branch of a foreign non-life insurance enterprise established under Vietnamese law.

The Performance Bond specified in Point a and b of this Clause is an unconditional guarantee (paid upon request), according to the form specified in the PO or another form approved by the Company.

- 5.2 Validity and formality is specified in the PO.
- 5.3. The Performance Bond will be paid to the Company to compensate for any loss arising from the Contractor's failure to fulfill their contractual obligations.
- 5.4 The return of Performance Bond is specified in the PO.

6. Subcontractor

- 6.1 The Contractor is allowed to sign contracts with Subcontractors in the List of proposed subcontractors specified in the Contract to perform part of work stated in the Proposal. The use of subcontractors shall not relieve the Contractor from any of his obligations. The Contractor shall take full responsibilities for work load, quality, progress and other responsibilities for work performed by Subcontractors.

The changing, supplement of subcontractors onto List of subcontractors or the change of subcontractor content stated in the Proposal shall be only conducted with reasonable grounds and Company's approval.

- 6.2 Contractor is not allowed to use subcontractors for other work which are not stated in the Bid Proposal.
- 6.3 Other requirements for subcontractor are specified in the PO.

7. Settlement of Disputes

- 7.1 The Company and the Contractor shall make every effort to resolve amicably by negotiation any disagreement or dispute arising between them.
- 7.2 If the dispute has not been resolved by such mutual negotiation within the specified duration in the PO from the date on which dispute arose, then either party may ask to commence arbitration under the dispute resolution mechanism, as specified in the PO.

8. Scope of Supply

Goods (and Related Services) shall be supplied as specified in Appendix No. 01 – Scope of Supply, which is considered as an integral part of this PO, including types of goods (and Related Services) supplied by the Contractor and their unit prices.

9. Delivery Schedule of Goods, Completion Date of Related Services (if any) and Documentations

Delivery Schedule of Goods, Completion Date of Related Services (if any) must be performed according to the provisions of the PO. The Contractor must provide invoice and other documents as described in the PO.



10. Contractor's Responsibilities

Contractor shall supply all Goods (and Related Services) (if any) in accordance with the Scope of Supply in accordance with GCC Clause 8, and follow the Delivery Schedule of Goods (and Completion Date of Related Services), as per GCC Clause 9.

11. Type of Contract and Contract Price

Type of contract: is specified in the PO.

Contract Price specified in the PO covers all expenses for complete supplying Goods (and Related Services) stated in the Price schedule of the PO.

12. Tax Adjustment

12.1 The Contractor shall be responsible for all costs of taxes, fees and charges incurred until the goods are delivered to the Company.

12.2 In case the Contractor is eligible for tax, fee and charge exemption or reduction, the Company shall use its best efforts to enable the Contractor to apply tax, fee and charge exemption or reduction policies.

12.3 Tax adjustment are carried out in accordance with the PO.

13. Advance Payment

13.1 The Company shall make advance payment to the Contractor with an amount stated in the Contract upon provision of Advance Payment Guarantee by the Contractor, with the value equal to the advance payment. The Advance Payment Guarantee shall be issued by a bank or credit organizations legally operating in Vietnam and shall remain effective until the advance payment has been repaid; the value of the Advance Payment Guarantee shall be progressively reduced by the amounts repaid by the Contractor. Interest shall not be applied on the advance payment.

13.2 The Contractor is to use the advance payment only for the purpose of executing the Contract. The Contractor has to prove that advance payment has been used for the right purpose by providing copies of invoices or other relevant documents to the Company. The Contractor shall be deprived of advance payment if advance payment is not used correctly.

14. Payment

14.1 Payments are made in accordance with the PO.

14.2 The payment currency shall be VND/USD/EUR in accordance with the PO.

15. Copyright

Copyright in all drawings, documents and records containing information and data submitted by the Contractor to the Company remains vested in the Contractor. Where such drawings, documents and records are provided to the Company directly or through the Contractor by a third party, copyright in such drawings, documents and records shall remain vested in that third party.

16. Use of documentations and information relating to Contract

16.1. The Company and the Contractor shall keep confidential any documents, data or other information relating to the contract provided directly or indirectly by one party to the other party, and shall not disclose such documents, data or information to a third party without the prior written consent of the other party, whether such documents, data or information are provided before, during or after the fulfillment or termination of the contract. The Contractor may transfer to a subcontractor appropriate documents, data and information provided by the Company for the subcontractor to perform its work under the contract; in this case, the subcontractor shall have an undertaking to the Contractor to keep such documents, data or information confidential.



- 16.2. The Company shall not use the documents, data and other information received from the Contractor for any purpose other than the contract. The Contractor shall not use the documents, data and other information received from the Company for any purpose other than the performance of the contract.
- 16.3. The obligations of the Company and the Contractor specified in under GCC Sub-Clauses 16.1 and 16.2 shall not apply to information that:
- a) Information that the Company or Contractor needs to provide to the competent authority;
 - b) Information that has been or will be published through no fault of the Company or Contractor;
 - c) Information owned by one party at the time of publication and not previously provided directly or indirectly by the other party;
 - d) Information that a party lawfully receives from a third party that is not under an obligation to keep the information confidential.
- 16.4. The provisions of GCC Clause 16 shall not in any way modify any confidentiality commitments made by a party prior to the date of signing the contract relating to the provision of goods and services.
- 16.5. The provisions of GCC Clause 16 shall continue in effect after fulfillment or termination of the contract for any reason.

17. Technical Specifications and Standards

Goods (and Related Services) supplied under this Contract shall conform to the technical specifications and standards mentioned in Appendix No. 01 - Scope of Supply; and when no applicable specification or standard is mentioned, the applicable specification or standard shall be equivalent or superior to the official standards currently applied in the Goods' country of origin.

18. Packing

The Contractor shall provide such packing of the Goods as is required in the PO and is suitable with each type of transportation means during transit to their final destination. The packing shall be sufficient to prevent the Goods from damage or deterioration due to rough handling and other environmental impacts. Packing case size and weights shall take into consideration the conditions of transportation such as distance, type of transport mean, infrastructure, etc. from origin to specified destination.

19. Insurance

Goods supplied in the Contract shall be fully insured to cover losses or damages occurred in production process, transportation, stocking and delivery as described in the PO.

20. Transportation and Incidental Services

Conditions about Transportation and Incidental Services are specified in the PO.

21. Goods Inspections and Testing

The Contractor must test and take inspection of Goods and related services relevant to the provisions of the Contract and bear all testing and inspection costs according to the provisions of the Contract.

22. Damages

Damages are specified in the PO.

23. Warranty

The Contractor warrants that all the Goods supplied under Contract are new, unused, and the quality is in accordance with manufacture standard, unless otherwise provided in the Contract. The Contractor further warrants that the Goods shall be free from defects that cause problems under normal use.



Warranty period and place for the Goods is specified in Article 9 of the PO.

24. Force Majeure

- 24.1 For purposes of this Clause, “Force Majeure” means events beyond the control and foreseeability of the parties, such as wars, revolutions, fires, natural disaster, floods, epidemics, quarantine restrictions.

If a Force Majeure situation arises, the affected party shall promptly notify the other party in writing of such condition and the cause thereof. The affected party also has to give given by authorised organisation in the place of event.

During the Force Majeure, Contractor shall continue to perform its obligations under the Contract as far as is reasonably practical, and shall seek all reasonable alternative means for performance not prevented by the Force Majeure event. In this case, the Company shall consider reimbursing the Contractor necessary and reasonable additional and necessary costs beared by the Contractor.

- 24.2 Neither the party shall be liable for forfeiture of its Performance, liquidated damages, or if and to the extent that its delay in performance or other failure to perform its obligations under the Contract is the result of an event of Force Majeure.

In case dispute arising due to Force Majeure shall be resolved according to GCC Clause 7.

25. Amendment, Addendum of Contract

- 25.1 Amendments to the Contract shall be applied in the following cases:

- (a) Changes in drawings, designs, or technical requirements, where Goods to be furnished under the Contract are to be specifically manufactured for the Company;
- (b) Changes in method of goods transportation or packing;
- (c) The place of delivery;
- (d) Changes of related services;
- (e) The schedule of delivery.

- 25.2. In case the amendment, addendum to the work content of the contract specified in Clause 25.1 GCC change the cost or implement time of any terms in the contract, price or delivery time and the completion date of the relevant service must be make corresponding adjustments and the two parties will amend the contract. The Contractor's request to adjust the contract's price, delivery time or completion date must be made within 28 days from the date the Contractor receives the Company's request to amend the scope of work.

- 25.3. In case the Contractor provides goods with a new version of the same manufacturer, the same origin, with technical requirements, configuration, parameters... equivalent or better than the version that the Contractor proposed in their proposals, the Contractor must notify the Company in writing for the Company's consideration. In this case, based on usage needs, the Company could accept the Contractor's proposal provided that the unit price and other terms and conditions of the contract remain unchanged.

- 25.4. In case of performing related services that has not stated in the contract, the Company and Contractor will negotiate to ensure the unit price is consistent with the market price.

- 25.5. The Company and the Contractor will negotiate to sign a contract's amendment in case of amendments. All transactions during the implementation of the Contract are made in writing by the Parties and sent by post or by fax number to the registered address or fax number of each Party specified in the Contract and email to the email address according to the form in Appendix 4 (A, B) attached.

In case the Contractor's proposal is accepted by the Company and it makes the reduce of the contract price, the Company shall pay the Contractor with the rate that specified in the Contract



to the price reduction value. And if it makes the increase of the contract price, the Company shall pay the Contractor the arising value.

26. Amendment in Delivery Schedule

- 26.1. During the contract implementation time, in case of unfavorable conditions arise that prevents the Contractor or subcontractor from providing goods and performing related services as prescribed in Clause 9 GCC, The Contractor must promptly notify the Company in writing about the delay, reason, and duration of delay. Based on the Contractor's notice, the Company must quickly consider the situation and extend the contract. In case the Company agrees to extend the contract, the two parties will negotiate to sign amendments, supplement the contract.
- 26.2. Except the force majeure specified in Clause 24 GCC, if the Contractor delivers the Goods or completes related services lately, he is obliged to compensate the Company as prescribed in Clause 22 GCC.

27. Contract Termination

27.1. Contract Termination due to faults:

a) The Company may terminate partial or all of the Contract without prejudice to other remedies for breach of contract by informing the Contractor by letter about the breaches in the contract in the following cases:

(i) The Contractor cannot deliver the goods or part of the goods within the shipment time as specified in the contract, or within the extension period as specified in Clause 26 GCC;

(ii) The Contractor does not perform any other obligations under the contract;

(iii) The Company show that the Contractor violated one of the prohibited acts specified in Article 16 of the Bidding Law during the bidding process or contract implementation;

b) In case the Company terminates partial or all of the contract according to Point a of this Clause, the Company may purchase similar goods and related services that have not been performed according to the terms and conditions and methods. The Contractor shall be responsible for compensating the Company for arising costs from purchasing of such similar goods and services. However, the Contractor must continue to perform the part of the contract that was not terminated.

27.2. Contract Termination due to insolvency

In case the Contractor goes bankruptcy or becomes insolvency, the Company may terminate the contract at any time by sending notice to the Contractor. In such case, the Contract shall terminate and the Contractor shall not be entitled to compensation provided that termination shall not fact or prejudice any rights of action or remedy of the Company at any time.

28. Patent indemnity

28.1. The Contractor shall, subject to the Company's compliance with GCC Sub-Clause 28.2, indemnify and hold harmless the Company and its employees and officers from and against any and all suits, actions or administrative proceedings, claims, demands, losses, damages, costs, and expenses of any nature, including attorney's fees and expenses, which the Company may suffer as a result of any infringement or alleged infringement of any patent, utility model, registered design, trademark, copyright, or other intellectual property right registered or otherwise existing at the date of the contract by reason of:

a) The installation of goods by the Contractor or the use of goods in Vietnam;

b) The sale of the products produced by goods.



Such indemnity shall not cover any use of goods or any part thereof other than for the purpose indicated by or to be reasonably inferred from the contract, neither any infringement resulting from the use of goods or any part thereof, or any products produced thereby in association or combination with any other equipment, plant, or materials not supplied by the bidder, pursuant to the contract.

28.2. If any proceedings are brought or any claim is made against the Company arising out of the matters referred to in GCC Sub-Clause 28.1, the Company shall promptly give the Contractor a notice thereof, and the Contractor may at its own expense and in the Company's name conduct such proceedings or claim and any negotiations for the settlement of any such proceedings or claim.

28.3. If the Contractor fails to notify the Company within 28 days after receipt of such notice, that it intends to conduct any such proceedings or claim, then the Company shall be free to conduct the same on its own behalf.

28.4. The Company shall, at the Contractor's request, afford all available assistance to the Contractor in conducting such proceedings or claim, and shall be reimbursed by the Contractor for all reasonable expenses incurred in so doing.

28.5. The Company shall indemnify and hold harmless the Contractor and its employees, officers, and subcontractors from and against any and all suits, actions or administrative proceedings, claims, demands, losses, damages, costs, and expenses of any nature, including attorney's fees and expenses, which the Contractor may suffer as a result of any infringement or alleged infringement of any patent, utility model, registered design, trademark, copyright, or other intellectual property right registered or otherwise existing at the date of the contract arising out of or in connection with any design, data, drawing, specification, or other documents or materials provided or designed by or on behalf of the Company.

29. Change in laws and regulations

Unless otherwise specified in the contract, if after the date of 28 days prior to deadline for submission of bids, any law or regulation is promulgated, abrogated, or changed in Vietnam that subsequently affects the Delivery Date and/or the contract Price, then such Delivery Date and/or Contract Price shall be correspondingly increased or decreased, to the extent that the Contractor has thereby been affected in the performance of any of its obligations under the contract. Notwithstanding the foregoing, such additional or reduced cost shall not be separately paid or credited if the same has already been accounted for in the price adjustment provisions where applicable, in accordance with GCC Clause 11.

30. Export restriction

Any to provide deliveries or services, provided that the Contractor can declare to the satisfaction of the Company that it has completed all formalities in a timely manner, including applying for permits export restrictions which arise from trade regulations from a country supplying the goods or services, and which substantially impede the Contractor from meeting its obligations under the contract, shall release the Contractor from the obligation, authorizations, and licenses necessary for the export of the goods or services under the terms of the contract. Termination of the contract on this basis shall be for the Company's convenience.

(FOR INTERNATIONAL CONTRACTOR)

PURCHASE ORDER



_____, day ____ month ____ year ____

FACSIMILE!

PURCHASE ORDER No.

This Facsimile Transmission (Total ____ pages)	
Company:	
Country:	
Fax:	
From:	Vietsovpetro
	105 Le Loi St., Vung Tau Ward, Ho Chi Minh City, S. R.Vietnam
Subj.:	Provision of (VSP's Inquiry No.)

Dear Sir,

Thank you for your offer **Provision of** (ITB No. VT-/.....-.....). We are pleased to confirm this Purchase Order on the terms and conditions as follows:

This transaction is made between:

VIETSOVPETRO

105 Le Loi Street, Vung Tau Ward, Ho Chi Minh City, S.R.Vietnam

Hereinafter referred to as the Buyer.

AND

.....

Hereinafter referred to as the Seller.

ARTICLE 1: OBJECT

The Seller agrees to sell and the Buyer agrees to buy (VSP's Inquiry No.) hereinafter referred to as "Goods", with the quantity, specifications, scope of supply as described in Appendix No. 01 (in pages) which are considered as an integral part of this Purchase Order.

- All Goods are manufactured

- The Goods will be used for Petroleum activities in Block of Vietsovpetro.

ARTICLE 2: PRICE AND TOTAL VALUE

2.1 The unit prices for the Goods are specified in the Appendix No. 01 of this Purchase Order.

2.2 The total value of this Purchase Order is **USD** - CFR Vietsovpetro Port, Ho Chi Minh City, S.R Vietnam – Incoterms 2020.

(In words:)

2.3 The price as mentioned above is understood CFR – Vietsovpetro Port, Ho Chi Minh City, S.R Vietnam - Incoterms 2020, not subject to any alteration and includes value of the Goods, packing, marking, painting, assembling, testing, inspection, manufacturer's certificates, freight, export license if necessary, guarantee services if any etc... in accordance with terms and conditions of this Purchase Order as well as all duties levied in connection with the performance of this Purchase Order outside the Buyer's country.

ARTICLE 3: DELIVERY



- 3.1 Delivery date: 22 weeks for group I, II and 16 weeks for groups III, IV, V, VI, VII, VIII from the day of signing the contract to the date that the Goods arrival at Vietsovpetro's port (included navigation and transportation time).
Earlier shipment is allowed.
Partial shipment is allowed:shipments
Transshipment and multimodal transport are allowed at Seller's care and account.
- 3.2 Shipment to be made from port to Vietsovpetro Port, Ho Chi Minh City, S.R.Vietnam on the term CFR - Vietsovpetro Port, Ho Chi Minh City, S.R.Vietnam – Incoterms 2020, except the otherwise stated in this Purchase Order.
The Seller shall be responsible for any extra transport, warehouse expenses, taxes and other charges incurred in connection with sending of Goods to the other port/wrong port (rather than Vietsovpetro port, Ho Chi Minh City, S.R. Vietnam). The Buyer shall carry out all inland transportation from other port to Vietsovpetro port, Ho Chi Minh City, S.R. Vietnam and these charges will be deducted from payment by the Buyer.
For the mode of transport by sea or by air, in case the first import border gate (which is the port of discharge stated on the bill of lading or the customs declaration) is not Vietsovpetro port, Ho Chi Minh City, S.R. Vietnam (the port specified in the Purchase Order) and incur inland transportation to the port specified, the Seller will be subject to Foreign contractor withholding tax (FCWT) according to the current regulations of S.R. Vietnam. Any extra transport, warehouse expenses, other charges and FCWT incurred will be deducted from payment by the Buyer.
In case the actual number of shipments exceeds the number specified in the Purchase Order, the Seller shall be responsible for all costs incurred for the shipments exceeding those stipulated in the Purchase Order, and these incurred costs shall be deducted from payment by the Buyer.
- 3.3 The Delivery Date is understood as: The date that Goods arrival at Vietsovpetro port (included navigation and transportation time).
The date of arrival mention here will following the date of arrival of the Goods at Vietsovpetro port that indicated in "Arrival Notice" of Vessel Agent.
- 3.4 The carrying vessel must have ISM certificate.

ARTICLE 4: NOTICE OF SHIPMENT AND DOCUMENTATION

- 4.1 The Seller shall notify the Buyer by fax as soon as possible, but not later than 03 working days from the Bill of Lading date the following information regarding the shipment:
- Purchase Order Number
 - Name of Goods, quantity and value
 - Number of cases, gross weight, measurement
 - Bill of Lading number and its date.
 - Name of vessel, nationality.
 - Port of exit, ETD/ ETA
 - Address, telephone, fax of the shipping agent in Vietnam.
 - Any other special instructions, which should call to the Buyer's attention.
- The Seller shall be responsible for any losses, expenses which may be occurred due to incorrect information from the Seller to the Buyer.
- 4.2 Required shipping document for purchased goods.
- 4.2.1. By T/T:



Immediately but not later than 03 working days from the Bill of lading date the Seller shall send by Express courier or FEDEX or DHL at the Seller's expenses to "Vietsovpetro" - 105 Le Loi, Vung Tau Ward, Ho Chi Minh City, SR Vietnam the following shipment documents:

1. **Clean on board Bill of Loading** evidencing shipment from port with destination Vietsovpetro Port, Ho Chi Minh City, S.R.Vietnam, consignee: Vietsovpetro 105 Le Loi Street, Vung Tau Ward, Ho Chi Minh City, S.R. Vietnam, marked "Freight prepaid": 02 Originals and 02 copies.
2. **Detailed Packing List** showing the content of each case or lot, gross and net weight: covering Goods as specified in Appendix No. 01 to this Purchase Order: 02 originals and 02 copies.
3. **Signed Commercial Invoice** issued by the Seller for the respective shipment value indicating CFR Vietsovpetro Port, Ho Chi Minh City, S.R.Vietnam, with itemized and total prices: 02 originals and 02 copies.
4. **Requirements For Certificates Of The Goods** - as stipulated in Technical Requirements.
5. **Certificates of Guarantee** - as stipulated in Technical Requirements.
6. Other certificates as stipulated in Technical Requirements.
7. **Export License or Letter of the Seller** stating that Export License is not necessary for export: 01 original and 02 copies.
8. **Seller's cable or telex, fax** advising the shipment details (Invoice value, Bill of Lading date) to Vietsovpetro: 01 copy.

All the copies of the documents shall be legible, otherwise the photocopy of the original shall be furnished.

Seller shall be submit for Vendor data register list (VDRL) to Buyer for review/approval not later than 02 weeks from the date of Letter of Intent.

4.2.2. By L/C:

Immediately but not later than 05 working days from the Bill of lading date the Seller shall send by Express courier or FEDEX at the Seller's expenses to Vietsovpetro - 105 Le Loi Str., Vung Tau Ward, Ho Chi Minh City, S.R. Vietnam the following shipment documents unless otherwise stated:

1. **Clean on board Bill of Loading** evidencing shipment from port with destination Vietsovpetro Port, Ho Chi Minh City, S.R.Vietnam, consignee: Vietsovpetro 105 Le Loi Street, Ho Chi Minh City, S.R. Vietnam, marked "Freight prepaid": 02 originals and 02 copies.
2. **Detailed Packing List** showing the content of each case or lot, gross and net weight: covering Goods as specified in Appendix No. 01 to this Purchase Order: 02 originals and 02 copies.
3. **Signed Commercial Invoice** issued by the Seller for the respective shipment value indicating CFR Vietsovpetro Port, Ho Chi Minh City, S.R.Vietnam, with itemized and total prices: 02 originals and 02 copies.
4. **Requirements For Certificates Of The Goods** - as stipulated in Technical Requirements.
5. **Certificates of Guarantee** - as stipulated in Technical Requirements.
6. Other certificates as stipulated in Technical Requirements.
7. **Export License or Letter of the Seller** stating that Export License is not necessary for export: 01 original and 02 copies.
8. **Seller's cable or telex, fax** advising the shipment details (Invoice value, Bill of Lading date) to Vietsovpetro: 01 copy.

All the copies of the documents shall be legible; otherwise the photocopy of the original shall be furnished.



- 4.3 If shipment to be made through a FIATA Freight Forwarder, under Through or Combined Transport Bill of Lading, the Seller shall have to send the Buyer by fax the copy of Local Bill of Lading of the last distance and inform the Buyer the name, contract address of the Transportation Agent in Vietnam.
- 4.4 Any storage demurrage or other charges due to non-receipt of shipping advice and/or shipping documents by the Buyer from the Seller or the Seller's agent as well as due to incorrect shipping document shall be at the Seller's account.
- 4.5 From the date of Letter of Award (LOA), The Seller must provide the Buyer with a regular report once a month on the first day of the month, showing the process of manufacturing, manufacturing, testing and supplying the Goods.
- This report please send to email:@vietsov.com.vn and c/c:hq@vietsov.com.vn. The Seller must immediately report to Buyer the content of the report at least includes the following contents:
- a) Description of the work completed in the implementation stage;
 - b) Highlighting delays or delays that are likely to occur and the causes of delays affecting production progress and providing measures to ensure progress;
 - c) Change progress if any. During the implementation of the contract, all contacts of Seller send an official letter for VSP leader and send a copy by email:@vietsov.com.vn and c/c:@vietsov.com.vn.
- 4.6 Party B must ensure to provide all necessary documents as required in Article 4.2 of this Contract when delivering goods to Party A. In case Party B delivers goods to Party A's warehouse in Ho Chi Minh city but does not have all the required documents, Party A agrees to allow Party B to temporarily store the goods at the warehouse to wait for the complete collection of documents at no extra charge for first 05 calendar days. From the 6th day onwards, Party B will have to pay Party A the storage cost of the shipment according to the current storage unit price of Party A that is applied to Party A's customers. This storage cost that will be deducted directly from the invoice for this Contract or from any other payments of the Contract that duly signed by both parties

ARTICLE 5: PACKING

- 5.1 Goods supplied under this Purchase Order shall be packed in accordance with international standard for export packing to ensure safety of Goods from damages and corrosion during transportation and suitable for crane operations and handling.
- 5.2 Before packing, all metal parts of Goods must be preserved with proper grease and wrapped in waterproof strong paper to ensure protection from any damage and corrosion during their transportation and storage in Buyer's country within the guarantee period.
- 5.3 The Seller shall provide for each package a detailed packing list in English indicating the Purchase Order number, description of items, gross and net weight. One copy of the packing list in a waterproof envelope shall be put into each case with the Goods, the other copy should be fastened to the outer side of the wooden case and shall be covered with a metal plate nailed to the case. For steel cases, both copies of the packing list should be put into the cases.
- 5.4 The Seller shall be fully responsible for loss, damage of breakage of the Goods and/or rusting/corrosion resulting from defective or inadequate packing.

ARTICLE 6: MARKING

- 6.1 Marking shall be done in three sides of each case containing Goods, on the two opposite sides and on the top and contain the following information in the English language:

Shipper:



Consignee: VIETSOVPETRO
105 Leloi Street, Vung Tau Ward, Ho Chi Minh city, S.R.VietNam
Purchase Order No.
Case No. /
Dimensions: Length x Width x Height in cm
Gross WEIGHT (KGS)
Net Weight (KGS)
Airport/Port of Destination

- 6.2 The marking must be clearly done by indelible paint and not less than 5 (five) cm high, unless restricted by the size of the case. Where necessary, the Seller shall conspicuously mark on the side of the case appropriate international marks according to the different characteristics, the special marking “Top”, “Bottom”, “Handle with care”, handling places for reloading.
- 6.3 For the oversized cases (more than 10M long), as well as for the case weighing 500 kgs and more, or if the height of the case exceeds one meter, the center of gravity shall be clearly shown with bright indelible paint with sign (+) on the end and side faces of the cases.
- 6.4 The case number shall be indicated by a fraction, the numerator shows the ordinal number of the cases, and the denominator indicates the overall quantity of the cases into which completely delivered Goods are packed.
- 6.5 The Seller shall be responsible for any kind of losses and/or damages of the Goods during loading and unloading as well as for its transportation as a consequence of improper or insufficient marking, as well as for any extra transportation and warehouse expenses, losses connected with misaddressed delivery of the Goods due to incomplete marking.

ARTICLE 7: PAYMENT CONDITIONS

By T/T:

- 7.1 One hundred percent (100%) of shipment value (after deducting the related fees as in Articles 3.2 above) shall be paid by Telegraphic Transfer to the Seller’s account within thirty (30) days from the date of the Certificate of quantity and condition issued by Independent Inspection Company at Buyer’s warehouse after receipt of the Goods and a full sets of documents above mentioned in Articles 4.
- 7.2 Transfer fee shall be on the Buyer’s account.
- 7.3 All the banking fees, including bank commission and other charges associated with the advising and corresponding bank shall be on the Seller’s account.
- 7.4 All charges in connection with the change of payment’s form/ conditions (whether occurred inside or outside S.R.Vietnam), due to Seller’s/Buyer’s request, shall be at the Seller’s/Buyer’s account.
- 7.5 The Seller provides Seller’s bank account number.

By L/C:

- 7.6 As soon as possible, but not later than fifteen (15) days after the date of Seller’s reconfirmation the Buyer will open through the Bank for Foreign Trade of Vietnam, Vung Tau Branch, (Vietcombank Vung Tau) or other bank in Vietnam the Irrevocable and Unconfirmed Letter of Credit in favour of the Seller covering the total Purchase Order value with the content as per Appendix 1 which is to be considered as an integral part of this Purchase Order.

The validity of the Letter of Credit shall cover the Delivery Date plus 21 days.

- 7.7. Payment under this Letter of Credit shall be made for shipment and in the following installments to the Seller:



- 7.7.1. First Installment: 90% (Ninety percent) of the shipment value shall be made upon presentation of the following documents in English language by the Seller to the Bank:
1. **Clean on board Bill of Loading** evidencing shipment from port with destination Vietsovpetro Port, Ho Chi Minh City, S.R.Vietnam, consignee: Vietsovpetro 105 Le Loi Street, Vung Tau Ward, Ho Chi Minh City, S.R. Vietnam, marked "Freight prepaid": 02 originals and 02 copies.
 2. **Detailed Packing List** showing the content of each case or lot, gross and net weight: covering Goods as specified in Appendix No. 01 to this Purchase Order: 02 originals and 02 copies.
 3. **Signed Commercial Invoice** issued by the Seller for the respective shipment value indicating CFR Vietsovpetro Port, Ho Chi Minh City, S.R.Vietnam, with itemized and total prices: 02 originals and 02 copies.
 4. **Requirements For Certificates Of The Goods** - as stipulated in Technical Requirements.
 5. **Certificates of Guarantee** - as stipulated in Technical Requirements.
 6. Other certificates as stipulated in Technical Requirements.
 7. Export License or Letter of the Seller stating that Export License is not necessary for export: 01 original and 02 copies.
 8. Seller's cable or telex, fax advising the shipment details (Invoice value, Bill of Lading date) to Vietsovpetro: 01 copy.

All the documents presented by the Seller to the Bank shall be duly certified by the Seller as correct, due and payable under the terms and conditions of the Letter of credit.

Payment for incomplete delivery will not be allowed.

- 7.7.2. Second Installment: Ten percent (10%) of shipment value (after deducting the related fees as in Articles 3.2 above) shall be payable against confirmation of the Buyer to the Bank within 30 days after the date of the Certificate of quantity and condition issued by Independent Inspection Company at Buyer's warehouse and Invoice. Based on inland transportation costs, Vietsovpetro will calculate and deduct difference amount as stated at Point 3.2 – Article 3 (if any).
- 7.8 The Letter of Credit shall be subject to the Uniform Customs and Practice for Documentary credit of International Chamber of Commerce (UCP No. 600), 2007 revision.
- 7.9 All the banking fees, including bank commission charges and other charges associated with the opening bank shall be on the Buyer's account.
- 7.10 All the banking fees, including bank commission charges and other charges associated with the advising and corresponding bank shall be on the Seller's account.
- 7.11 All charges in connection with the amendments of the Letter of Credit (whether occurred inside or outside S.R. Vietnam), due to Seller's/Buyer's request, shall be at the Seller's/ Buyer's account.
- 7.12 All charges associated with any extension of the Letter of credit arising due to delay in delivery as stated in Article 3 of this Purchase Order shall be at the Seller's account.
- 7.13 The Letter of Credit is to be automatically cancelled within 15 days from the date of opening, if the Buyer does not receive the original Performance Bond in favour of the Buyer with the content as stated in Appendix 2 of this Purchase Order.

ARTICLE 8: GOODS'S SURVEY

- 8.1 The survey at Buyer's warehouse of the received Goods shall be made by Independent Inspection Company with issuing a Certificate of quantity and condition.
- 8.2 The Certificate of quantity and condition issued by Independent Inspection Company for the



Goods supplied under this Contract at Buyer's warehouse shall be legal document for Buyer to make claim to the Seller.

ARTICLE 9: GUARANTEE

- 9.1 The Seller guarantees that the Goods supplied under this Purchase Order shall be of the highest quality and designed standard as set in Manufacture's country for that type of Goods and shall meet current technological achievements as required, and shall be suitable for normal operation in tropical area condition regarding environment temperature up to 45 Deg.C, humidity up to 100%.
- 9.2 Proper material of high quality shall be used for manufacturing the Goods to be supplied under this Contract, and the Seller guarantees that the Goods and its quality, quantity shall be fully in compliance with the technical specifications and scope of supply as mentioned in Article No.1 to this Purchase Order.
- 9.3 The Seller guarantees normal operation of all Goods to be supplied under this Purchase Order *months* from the date of delivery.
- 9.4 Should the Buyer reveal any defect within the guarantee period or if the quality of Goods supplied under this Purchase Order is not in compliance with terms and conditions of this Purchase Order and its appendix, the Buyer shall notify the Seller by telex/ fax of such defect. To substantiate the claims the Buyer shall submit to the Seller the official inspection report issued by Independent Inspection Company. The report of quality issued by Independent Inspection Company shall be legal document for Buyer to make claim to the Seller.
- Any claim relating to defects or non-conformity, which occurred during the guarantee period of the Goods with the technical conditions as stated in the Appendix No.1 shall be submitted to the Seller not later than three months after expiration of the guarantee period.
- 9.5 The Seller shall inform the Buyer about the results of consideration of claim not later than 14 days after receipt of the Buyer's claim telex/fax and the Seller shall eliminate the revealed defects, at his own expenses, at the Buyer's first request without any delay, but not later than 15 days after receipt of the Buyer's claim telex/fax and/or replace the defective parts or the missing parts by the new ones of good quality on the condition CIF-Vietsovpetro port (or CIP-Tan Son Nhat airport), S.R.Vietnam. All charge associated with return of the defective Goods to the Seller and delivery the new one to Buyer shall be at the Seller's account.
- 9.6 Should the Seller fail to eliminate the defects as claimed, or fail to deliver new Goods within the stipulated time in Article 9.5, the Buyer shall charge to the Seller the agreed and liquidated damages at the rate as per Article 10, the period of the above penalty shall be counted from the date of which the Seller receives the Buyer's official claim to the date of elimination of the defects or to the delivery date of the new replacement Goods minus 15 days or the Buyer shall have the right to eliminate such defects at the Seller's expenses without prejudice to its right in respect of the guarantee, and the Seller undertakes to defray at first Buyer's request all actual expenses incurred in respect of such elimination and the agreed and liquidated damages at the rate 8% value of non-used Goods due to defect found. Small defects not requiring the Seller's participation and/or permitting no delay will be eliminated by the Buyer and charged at normal costs to the Seller.
- 9.7 The guarantee period for replaced part shall be equal to that indicated in Article 9.3 and the guarantee period for Goods will be extended by the time during which it was not used due to defect found.
- 9.8 When the elimination and/or replacement is made and all related costs, expenses are settled, the claim is to be considered as finally settled.

All the claim amount, for which the Seller is to be responsible to the Buyer under this Contract may be deducted by the Buyer from the payment of the Contract value or may be covered by act of law or otherwise from the Seller to be agreed by both parties.



ARTICLE 10: DAMAGES

10.1. The Seller must deliver goods in full group as specified in Appendix 01 and by the date as stipulated in the Purchase Order. If delayed in delivery the Seller shall pay to the Buyer the agreed and liquidated damages as follows:

- Delay in the first four weeks: 1.00% of group value per week.
- Delay in each following week: 1.50% of group value per week.

When calculating the amount of the agreed and liquidated damages: One week is to be defined as 07 days with 04 days or more than 04 days to be considered as one week, 03 days and less will not be counted.

The agreed and liquidated damages calculated on the value of the whole group having delayed items until the total amount of agreed and liquidated damages for delay shall not exceed 08% of that whole group value.

If The Seller delivers each group in number of shipments as specified in Appendix 01, then the delivery time of such group shall be counted as the last portion's delivery. Goods of the previous portions are only recorded at the warehouse of the Buyer until the last portion of that group is delivered.

10.2. If The Seller does not deliver the sufficient quantity and types of goods as prescribed in Appendix 01 of this Contract, in that case:

- The Seller shall pay to the Buyer the agreed and liquidated damages an amount equal to 08% of the whole group

If The Seller does not deliver enough quantity and type of goods for each group (as specified in Appendix 01 of this Contract):

- The Buyer has the right to refuse the entire group. The Seller shall pay to the Buyer the agreed and liquidated damages an amount equal to 08% of the whole group.

Or;

- The Buyer has the right to receive the delivered goods of the group, then, the Seller shall pay to the Buyer the agreed and liquidated damages an amount equal to 08% of the whole group.

10.3. If the number of shipments exceeds the ones prescribed in Article 3, then the Seller is responsible for paying the extra costs for the exceeded shipments according to the prevailing prices which are applied by the Buyer to the current customers.

10.4. If the supplied goods do not conform to the quality as specified in Article 2 of the Purchase Order, the Buyer shall be entitled to refuse those Goods and payment of the Purchase Order, the Seller shall pay to the Buyer the agreed and liquidated damages as stipulated in Article.10.2. The Buyer shall be entitled to accept / not accept that the Seller will provide new goods to replace the defective ones.

10.5. Delay in delivery / insufficient quantity:

10.5.1. If delay in delivery exceeds 60 calendar days against the stipulated date as in Article 3.1 of this Purchase Order, except the Force majeure circumstances, the Buyer shall be entitled to:

- a) Appoint a third party capable of providing goods/ goods with services. In that case, The Seller is responsible for signing a contract with that appointed party to continue performing the work.

Or;

- b) Directly enter into contract with that third party buying goods / goods and services to continue performing the contract work. In that case, The Seller must pay the difference amount and other related costs and charges (if any).



Or;

c) Unilaterally terminate the Purchase Order and in this case The Seller shall pay to the Buyer the agreed and liquidated damages an amount equal to 08% of the breached Purchase Order value.

10.5.2. If the Seller delayed in delivery of one portion more than 60 calendar days as specified in Article 3.1 of this Purchase Order except the Force majeure circumstances, the Buyer shall be entitled to:

a) Appoint a third party capable of providing goods / goods with services. In that case, The Seller is responsible for signing a contract with the designated party to continue performing the work.

Or;

b) Directly enter into contract with the third party buying goods / goods and services to continue performing the contract work. In that case, The Seller must pay the difference amount and other related costs and charges (if any).

c) Unilaterally terminate the Purchase Order and in this case The Seller shall pay to the Buyer the agreed and liquidated damages an amount equal to 08% of the breached Purchase Order value.

10.6. The total amount of the agreed and liquidated damages should not exceed 08% the Purchase Order value.

10.7. The amount of the agreed and liquidated damages stated in Article 10 of this Purchase Order is exclusive of VAT and import tax.

10.8. The Buyer shall be entitled to :

1) Deduct the amount of agreed and liquidated damages from the payment for this Purchase Order or from any payment for other Purchase Order (if any) between both sides.

2) Request the Seller's issuing Bank to pay the amount equal to the Performance Bond's value;

3) The Buyer shall make a written request to the Seller for the amount of agreed and liquidated damages payment. In all cases, The Seller should have to make commitment to the Buyer for the agreed and liquidated damages payment.

10.9. Any compensation for damage (if any) other than the liquidated damages agreed above shall be made in accordance with the law of Vietnam.

ARTICLE 11: PERFORMANCE BOND

11.1 As soon as possible within 07 (seven) calendar days from the date signing Purchase order (specified on page 01 of the contract), the Seller shall inform the Buyer by fax/telex of the issuance of the Performance Bond coveringpercent (.....%) of the Purchase Order amount, issued by the banks/branches legally operated in VietNam, acceptable to the Buyer, informing the number, date of issue and full content. In case the Performance Bond issued by the banks/branches legally operated in VietNam, the Seller shall ensure that the issuing Bank will send to the Buyer the original Performance Bond through Vietcombank Vung Tau Branch. The content of the Performance Bond shall be in conformity with the Appendix No.1 of this Purchase Order.

All costs relating to the Performance Bond shall be at Seller's account.

11.2 Should the Buyer not receive the valid, satisfactory Performance Bond within 30 days from the Purchase Order signing date, the Buyer has the right to cancel the Purchase Order at any time and withdraw the Bid Bond without recourse to the law court or to arbitration.

11.3 Should the validity of the Performance Bond be required to be extended (due to delay or extension of Delivery Date of Goods) Seller shall immediately instruct the Issuing Bank to make



amendment to the Performance Bond. Such amendment shall be advised by the Issuing Bank to Buyer through Vietcombank Vung Tau Branch.

- 11.4 Should the Buyer make use of Performance Bond, it will immediately send to the Seller copy of declaration to the bank.

ARTICLE 12: FORCE-MAJEURE.

- 12.1 Force majeure is an event occurring in an objective manner which is unforeseeable and unrecoverable despite all necessary and possible measures being taken such as war, riot, armed conflict, embargo, natural disaster (flood, storm, tornado, earthquake, tsunami), fire, epidemic/pandemic announced by WHO/ Country, a Region/ Country blockade order imposed by the Host Government.
- 12.2 The party encountering a force majeure event that leads to the failure to perform their obligations under the contract due to the direct influence of the force majeure event is obliged to immediately notify the other party, including the provision of information, explanation on the direct impact of the force majeure event leading to the breach of contract performance with evidence to prove measures taken to remedy the problem and minimize the damage. Delay in notification, provision of information and explanation, if later than 14 calendar days after the force majeure event occurs, shall cause the party encountering the force majeure event to lose the right to waive responsibility later on due to force majeure.
- 12.3 The written certification of the Vietnam Chamber of Commerce and Industry or the competent agency in the place where the force majeure event occurred is sufficient evidence to prove the event and the time of the force majeure.
- 12.4 If the force majeure event lasts more than 02 months, each party has the right to terminate this contract without having to compensate any amount of money for the other party.
- 12.5 The difficulties in production such as lack of materials, electricity, labor, strike are not considered force majeure and do not exempt Party B from the obligation of delivery or late delivery; Information from newspapers, the network and other media is for reference only.

ARTICLE 13: LAW AND ARBITRATION

- 13.1 This Purchase Order is governed and construed in accordance with the law of Vietnam.
- 13.2 Any disputes or discrepancies, which may arise out from this Purchase Order, shall be settled smoothly, amicably, basing on mutual benefit and mutual understanding.
- 13.3 All disputes arising out of or in relation to this Purchase Order shall be finally settled by Arbitration at the Vietnam International Arbitration Center (VIAC) in accordance with its rules of arbitration. The number of arbitrators is 03.
- The number of arbitrators shall be one
 - The place of the arbitration shall be Hanoi
 - The applicable law shall be the law of Vietnam
 - The language of arbitrator shall be Vietnamese
- 13.4 Decision / award of the arbitration shall be final and binding upon both parties. The losing party will bear the arbitration fees.

ARTICLE 14: OTHER CONDITIONS

- 14.1 Any amendment or supplement of this Purchase Order shall be valid only if they are made in writing and signed by both parties.
- 14.2 Neither party shall be entitled to transfer its rights and obligations under this Purchase Order to any third party without the prior consent in writing of the other party.
- 14.3 All taxes, duties, custom fees in connection with the execution of this Purchase Order levied inside S.R. Vietnam but exception of Seller's personnel income tax and FCWT (if any) shall be at Buyer's account.



All taxes, duties, custom fees in connection with the execution of this Purchase Order levied outside S.R. Vietnam to be at Seller's account.

- 14.4 This Purchase Order shall come into force from the date of Seller's reconfirmation, which should be received by the Buyer within 07 days of this Purchase Order date and the Purchase Order will be terminated upon fulfillment by both parties all their obligations as per stipulated in this Purchase Order.
- 14.5 This Purchase Order is made in English and consists of pages, including Appendixes No. 1, 2, 3 which are considered as integral parts of this Purchase Order (Appendix No. 01: Scope of supply and Price Table, Appendix No. 02: Performance Bond, Appendix No. 03: Letter Of Credit Specimen, Appendix No. 04(A,B): Form of Contract Transaction).
- 14.6 This Purchase Order is made in 05 originals of the same value, one of which retained by the Seller and three are retained by the Buyer.
- 14.7 Components of Purchase Order and legal order of precedence are as Clause 2 GCC.

We confirm that all of abovementioned terms and conditions of this Order are considered as terms and conditions of a Contract signed by and between two our companies.

This is an operative instrument, no mail/airmail will be followed.

Best regards,

FOR VIETSOVPETRO



Appendix No. 1 to the Purchase order No.....

This appendix is based on requirements stated in the Invitation for Bid, Bid Proposal and agreements achieved during negotiations and finalizing contract including price (extended price) for group and scope of supply. Price (extended price) for group and scope of supply has included all tax, fees and charges (if any) in accordance with tax rate, fee and charge at the time of 28 days prior to bid closing time of bid proposal.

GOODS PRICE TALBE**GOODS PRICE TALBE**

1	2	3	4	5	6	7	8	9
No.	Description	Unit	Qty	Model, Code, Part number	Manufacturer	Origin	Unit Price (USD)	Extended Price (USD) (Column 4x8)
1	Item 1							M1
2	Item 2							M2
								...
n	Item n							Mn
Total price in CFR Vietsovpetro port (USD)								M=M1+M2+..Mn

**LEGAL REPRESENTATIVE OF
CONTRACTOR**

[Full name, title, signature and stamp]

**LEGAL REPRESENTATIVE OF
EMPLOYER**

[Full name, title, signature and stamp]



**Appendix No. 2 to the Purchase order No.
FORM OF PERFORMANCE BOND**

_____, day ____ month ____ year ____

TO: VIETSOVPETRO
105 Le Loi Str, Vung tau Ward, Ho Chi Minh City, S.R. Vietnam
ATTN: Mr. Vu Mai Khanh - General Director

Dear Sir,

We, the undersigned (legal name and address of the Bank) have made due to note of Purchase Order No. _____ dated _____ (hereinafter referred to as the Purchase Order), concluded by yourselves **Vietsovpetro** (Hereinafter referred to as the Buyer) and (hereinafter referred to as the “Seller”), for **Provision of** as described in Appendix No. 01 of the Purchase Order with the Purchase Order amount In accordance with the term of the Purchase Order, the Seller is obliged to execute and perform the Purchase Order as agreed.

Taking into consideration of the above mentioned, we (legal name and address of the issuing Bank) hereby irrevocably and unconditionally undertake to pay you any amount stated hereunder on your simple demand accompanied by the written declaration that the Seller has failed to fulfill the Purchase Order as per terms and condition agreed.

Simple declaration from the Buyer shall be accepted by us conclusive evidence that the amount claimed is due to the Buyer.

The claim, if any, must be made by fax message or registered letter to reach us not later than the expiry date of this Performance Bond.

The limit of our liabilities under this Performance Bond shall not exceed the amount of ____ USD (03%) three percent of Purchase Order value

Partial drawing under this Performance Bond is acceptable, provided that all claims should reach us not later than the expiry date of this Performance Bond. After each partial drawing, the amount of this Performance Bond will be deducted accordingly, and this Performance Bond remains in force up to its expiration of total amount under this Performance Bond is drawn.

The payment under this Performance Bond shall be made by ourselves without deductions for any fees of any taxes, imports, levies or duties present or future of any nature inside of S.R. Vietnam.

It is further guaranteed by us, that the payment under this Performance Bond shall be made by us within seven (07) days from the receipt of your written demand marking reference to this Performance Bond.

The Performance Bond comes into force and becomes valid from the date of issuance.

The validity of this Performance Bond shall cover the delivery period of the last shipment as stated in Article 3 of the above-mentioned Purchase Order plus 60 days i.e. _____.

When expired or implemented in full, this Performance Bond turns to be null and void.

Upon expiration of this Performance Bond, or on the settlement of all claims, this Performance Bond shall be returned to us without any request on our part.

Yours faithfully,
Authorized signature of the Bank



Appendix No. 3 to the Purchase order No.

LETTER OF CREDIT SPECIMEN

SUBJECT:

KIND OF L/C: IRREVOCABLE UNCONFIRMED L/C, AT SIGHT.

APPLICANT: VIETSOVPETRO

(THE BUYER) 105 Le Loi Street, Vung Tau Ward, Ho Chi Minh City, S.R. Vietnam

BENEFICIARY:

1. (THE SELLER)

ADVISING BANK:

AMOUNT: _____ USD

(In words: United State Dollars _____) – CFR Vietsovpetro port, Ho Chi Minh City, S.R. Vietnam.

VALIDITY: The validity of the Letter of Credit shall cover the Delivery Date plus 21 days.

PAYMENT CONDITIONS:

Payment under this Letter of Credit shall be made for shipment and in the following installments:

I. First Installment: 90% (Ninety percent) of the shipment value shall be made upon presentation of the following documents in English language by the Seller to the Bank:

1. *01 original and 01 copy of clean on board Bill of Lading* evidencing shipment from port with destination Vietsovpetro port, Ho Chi Minh city, S.R.Vietnam, consignee: Vietsovpetro, 105 Le Loi Street, Vung Tau Ward, Ho Chi Minh City, S.R Vietnam, marked "Freight Prepaid".
2. *Detailed Packing List* showing the content of each case or lot, gross and net weight: covering Goods as specified in Appendix No. 1 to this Purchase Order: 01 original and 01 copy.
3. *Signed Commercial Invoice* issued by the Seller for the respective shipment value indicating term of delivery (for example: CFR Vietsovpetro port, Ho Chi Minh city, S.R.Vietnam) with itemized and total prices, stating the Seller's bank detail and account number: 01 original and 01 copy.
4. **Requirements For Certificates Of The Goods** - as stipulated in Technical Requirements.
5. **Certificates of Guarantee** - as stipulated in Technical Requirements.
6. Other certificates as stipulated in Technical Requirements.
7. *Export License* or *Letter of the Seller* stating that Export License is not necessary for export: 01 original and 01 copy.
8. *Seller's telex, fax* advising the shipment details (Invoice value, Bill of lading/Airway Bill's number and date) to Vietsovpetro: 01 copy and via *email: xndvcang.sd@vietsov.com.vn*.
9. *Beneficiary's certificate* certifying that one set of the above mentioned documents (from 1 to 10 including one original of AWB / Bill of Lading) have been sent to the Buyer's address: 105 Le Loi Street, Vung Tau Ward, Ho Chi Minh City, S.R Vietnam within 03 working days from the Delivery Date by Courier's (courier's receipt must be enclosed): 01 copy.

II. Second Installment: Ten percent (10%) of shipment value (after deducting the related fees as in Articles 3.2 of PO) shall be payable against confirmation of the Buyer to the Bank within 30 days after the date of the Certificate of quantity and condition issued by Independent Inspection Company at Buyer's warehouse.

The Letter of Credit shall be subject to the Uniform Customs and Practice for Documentary credit of International Chamber of Commerce (UCP No. 600), 2007 revision.

All the banking fees, including bank commission charges and other charges associated with the opening bank shall be on the Buyer's account.



All the banking fees, including bank commission charges and other charges associated with the advising and corresponding bank shall be on the Seller's account.

All charges in connection with the amendments of the Letter of Credit (whether occurred inside or outside S.R. Vietnam), due to Seller's/Buyer's request, shall be at the Seller's / Buyer's account.

All charges associated with any extension of the Letter of credit arising due to delay in delivery as stated in Article 3 of this Contract shall be at the Seller's account.

COVERING:

Scope of supply, specifications, Quantity and Prices are in accordance to Appendix No. 1 of Purchase Order No. _____

SHIPMENT:

Shipment to be made from _____ Port to Vietsovpetro port, Ho Chi Minh City, S.R. Vietnam on the terms of - Incoterms 20...

Delivery Date: not later than _____ weeks from the date of opening L/C.

Earlier shipment is allowed

Partial shipment is allowed.

Total _____ shipments.

Transshipment and multimodal transport are allowed at Seller's care and account.

The Delivery Date is understood as the date of "Bill of Lading", consign to Vietsovpetro, 105 Le Loi Street, Vung Tau Ward, Ho Chi Minh City, S.R. Vietnam marked "Freight prepaid", with destination Vietsovpetro port, Ho Chi Minh City, S.R. Vietnam.

PACKING AND MARKING: As per Purchase Order No. ____ dated _____

SPECIAL CONDITIONS:

Agreed and liquidated damages for delay of delivery:

Shipment after above stated delivery date is allowed but not exceeds two months. For Bill of Lading dated after delivery date, Buyer's Bank is authorized to deduct the agreed and liquidated damages amount as late shipment as follows:

- Delay in the first four weeks: 1.00 % of group value per week.

- Delay in each following week: 1.50 % of group value per week.

One week is to be defined as 07 days, 04 days or more than 04 days to be considered as one week, 03 days and less will not be counted.

Total agreed and liquidated damage amount does not exceed 8% of group value.

The Letter of Credit is to be automatically cancelled within 15 days from the date of opening, if the Buyer does not receive the original Performance Bond in favour of the Buyer with the content as stated in Appendix No. 2 of this Purchase Order.



Appendix No. 4A to the Purchase order No.

SPECIMEN OF CONTRACTUAL TRANSACTION LETTER

Date month year 20 ..

To: **VIETSOVPETRO**

105 Le Loi Street, Vung Tau Ward, Ho Chi Minh City, S.R. Vietnam

Fax: (84) 254 839857/Email: vspadmin@vietsov.com.vn

ATTN: Mr. Tran Quoc Thang + Deputy General Director
Mrs. Nguyen Thi Van Anh –Manager of VSP Commercial Dept.

Email: (phuongvm.hq@vietsov.com.vn; hungnm.sd@vietsov.com.vn)

(Insert the transaction content, including: Change of Goods/ Services, schedule, use of quota, contents regarding contract value, payment, etc.)

.....

On behalf of Supplier/Contractor
(Sign and stamp)

Appendix No. 4B to the Purchase order No.

SPECIMEN OF CONTRACTUAL TRANSACTION LETTER

Date month year 20 ..

To: **VIETSOVPETRO**

105 Le Loi Street, Vung Tau Ward, Ho Chi Minh City, S.R. Vietnam

Fax: (84) 254 839857/ Email: vspadmin@vietsov.com.vn

ATTN: Mrs. Nguyen Thi Van Anh –Manager of VSP Commercial Dept.
Mr. Do Manh Ha – Director of Port and Logistic Division
Mr. Nguyễn Quốc Dũng – Oil And Gas Production Division

Email: (phuongvm.hq@vietsov.com.vn; hungnm.sd@vietsov.com.vn)

(Insert the transaction content, including: Delivery notice, Delivery of goods documents, notification of commencement of service/ construction, information on personnel/ equipment conducting service/ construction, etc.)

.....

On behalf of Supplier/Contractor
(Sign and stamp)



ĐIỀU KIỆN CHUNG CỦA HỢP ĐỒNG (ĐKC)

1. Định nghĩa

Trong Hợp đồng này, các từ ngữ dưới đây được hiểu như sau:

- 1.1. “Chủ đầu tư” là Liên doanh Việt – Nga Vietsovpetro được quy định tại **Hợp đồng**;
- 1.2. “Hợp đồng” là thỏa thuận giữa Chủ đầu tư và Nhà thầu, thể hiện bằng văn bản, được hai Bên ký kết, bao gồm cả các Phụ lục và các tài liệu kèm theo;
- 1.3. “Nhà thầu” là Nhà thầu trúng thầu (có thể là Nhà thầu độc lập hoặc liên danh) và được quy định tại **Hợp đồng**;
- 1.4. “Nhà thầu phụ” là Nhà thầu có tên trong danh sách các Nhà thầu phụ do Nhà thầu đề xuất trong Hồ sơ dự thầu và được Nhà thầu ký Hợp đồng để thực hiện dịch vụ liên quan;
- 1.5. “Tài liệu Hợp đồng” là các tài liệu được liệt kê trong Hợp đồng, bao gồm bất kỳ bản sửa đổi, bổ sung nào của Hợp đồng;
- 1.6. “Giá Hợp đồng” là tổng số tiền ghi trong Hợp đồng cho việc cung cấp hàng hóa và dịch vụ liên quan. Giá Hợp đồng đã bao gồm tất cả các chi phí về thuế, phí và lệ phí (nếu có);
- 1.7. “Ngày” là ngày dương lịch; “năm” là 365 ngày;
- 1.8. “Hàng hóa” bao gồm máy móc, thiết bị, nguyên liệu, nhiên liệu, vật liệu, vật tư, phụ tùng; hàng tiêu dùng; trang thiết bị y tế dùng cho các cơ sở y tế;
- 1.9. “Dịch vụ liên quan” bao gồm các dịch vụ như lắp đặt, duy tu, bảo dưỡng, sửa chữa ban đầu, bảo hiểm lắp đặt, bảo hiểm sửa chữa hoặc cung cấp các dịch vụ sau bán hàng khác như đào tạo, chuyển giao công nghệ, ...;
- 1.10. “Hoàn thành” là việc Nhà thầu hoàn tất các dịch vụ liên quan theo các điều khoản và điều kiện quy định tại Hợp đồng;
- 1.11. “Địa điểm dự án” là địa điểm được quy định tại **Hợp đồng**.

2. Tài liệu Hợp đồng và thứ tự ưu tiên

- 2.1. Tất cả các tài liệu nêu tại Mục 2.2 ĐKC (bao gồm cả các phần của tài liệu) sẽ cấu thành Hợp đồng để tạo thành thể thống nhất, có tính tương hỗ, bổ sung và giải thích cho nhau.
- 2.2. Hợp đồng, các tài liệu và thứ tự ưu tiên pháp lý như sau:
 - a) Hợp đồng (kèm theo các Phụ lục Hợp đồng);
 - b) Biên bản thương thảo, hoàn thiện Hợp đồng;
 - c) Báo cáo phê duyệt kết quả lựa chọn nhà thầu;
 - d) Điều kiện chung của Hợp đồng;
 - đ) Hồ sơ dự thầu của Nhà thầu trúng thầu;
 - e) Hồ sơ mời thầu và các tài liệu sửa đổi Hồ sơ mời thầu.

3. Luật và ngôn ngữ

Luật điều chỉnh Hợp đồng là luật Việt Nam, ngôn ngữ của Hợp đồng là tiếng Việt.

4. Thông báo

- 4.1. Bất cứ thông báo nào của một Bên gửi cho Bên kia liên quan đến Hợp đồng phải được thể hiện bằng văn bản, theo địa chỉ quy định tại **Hợp đồng**. Thuật ngữ “bằng văn bản” có nghĩa là hình thức truyền đạt thông tin dưới dạng viết và có bằng chứng về việc tiếp nhận thông tin.



- 4.2. Thông báo của một Bên sẽ được coi là có hiệu lực kể từ ngày Bên kia nhận được hoặc theo ngày hiệu lực nêu trong thông báo, tùy theo ngày nào đến muộn hơn.
- 5. Bảo đảm thực hiện Hợp đồng**
- 5.1. Bảo đảm thực hiện Hợp đồng phải được nộp lên Chủ đầu tư không muộn hơn ngày quy định tại Thư chấp thuận Hồ sơ dự thầu và trao Hợp đồng. Bảo đảm thực hiện Hợp đồng được thực hiện bằng một trong các hình thức sau:
- a) Nộp thư bảo lãnh của tổ chức tín dụng trong nước, chi nhánh ngân hàng nước ngoài được thành lập theo pháp luật Việt Nam;
 - b) Nộp giấy chứng nhận bảo hiểm bảo lãnh của doanh nghiệp bảo hiểm phi nhân thọ trong nước, chi nhánh doanh nghiệp bảo hiểm phi nhân thọ nước ngoài được thành lập theo pháp luật Việt Nam.
- Bảo đảm thực hiện Hợp đồng theo quy định tại Điểm a và Điểm b Khoản này là bảo đảm không có điều kiện (trả tiền khi có yêu cầu), theo mẫu quy định tại Phần 4 hoặc một mẫu khác được Chủ đầu tư chấp thuận.
- c) Hình thức khác được Chủ đầu tư chấp thuận quy định tại **Hợp đồng**.
- 5.2. Bảo đảm thực hiện Hợp đồng có giá trị và hiệu lực quy định tại Hợp đồng.
- 5.3. Bảo đảm thực hiện Hợp đồng sẽ được trả cho Chủ đầu tư để bồi thường cho bất kỳ tổn thất nào phát sinh do Nhà thầu không hoàn thành các nghĩa vụ Hợp đồng.
- 5.4. Thời hạn hoàn trả bảo đảm thực hiện Hợp đồng theo quy định tại **Hợp đồng**.
- 6. Ký Hợp đồng thầu phụ**
- 6.1. Nhà thầu được ký kết Hợp đồng với các Nhà thầu phụ trong danh sách các Nhà thầu phụ quy định tại **Hợp đồng** để thực hiện dịch vụ liên quan nêu trong Hồ sơ dự thầu. Việc sử dụng Nhà thầu phụ sẽ không làm thay đổi các nghĩa vụ của Nhà thầu. Nhà thầu phải chịu trách nhiệm trước Chủ đầu tư về khối lượng, chất lượng, tiến độ và các nghĩa vụ khác đối với phần việc do Nhà thầu phụ thực hiện.
- Việc thay thế, bổ sung Nhà thầu phụ trong danh sách các Nhà thầu phụ nêu trong Hồ sơ dự thầu hoặc thay đổi nội dung thầu phụ nêu trong Hồ sơ dự thầu chỉ được thực hiện khi được Chủ đầu tư chấp thuận; việc sử dụng Nhà thầu phụ phải phù hợp với nhu cầu của Nhà thầu trong thực hiện Hợp đồng, Nhà thầu phụ phải đáp ứng về năng lực, kinh nghiệm theo yêu cầu của Nhà thầu.
- 6.2. Nhà thầu có trách nhiệm thanh toán đầy đủ và đúng hạn cho Nhà thầu phụ theo các điều khoản thỏa thuận giữa Nhà thầu và Nhà thầu phụ.
- 7. Giải quyết tranh chấp**
- 7.1. Chủ đầu tư và Nhà thầu có trách nhiệm giải quyết các tranh chấp phát sinh giữa hai Bên thông qua thương lượng, hòa giải.
- 7.2. Nếu tranh chấp không thể giải quyết được bằng thương lượng, hòa giải trong thời gian quy định tại **Hợp đồng** kể từ ngày phát sinh tranh chấp thì bất kỳ Bên nào cũng đều có thể yêu cầu đưa việc tranh chấp ra giải quyết theo cơ chế được quy định tại Hợp đồng.
- 8. Phạm vi cung cấp**
- Hàng hóa và dịch vụ liên quan phải được cung cấp theo quy định tại **Hợp đồng**.
- 9. Tiến độ giao hàng, lịch hoàn thành các dịch vụ liên quan (nếu có) và tài liệu chứng từ**



Tiến độ giao hàng và lịch hoàn thành các dịch vụ liên quan (nếu có) phải được thực hiện theo quy định tại **Hợp đồng**. Nhà thầu phải cung cấp các hóa đơn, chứng từ tài liệu khác theo quy định tại **Hợp đồng**.

10. Trách nhiệm của Nhà thầu

Nhà thầu phải cung cấp toàn bộ hàng hóa và dịch vụ liên quan (nếu có) trong phạm vi cung cấp quy định tại Mục 8 ĐKC và theo tiến độ giao hàng, lịch hoàn thành các dịch vụ liên quan quy định tại Mục 9 ĐKC.

11. Loại Hợp đồng và giá Hợp đồng

- 11.1. Loại Hợp đồng: theo quy định tại Hợp đồng.
- 11.2. Giá Hợp đồng quy định tại Hợp đồng là toàn bộ chi phí để hoàn thành việc cung cấp hàng hóa và dịch vụ liên quan của gói thầu nêu trong bảng giá Hợp đồng trên cơ sở bảo đảm tiên độ, chất lượng theo đúng yêu cầu của gói thầu.

12. Thuế, phí và lệ phí

- 12.1. Nhà thầu chịu trách nhiệm đối với toàn bộ chi phí về thuế, phí và lệ phí phát sinh cho đến khi hàng hóa được giao cho Chủ đầu tư.
- 12.2. Trường hợp Nhà thầu thuộc đối tượng được miễn, giảm thuế, phí, lệ phí, Chủ đầu tư tạo điều kiện tối đa cho Nhà thầu áp dụng các chính sách miễn, giảm thuế, phí, lệ phí và được quy định tại Hợp đồng.
- 12.3. Việc điều chỉnh thuế thực hiện theo quy định tại **Hợp đồng**.

13. Tạm ứng

- 13.1. Chủ đầu tư phải cấp cho Nhà thầu khoản tiền tạm ứng theo quy định tại **Hợp đồng**, sau khi Nhà thầu nộp Bảo lãnh tạm ứng tương đương với khoản tiền tạm ứng. Bảo lãnh tạm ứng phải được phát hành bởi một tổ chức tín dụng hoặc chi nhánh ngân hàng nước ngoài được thành lập theo pháp luật Việt Nam.
- 13.2. Nhà thầu chỉ được sử dụng tiền tạm ứng cho việc thực hiện Hợp đồng. Nhà thầu phải chứng minh rằng khoản tiền tạm ứng đã được sử dụng đúng mục đích, đúng đối tượng bằng cách nộp bản sao các hóa đơn chứng từ hoặc tài liệu liên quan cho Chủ đầu tư.

14. Thanh toán

- 14.1. Yêu cầu thanh toán của Nhà thầu phải được gửi cho Chủ đầu tư bằng văn bản, kèm theo hóa đơn mô tả hàng hóa đã bàn giao và các dịch vụ liên quan đã thực hiện, cùng với chứng từ nộp theo quy định tại Điều 9 ĐKC và gửi yêu cầu thanh toán khi đã hoàn thành các nghĩa vụ khác quy định trong Hợp đồng.
- 14.2. Việc thanh toán thực hiện theo quy định tại **Hợp đồng**.
- 14.3. Đồng tiền thanh toán là VNĐ.

15. Quyền tác giả

Quyền tác giả đối với tất cả các bản vẽ, tài liệu và hồ sơ chứa đựng thông tin và dữ liệu mà Nhà thầu đã nộp cho Chủ đầu tư vẫn thuộc về Nhà thầu. Trường hợp các bản vẽ, tài liệu và hồ sơ đó được cung cấp cho Chủ đầu tư một cách trực tiếp hoặc thông qua Nhà thầu bởi một Bên thứ ba thì quyền tác giả đối với các bản vẽ, tài liệu và hồ sơ thuộc về Bên thứ ba đó.



16. Sử dụng các tài liệu và thông tin liên quan đến Hợp đồng

- 16.1. Chủ đầu tư và Nhà thầu phải bảo mật bất kỳ tài liệu, dữ liệu hoặc thông tin nào khác liên quan đến Hợp đồng do một Bên cung cấp trực tiếp hoặc gián tiếp cho Bên kia, không được tiết lộ tài liệu, dữ liệu hoặc thông tin đó cho Bên thứ ba nếu không có văn bản đồng ý của Bên kia cho dù tài liệu, dữ liệu hoặc thông tin đó được cung cấp trước, trong hoặc sau khi hoàn thành hoặc chấm dứt Hợp đồng. Nhà thầu có thể chuyển cho Nhà thầu phụ các tài liệu, dữ liệu và thông tin phù hợp do Chủ đầu tư cung cấp để Nhà thầu phụ thực hiện công việc của mình theo Hợp đồng; trong trường hợp này, Nhà thầu phụ phải có cam kết với Nhà thầu về việc bảo mật các tài liệu, dữ liệu hoặc thông tin đó.
- 16.2. Chủ đầu tư không được sử dụng các tài liệu, dữ liệu và thông tin khác nhận được từ Nhà thầu cho bất kỳ mục đích nào khác không liên quan đến Hợp đồng. Nhà thầu không được sử dụng các tài liệu, dữ liệu và thông tin khác nhận được từ Chủ đầu tư cho bất kỳ mục đích nào khác không liên quan đến việc thực hiện Hợp đồng.
- 16.3. Nghĩa vụ của Chủ đầu tư và Nhà thầu quy định tại Mục 16.1 và Mục 16.2 ĐKC không áp dụng đối với các thông tin sau đây:
- a) Thông tin mà Chủ đầu tư hoặc Nhà thầu cần cung cấp cho cấp có thẩm quyền;
 - b) Thông tin đã hoặc sẽ được công bố mà không phải do lỗi của Chủ đầu tư hoặc Nhà thầu;
 - c) Thông tin thuộc sở hữu của một Bên vào thời điểm công bố và trước đó không phải do Bên kia cung cấp trực tiếp hoặc gián tiếp;
 - d) Thông tin mà một Bên nhận được một cách hợp pháp từ một Bên thứ ba không có nghĩa vụ bảo mật thông tin.
- 16.4. Các quy định tại Mục 16 ĐKC không làm thay đổi bất kỳ cam kết bảo mật nào do một Bên đưa ra trước ngày ký Hợp đồng liên quan đến việc cung cấp hàng hóa, dịch vụ.
- 16.5. Các quy định tại Mục 16 ĐKC tiếp tục có hiệu lực sau khi hoàn thành hoặc chấm dứt Hợp đồng vì bất cứ lý do gì.

17. Thông số kỹ thuật và tiêu chuẩn

Hàng hóa và các dịch vụ liên quan được cung cấp theo Hợp đồng sẽ phải tuân theo các thông số kỹ thuật và tiêu chuẩn quy định tại Chương V; nếu tại chương V không quy định đến một thông số hay tiêu chuẩn nào có thể áp dụng thì phải tuân thủ theo thông số và tiêu chuẩn tương đương hoặc cao hơn tiêu chuẩn hiện hành tại quốc gia hoặc vùng lãnh thổ mà hàng hóa có xuất xứ.

18. Đóng gói hàng hóa

- 18.1. Nhà thầu phải đóng gói hàng hóa đúng yêu cầu nhằm tránh hư hỏng trong quá trình vận chuyển đến địa điểm dự án theo quy định trong Hợp đồng. Trong quá trình vận chuyển, bao gói hàng hóa phải đủ chắc chắn để chịu được những va chạm mạnh, nhiệt độ quá cao hoặc quá thấp, trong nước mặn, nước mưa và ở ngoài trời. Kích thước và trọng lượng của mỗi kiện hàng phải tính đến điều kiện vận chuyển như khoảng cách, phương tiện vận chuyển, điều kiện cơ sở hạ tầng, ... từ nơi xuất hàng đến địa điểm dự án.
- 18.2. Việc đóng gói, ghi chú đối với hàng hóa, các giấy tờ bên trong và bên ngoài kiện hàng phải tuân thủ các yêu cầu cụ thể trong Hợp đồng, bao gồm cả các yêu cầu (nếu có) quy định ở **Hợp đồng** và các chỉ dẫn khác của Chủ đầu tư.

19. Bảo hiểm



Trừ trường hợp có quy định khác tại Hợp đồng, hàng hóa cung cấp theo Hợp đồng phải được bảo hiểm đầy đủ cho các tổn thất, hư hại có thể xảy ra trong quá trình sản xuất hoặc tiếp nhận, vận chuyển, lưu kho và giao hàng theo quy định tại Hợp đồng.

20. Vận chuyển và các dịch vụ phát sinh

- 20.1. Yêu cầu về vận chuyển hàng hóa và các yêu cầu khác quy định tại **Hợp đồng**.
- 20.2. Chủ đầu tư có thể yêu cầu Nhà thầu cung cấp một hoặc một số dịch vụ sau đây, bao gồm cả các dịch vụ (nếu có) theo quy định tại **Hợp đồng**:
- a) Thực hiện việc lắp đặt hoặc giám sát việc lắp đặt tại hiện trường, chạy thử hàng hóa;
 - b) Cung cấp các dụng cụ cần thiết để lắp ráp, bảo dưỡng hàng hóa;
 - c) Cung cấp tài liệu chi tiết hướng dẫn vận hành và bảo dưỡng cho từng loại hàng hóa;
 - d) Vận hành hoặc giám sát hoặc bảo dưỡng, sửa chữa hàng hóa trong khoảng thời gian đã được các Bên thỏa thuận, với điều kiện là dịch vụ này sẽ không miễn trừ cho Nhà thầu khỏi bất kỳ nghĩa vụ bảo hành nào theo Hợp đồng này;
 - đ) Hướng dẫn nhân sự của Chủ đầu tư về cách lắp đặt, chạy thử, vận hành, bảo dưỡng, sửa chữa hàng hóa.
- 20.3. Trường hợp phát sinh dịch vụ ngoài Hợp đồng, Chủ đầu tư và Nhà thầu thương thảo về chi phí thực hiện dịch vụ, bảo đảm không vượt quá mức giá mà Nhà thầu áp dụng cho dịch vụ tương tự trong các Hợp đồng khác.

21. Kiểm tra và thử nghiệm hàng hóa

Nhà thầu phải tiến hành tất cả các thử nghiệm, kiểm tra đối với hàng hóa và dịch vụ liên quan theo quy định tại Hợp đồng và chịu toàn bộ chi phí thử nghiệm, kiểm tra theo quy định của Hợp đồng.

22. Phạt và bồi thường thiệt hại

Phạt vi phạm Hợp đồng và bồi thường thiệt hại theo quy định tại **Hợp đồng**.

23. Bảo hành

- 23.1. Nhà thầu bảo đảm cung cấp hàng hóa mới, chưa qua sử dụng theo đúng đề xuất đã nêu.
- 23.2. Nhà thầu bảo đảm hàng hóa không phát sinh khiếm khuyết do bất kỳ hành động hay sơ suất nào từ phía Nhà thầu hoặc do thiết kế, vật liệu hoặc kỹ thuật chế tạo khi hàng hóa được sử dụng bình thường trong các điều kiện phổ biến tại Việt Nam.
- 23.3. Thời hạn bảo hành và địa điểm áp dụng bảo hành quy định tại **Hợp đồng**.
- 23.4. Trường hợp phát hiện khiếm khuyết của hàng hóa, Chủ đầu tư kịp thời thông báo cho Nhà thầu, kèm theo tài liệu chứng minh. Chủ đầu tư tạo điều kiện cho Nhà thầu tiến hành kiểm tra các khiếm khuyết đó.
- 23.5. Sau khi nhận được thông báo của Chủ đầu tư về việc hàng hóa có khiếm khuyết, Nhà thầu phải kịp thời sửa chữa hoặc thay thế hàng hóa có khiếm khuyết trong thời hạn quy định tại **Hợp đồng** và chịu toàn bộ chi phí sửa chữa, thay thế.
- 23.6. Trường hợp đã được thông báo nhưng Nhà thầu không tiến hành sửa chữa khiếm khuyết của hàng hóa trong thời hạn quy định tại **Hợp đồng**, Chủ đầu tư có thể tự sửa chữa (nếu cần thiết). Nhà thầu phải chịu tất cả rủi ro và chi phí liên quan. Việc Chủ đầu tư tự sửa chữa khiếm khuyết của hàng hóa không ảnh hưởng đến các quyền khác của Chủ đầu tư đối với Nhà thầu theo Hợp đồng.



24. Bồi thường vi phạm sáng chế

24.1. Với điều kiện là Chủ đầu tư tuân thủ Mục 24.2 ĐKC, Nhà thầu có nghĩa vụ bồi thường, bảo đảm Chủ đầu tư và nhân sự của Chủ đầu tư không bị tổn hại bởi bất kỳ vụ kiện tụng, thủ tục hành chính, khiếu nại, yêu cầu, tổn thất, thiệt hại, chi phí nào, bao gồm cả chi phí thuê luật sư vì có vi phạm hoặc cáo buộc vi phạm sáng chế, mẫu hữu ích, kiểu dáng công nghiệp, nhãn hiệu, quyền tác giả hoặc các quyền sở hữu trí tuệ khác đã đăng ký hoặc tồn tại vào ngày ký Hợp đồng mà các vi phạm hoặc cáo buộc vi phạm đó liên quan tới:

a) Việc lắp đặt hàng hóa do Nhà thầu thực hiện hoặc việc sử dụng hàng hóa tại Việt Nam;

b) Việc bán các sản phẩm được sản xuất từ hàng hóa.

Việc bồi thường nêu trên không áp dụng đối với các trường hợp sau: sử dụng hàng hóa hoặc bất kỳ phần nào của hàng hóa ngoài mục đích nêu trong Hợp đồng hoặc phát sinh hợp lý từ Hợp đồng; có hành vi vi phạm do sử dụng hàng hóa hoặc bất kỳ phần nào của hàng hóa, hay bất kỳ sản phẩm nào được sản xuất từ hàng hóa có sự kết hợp các thiết bị, nhà xưởng hoặc vật tư khác không phải do Nhà thầu cung cấp theo Hợp đồng.

24.2. Trường hợp xảy ra kiện tụng hoặc khiếu nại đối với Chủ đầu tư liên quan tới các vấn đề quy định tại Mục 24.1 ĐKC, Chủ đầu tư có nghĩa vụ thông báo kịp thời cho Nhà thầu. Nhà thầu có thể nhân danh Chủ đầu tư giải quyết kiện tụng hoặc khiếu nại đó hoặc thương thảo để giải quyết kiện tụng hoặc khiếu nại đó và chịu trách nhiệm đối với các chi phí liên quan.

24.3. Trong vòng 28 ngày kể từ khi nhận được thông báo của Chủ đầu tư, trường hợp Nhà thầu không thông báo cho Chủ đầu tư về ý định giải quyết kiện tụng hay khiếu nại đó, Chủ đầu tư sẽ tự giải quyết.

24.4. Trường hợp được yêu cầu, Chủ đầu tư hỗ trợ Nhà thầu giải quyết vụ kiện tụng hay khiếu nại đó và sẽ được Nhà thầu hoàn trả mọi chi phí hợp lý phát sinh.

24.5. Chủ đầu tư có nghĩa vụ bồi thường, đảm bảo Nhà thầu, Nhà thầu phụ, nhân sự của Nhà thầu không bị tổn hại bởi bất kỳ vụ kiện tụng, thủ tục hành chính, khiếu nại, yêu cầu, tổn thất, thiệt hại, chi phí nào, bao gồm cả chi phí thuê luật sư vì có vi phạm hoặc cáo buộc vi phạm sáng chế, mẫu hữu ích, kiểu dáng công nghiệp, nhãn hiệu, quyền tác giả hoặc các quyền sở hữu trí tuệ khác đã đăng ký hoặc tồn tại vào ngày ký Hợp đồng mà các vi phạm hoặc cáo buộc vi phạm đó phát sinh từ hoặc liên quan đến bất kỳ thiết kế, dữ liệu, bản vẽ, thông số kỹ thuật hoặc các tài liệu và hồ sơ nào được cung cấp hoặc thiết kế bởi Chủ đầu tư hoặc thay mặt Chủ đầu tư.

25. Thay đổi liên quan đến pháp lý

Trừ trường hợp có quy định khác tại Hợp đồng, kể từ 28 ngày trước ngày có thời điểm đóng thầu trở về sau, nếu có bất kỳ chính sách nào được ban hành, thay thế, sửa đổi hoặc tuyên bố hết hiệu lực tại Việt Nam gây ảnh hưởng đến ngày giao hàng và/hoặc giá Hợp đồng thì ngày giao hàng hoặc giá Hợp đồng phải được điều chỉnh tương ứng với mức độ ảnh hưởng của Nhà thầu khi thực hiện các nghĩa vụ theo Hợp đồng. Phần tăng hoặc giảm giá Hợp đồng không được thanh toán riêng hay ghi nhận khoản phải trả riêng nếu việc tăng hoặc giảm giá Hợp đồng này đã được quy định tại Mục 11 ĐKC.

26. Bất khả kháng

26.1. Nhà thầu không bị tịch thu bảo lãnh thực hiện Hợp đồng, không phải chịu trách nhiệm bồi thường thiệt hại hay bị phạt hoặc bị chấm dứt Hợp đồng nếu rơi vào các sự kiện bất khả kháng gây cản trở tiến độ thực hiện Hợp đồng hoặc không thể thực hiện nghĩa vụ Hợp đồng.

26.2. Khi xảy ra sự việc bất khả kháng, việc một Bên không thực hiện được bất kỳ một nghĩa vụ nào của mình sẽ không bị coi là vi phạm hay phá vỡ Hợp đồng, với điều kiện Nhà thầu bị



ảnh hưởng bởi vụ việc này: (a) đã tiến hành những biện pháp ngăn ngừa hợp lý, cẩn trọng và các biện pháp thay thế cần thiết, tất cả với mục đích thực hiện được những điều khoản và điều kiện của Hợp đồng này, và (b) phải tiếp tục thực hiện các nghĩa vụ của mình trong phạm vi Hợp đồng chừng nào việc thực hiện này còn hợp lý và thực tế.

26.3. Trong Hợp đồng này, bất khả kháng được hiểu là các sự kiện nằm ngoài tầm kiểm soát của các Bên và không thể lường trước, không thể tránh được và khiến cho việc thực hiện Hợp đồng là không khả thi mà nguyên nhân không phải do sơ suất hoặc thiếu chú ý của các Bên. Sự kiện bất khả kháng có thể bao gồm nhưng không giới hạn bởi chiến tranh, bạo loạn, đình công, hỏa hoạn, lũ lụt, dịch bệnh, cách ly do kiểm dịch hoặc các chính sách, quy định của Nhà nước.

26.4. Khi xảy ra sự kiện bất khả kháng, Nhà thầu bị ảnh hưởng bởi sự kiện bất khả kháng phải kịp thời thông báo bằng văn bản cho Bên kia về sự kiện đó và nguyên nhân gây ra sự kiện trong vòng 14 ngày kể từ ngày xảy ra sự kiện bất khả kháng. Đồng thời, chuyển cho Bên kia giấy xác nhận về sự kiện bất khả kháng đó được cấp bởi một tổ chức có thẩm quyền tại nơi xảy ra sự kiện bất khả kháng.

Nhà thầu bị ảnh hưởng bởi sự kiện bất khả kháng phải tiếp tục thực hiện các nghĩa vụ Hợp đồng theo hoàn cảnh thực tế cho phép và phải tìm mọi biện pháp hợp lý để hạn chế hậu quả của sự việc bất khả kháng.

26.5. Thời hạn mà một Bên phải hoàn thành một công việc theo Hợp đồng này được gia hạn thêm một khoảng thời gian bằng đúng thời gian Bên đó không thể thực hiện được công việc do sự kiện bất khả kháng gây ra.

27. Sửa đổi Hợp đồng

27.1. Chủ đầu tư có thể yêu cầu Nhà thầu sửa đổi, bổ sung các nội dung sau đây trong phạm vi công việc của Hợp đồng:

- a) Thay đổi bản vẽ, thiết kế công nghệ hoặc yêu cầu kỹ thuật đối với trường hợp hàng hóa cung cấp theo Hợp đồng được đặt hàng sản xuất cho riêng Chủ đầu tư;
- b) Thay đổi phương thức vận chuyển hoặc đóng gói;
- c) Thay đổi địa điểm giao hàng;
- d) Thay đổi dịch vụ liên quan;
- đ) Điều chỉnh tiến độ thực hiện Hợp đồng theo quy định tại Mục 28 ĐKC.

27.2. Trường hợp việc sửa đổi, bổ sung các nội dung trong phạm vi công việc của Hợp đồng quy định tại Mục 27.1 ĐKC làm thay đổi chi phí hoặc thời gian thực hiện bất kỳ điều khoản nào trong Hợp đồng, giá Hợp đồng hoặc ngày giao hàng, ngày hoàn thành dịch vụ liên quan phải được điều chỉnh tương ứng và hai Bên tiến hành sửa đổi Hợp đồng. Yêu cầu của Nhà thầu về việc điều chỉnh giá Hợp đồng, ngày giao hàng hoặc ngày hoàn thành phải được tiến hành trong vòng 28 ngày, kể từ ngày Nhà thầu nhận được yêu cầu của Chủ đầu tư về việc sửa đổi, bổ sung nội dung công việc của Hợp đồng.

27.3. Trường hợp Nhà thầu cung cấp hàng hóa với phiên bản mới của cùng hãng sản xuất, có cùng xuất xứ, có tính năng kỹ thuật, cấu hình, thông số, ... tương đương hoặc tốt hơn phiên bản hàng hóa Nhà thầu đề xuất trong Hồ sơ dự thầu và đáp ứng yêu cầu Hồ sơ mời thầu thì Nhà thầu phải thông báo trước bằng văn bản cho Chủ đầu tư để Chủ đầu tư xem xét. Trong trường hợp này, căn cứ nhu cầu sử dụng, Chủ đầu tư có thể chấp thuận đề xuất của Nhà thầu với điều kiện là đơn giá và các điều kiện khác của Hợp đồng không thay đổi.

27.4. Trường hợp cần thực hiện các dịch vụ liên quan chưa nêu trong Hợp đồng, Chủ đầu tư và Nhà thầu tiến hành thương thảo, bảo đảm đơn giá phù hợp giá cả thị trường.

27.5. Chủ đầu tư và Nhà thầu sẽ tiến hành thương thảo để làm cơ sở ký kết văn bản sửa đổi Hợp



đồng trong trường hợp sửa đổi Hợp đồng. Mọi giao dịch trong quá trình thực hiện Hợp đồng được các Bên thực hiện bằng văn bản và gửi theo đường bưu chính hoặc theo số Fax tới địa chỉ đăng ký hoặc số Fax của mỗi Bên ghi trong Hợp đồng và email đến địa chỉ email theo mẫu quy định tại **Hợp đồng**.

27.6. Trong thời gian thực hiện Hợp đồng, Nhà thầu có thể đề xuất giải pháp tiết kiệm chi phí bao gồm ít nhất các nội dung sau đây:

- a) Nội dung giải pháp, giải thích sự khác biệt so với các yêu cầu theo Hợp đồng đã ký kết;
- b) Phân tích toàn diện chi phí và lợi ích của giải pháp bao gồm mô tả và ước tính các chi phí (bao gồm cả chi phí vòng đời) có thể phát sinh cho Chủ đầu tư trong trường hợp chấp thuận đề xuất của Nhà thầu;
- c) Tác động của giải pháp đối với hiệu quả thực hiện Hợp đồng.

27.7. Chủ đầu tư có thể chấp thuận đề xuất của Nhà thầu nếu đề xuất này chứng minh được một trong các lợi ích dưới đây mà không làm ảnh hưởng đến các chức năng cần thiết của hàng hóa:

- a) Rút ngắn thời gian giao hàng;
- b) Giảm giá Hợp đồng hoặc chi phí vòng đời cho Chủ đầu tư;
- c) Nâng cao chất lượng, hiệu quả hoặc tính bền vững của hàng hóa trong Hợp đồng;
- d) Bất kỳ lợi ích nào khác cho Chủ đầu tư.

Trường hợp đề xuất của Nhà thầu được Chủ đầu tư chấp thuận và làm giảm giá Hợp đồng, Chủ đầu tư thanh toán cho Nhà thầu theo tỷ lệ quy định tại **Hợp đồng** đối với phần giá trị giảm giá Hợp đồng.

Trường hợp đề xuất của Nhà thầu được Chủ đầu tư chấp thuận và làm tăng giá Hợp đồng nhưng giảm chi phí vòng đời do tác động của các yếu tố quy định tại các điểm a, b, c và d khoản này, Chủ đầu tư thanh toán cho Nhà thầu theo phần giá trị tăng giá Hợp đồng.

28. Điều chỉnh tiến độ thực hiện Hợp đồng

28.1. Trong quá trình thực hiện Hợp đồng, trường hợp phát sinh các điều kiện bất lợi, cản trở Nhà thầu hoặc Nhà thầu phụ trong việc cung cấp hàng hóa và lịch thực hiện các dịch vụ liên quan quy định tại Mục 9 ĐKC, Nhà thầu phải kịp thời thông báo bằng văn bản cho Chủ đầu tư về việc chậm tiến độ, nguyên nhân, khoảng thời gian chậm tiến độ. Trên cơ sở thông báo của Nhà thầu, Chủ đầu tư phải nhanh chóng đánh giá tình hình và có thể xem xét gia hạn Hợp đồng. Trường hợp Chủ đầu tư đồng ý gia hạn, các Bên tiến hành thương thảo để làm cơ sở ký kết Phụ lục sửa đổi, Bổ sung Hợp đồng.

28.2. Trừ trường hợp bất khả kháng quy định tại Mục 26 ĐKC, Nhà thầu giao hàng chậm hoặc hoàn thành dịch vụ liên quan chậm có nghĩa vụ bồi thường thiệt hại cho Chủ đầu tư theo quy định tại Mục 22 ĐKC.

29. Chấm dứt Hợp đồng

29.1. Chấm dứt Hợp đồng do sai phạm

- a) Chủ đầu tư có thể chấm dứt một phần hoặc toàn bộ Hợp đồng mà không gây tổn hại đến các biện pháp khắc phục vi phạm Hợp đồng khác bằng cách thông báo bằng văn bản cho Nhà thầu về sai phạm trong Hợp đồng trong các trường hợp sau:
 - (i) Nhà thầu không thể bàn giao hàng hóa hoặc một phần hàng hóa trong thời hạn quy định theo Hợp đồng, hoặc trong thời gian gia hạn theo quy định tại Mục 28 ĐKC;
 - (ii) Nhà thầu không thực hiện bất kỳ nghĩa vụ nào khác theo Hợp đồng;



(iii) Chủ đầu tư xác định Nhà thầu vi phạm một trong các hành vi bị cấm quy định tại Hồ sơ mời thầu trong quá trình đấu thầu hoặc thực hiện Hợp đồng;

b) Trường hợp Chủ đầu tư chấm dứt một phần hoặc toàn bộ Hợp đồng theo điểm a khoản này, Chủ đầu tư có thể mua sắm hàng hóa và dịch vụ liên quan tương tự như các hàng hóa và dịch vụ chưa được thực hiện theo các điều khoản và phương thức phù hợp. Nhà thầu phải chịu trách nhiệm bồi thường cho Chủ đầu tư các chi phí phát sinh từ việc mua hàng hóa và dịch vụ tương tự đó. Tuy nhiên, Nhà thầu vẫn phải tiếp tục thực hiện phần Hợp đồng không bị chấm dứt.

29.2. Chấm dứt Hợp đồng do mất khả năng thanh toán

Trường hợp Nhà thầu phá sản hoặc mất khả năng thanh toán, Chủ đầu tư có thể chấm dứt Hợp đồng vào bất kỳ thời điểm nào bằng cách gửi thông báo cho Nhà thầu. Trong trường hợp đó, Hợp đồng sẽ chấm dứt và Nhà thầu không được bồi thường với điều kiện là việc chấm dứt Hợp đồng không gây tổn hại hoặc ảnh hưởng đến bất kỳ quyền khởi kiện hoặc biện pháp khắc phục của Chủ đầu tư trước đó hoặc sau đó.

30. **Hạn chế xuất khẩu**

Trường hợp quốc gia, vùng lãnh thổ cung cấp hàng hóa, dịch vụ có các quy định thương mại dẫn tới việc hạn chế xuất khẩu, gây khó khăn cho Nhà thầu trong việc thực hiện các nghĩa vụ Hợp đồng, Nhà thầu không bắt buộc phải hoàn thành nghĩa vụ giao hàng, thực hiện dịch vụ với điều kiện là Nhà thầu cung cấp cho Chủ đầu tư các tài liệu chứng minh việc đã hoàn thành tất cả các thủ tục xuất khẩu cần thiết, bao gồm cả xin giấy phép hoặc ủy quyền để xuất khẩu hàng hóa, dịch vụ theo Hợp đồng. Trong trường hợp này, Chủ đầu tư có thể chấm dứt Hợp đồng với Nhà thầu.



(FOR VIETNAMESE CONTRACTOR)

Cộng Hòa Xã Hội Chủ Nghĩa Việt Nam
Độc Lập - Tự Do - Hạnh Phúc

HỢP ĐỒNG

Số: _____

V/v: **Cung cấp**
(Đơn hàng) (

Căn cứ vào nhu cầu của Liên doanh Việt - Nga Vietsovpetro và khả năng cung cấp của Công ty

Hôm nay, ngày _____ tháng ____ năm _____, các bên gồm:

BÊN A: LIÊN DOANH VIỆT - NGA VIETSOVPETRO

- Địa chỉ: 105 Lê Lợi, Phường Vũng Tàu, TP. Hồ Chí Minh
- Điện thoại: 0254.3839871
- Fax: 0254.3839857
- Tài khoản số: 0081000000011 tại Ngân hàng Ngoại thương VN, CN Vũng Tàu
- Mã số thuế : 3500102414
- Đại diện: _____

(Theo Giấy ủy quyền của Tổng Giám đốc Vietsovpetro số ____ ngày ____)

BÊN B:

Hai Bên thống nhất ký kết hợp đồng với các điều khoản sau:

ĐIỀU 1: Đối tượng hợp đồng

Bên A đồng ý mua và Bên B đồng ý bán (sau đây gọi tắt là “Hàng hóa”) với chủng loại, số lượng, đặc điểm kỹ thuật, đơn giá, giá trị hàng hóa theo Phụ lục 1.1 (.....trang) đính kèm và là một phần không thể tách rời của hợp đồng này. .

Hàng hóa của Hợp đồng này được Vietsovpetro sử dụng cho hoạt động đầu khí tại Lô 09-1.

ĐIỀU 2: Giá trị hợp đồng

- Đối với các hàng hóa được sản xuất, gia công trong nước hoặc hàng hóa được sản xuất, gia công ở ngoài nước nhưng đã nhập khẩu vào Việt Nam:

2.1 **Tổng giá trị Hợp đồng: _____ VNĐ**

Bằng chữ: _____

Trong đó: - Tiền hàng hóa: _____ VNĐ

- Tiền thuế GTGT: _____ VNĐ

2.2 Tiền thuế GTGT ghi ở Điều 2.1 là tiền thuế GTGT tạm tính. Thuế GTGT thực tế sẽ được thanh toán theo luật thuế hiện hành.

2.3 Giá trị hợp đồng nêu trên được tính trên cơ sở giao hàng tại kho Vietsovpetro tại phường Rạch Dừa, TP. Hồ Chí Minh, bao gồm giá trị hàng hóa và các loại phí do Bên B chỉ trả như phí vận chuyển, đóng gói, bốc xếp lên phương tiện vận chuyển, giám định hàng hóa trước



khi gửi hàng, ... và các chi phí khác liên quan đến việc thực hiện Hợp đồng này. Giá trên là giá cố định và không thay đổi trong suốt thời gian Hợp đồng có hiệu lực.

- *Đối với các hàng hóa được sản xuất, gia công ở ngoài nước và Bên B sử dụng quota của Bên A để nhập khẩu trực tiếp hàng hóa:*

2.1 Tổng giá trị Hợp đồng: _____ VNĐ

Bằng chữ: _____

Giá trị hợp đồng trên không bao gồm thuế nhập khẩu, không bao gồm thuế GTGT của giá trị hàng hóa nhập khẩu ghi trên Tờ khai Hải quan nhưng đã bao gồm các loại thuế, phí, lệ phí phát sinh trong lãnh thổ Việt Nam. Thuế nhập khẩu và thuế GTGT trên được miễn theo Hiệp định liên Chính phủ cho hàng hóa Lô 09-1. Bên B được sử dụng Hạn mức nhập khẩu Lô 09-1 của Bên A để làm thủ tục nhập khẩu hàng hóa và miễn thuế theo Hiệp định.

2.2 Giá trị Hợp đồng nêu trên được tính trên cơ sở giao hàng tại kho Vietsovpetro tại phường Rạch Dừa, TP. Hồ Chí Minh, bao gồm giá trị hàng hóa và các loại phí do Bên B chi trả như phí vận chuyển, đóng gói, bốc xếp lên phương tiện vận chuyển, giám định hàng hóa trước khi gửi hàng, ... và các chi phí khác liên quan đến việc thực hiện Hợp đồng này (không bao gồm thuế nhập khẩu, không bao gồm thuế GTGT của giá trị hàng hóa nhập khẩu ghi trên Tờ khai Hải quan). Giá trên là giá cố định và không thay đổi trong suốt thời gian Hợp đồng có hiệu lực.

2.3 Thuế nhập khẩu, thuế GTGT được xác định theo quy định hiện hành của Nhà nước áp dụng cho Liên doanh Việt - Nga Vietsovpetro cho lô 09-1.

ĐIỀU 3. Quy cách, số lượng, chất lượng hàng hóa

3.1 Quy cách, số lượng, chất lượng, chủng loại, ký mã hiệu, hãng sản xuất, nước sản xuất, năm sản xuất và những thông số khác của hàng hóa do Bên B cung cấp phải phù hợp với quy định nêu trong Phụ lục số 1 của Hợp đồng này. Hàng hóa được sản xuất năm 2025 hoặc sau đó, mới 100% và trong tình trạng sử dụng tốt.

3.2 Hồ sơ kèm theo hàng hóa gồm:

- Hóa đơn thuế GTGT hợp lệ;
- Yêu cầu về Chứng chỉ phù hợp theo Yêu cầu kỹ thuật;
- Các Chứng chỉ khác phù hợp theo Yêu cầu kỹ thuật (Nếu có);
- Chứng chỉ bảo hành của Bên B bảo hành kể từ ngày giao hàng (Bản gốc);
- Tài liệu kỹ thuật của hàng hóa (nếu có).
- Tờ khai hải quan hàng hóa nhập khẩu (Bản copy);

Hồ sơ mời thầu của Bên A và Hồ sơ dự thầu của Bên B cho gói thầu này là tài liệu tham chiếu về kỹ thuật cho hàng hóa của hợp đồng này.

ĐIỀU 4. Giao nhận và kiểm tra, giám định hàng hóa

4.1 Hàng hóa được giao phải phù hợp với yêu cầu quy định tại Điều 1.1 và Điều 3 của hợp đồng này trong thời hạn **trong vòng 22 tuần cho nhóm I, II và 16 tuần cho các nhóm III, IV, V, VI, VII, VIII kể từ ngày ký hợp đồng**. Ngày giao hàng của hợp đồng này được ghi trong Biên bản giao nhận hàng do đại diện hai bên ký như quy định tại mục 4.8 dưới đây.

Tham chiếu gói thầu của hợp đồng này, Vietsoveptro đã đánh giá và lựa chọn nhà thầu cung cấp trọn gói, thời gian giao hàng trên áp dụng cho trọn gói. Nếu nhà thầu không giao hoặc giao chậm bất kỳ phần hàng nào sẽ bị tính phạt giao chậm theo giá trọn gói

Định kỳ 02 tuần/lần (trước ngày 15 và 30 hàng tháng), Bên B có trách nhiệm thông báo bằng văn bản cho Bên A cập nhật tình hình đặt hàng, tiến độ sản xuất và kế hoạch giao hàng của hợp đồng. Trong quá trình thực hiện hợp đồng, nếu Bên B gặp vướng mắc liên quan đến việc giao hàng thì Bên B cần khẩn trương thông báo cho Bên A bằng văn bản để hai bên phối hợp xem



- xét xử lý nhằm đảm bảo việc cung cấp hàng hóa cho Bên A theo đúng chất lượng và tiến độ của hợp đồng.
- 4.2 (Đối với trường hợp nhà thầu sử dụng quota của VSP để nhập khẩu hàng hóa) Bên B tự chịu trách nhiệm làm thủ tục hải quan cho hàng hóa nhập khẩu. Bên A cho phép Bên B được sử dụng hạn mức nhập khẩu của Bên A đã đăng ký tại Hải quan Vũng Tàu để làm thủ tục nhập khẩu và hỗ trợ Bên B về mặt giấy tờ trong việc sử dụng hạn mức nhập khẩu của Bên A cho lô hàng nhập khẩu của Hợp đồng này để Bên B xin miễn thuế nhập khẩu và thuế giá trị gia tăng của giá trị hàng hóa nhập khẩu ghi trên Tờ khai Hải quan theo quy định cho Liên doanh Việt – Nga Vietsovpetro.
- 4.3 (Đối với trường hợp nhà thầu sử dụng quota của VSP để nhập khẩu hàng hóa) Để thuận tiện cho việc thông quan, làm các thủ tục miễn thuế nhập khẩu và miễn thuế giá trị gia tăng của giá trị hàng hóa nhập khẩu ghi trên Tờ khai Hải quan, hàng hóa Bên B nên nhập về cảng Vũng Tàu. Bên A không chịu trách nhiệm trả tiền thuế cho Bên B trong trường hợp nếu Bên B nhập hàng hóa về cảng khác mà không làm được thủ tục miễn thuế hoặc Bên B không sử dụng hạn mức nhập khẩu của Bên A.
- 4.4 Hàng hóa được giaolần vào kho của Bên A tại thành phố Hồ Chí Minh.
- 4.5 Dỡ hàng từ phương tiện của bên B do Bên A đảm nhận bằng phương tiện, nhân lực và chi phí của mình.
- 4.6 Trong vòng 02 ngày làm việc trước khi giao hàng, Bên B phải thông báo bằng văn bản cho Bên A biết về số lượng, quy cách đóng gói hàng hóa để Bên A bố trí nhân lực và phương tiện bốc dỡ. Văn bản thông báo giao Hàng hoá phải được gửi cho Bên A và đơn vị được uỷ quyền nhận Hàng hoá của Bên A (Xí nghiệp Dịch vụ). Văn bản thông báo giao Hàng hoá phải nêu rõ:
- Số Hợp đồng dẫn chiếu;
 - Loại Hàng hoá giao, bao gồm số lượng, khối lượng và giá trị;
 - Tên phương tiện chở hàng, quốc tịch/ số hiệu;
 - Thời gian dự kiến đến nơi giao hàng;
 - Địa chỉ, điện thoại liên lạc, email, số fax của đơn vị vận chuyển;
 - Những hướng dẫn đặc biệt cần lưu ý Bên A khi bốc dỡ...
- .
- 4.7 Người của Bên B đến giao hàng phải có giấy giới thiệu của người đại diện ký Hợp đồng của Bên B.
- 4.8 Đại diện của Liên Doanh Việt - Nga Vietsovpetro (là Xí nghiệp Dịch vụ và Đơn vị đặt hàng) và đại diện của Bên B tham gia giao nhận, kiểm tra hàng hóa của hợp đồng này và lập Biên bản giao nhận hàng (theo Phụ lục số 2 của hợp đồng này) sẽ ghi rõ số lượng, tình trạng, các hồ sơ giao kèm theo hàng hóa. Biên bản giao nhận hàng phải được Lãnh đạo Xí nghiệp Dịch vụ và Lãnh đạo Đơn vị đặt hàng phê duyệt. Biên bản giao nhận hàng là căn cứ để Bên A thanh toán cho Bên B.
- 4.9 Trong trường hợp cần thiết, bằng chi phí của mình, Bên A (giao cho Xí nghiệp Dịch vụ) có quyền trưng cầu cơ quan giám định độc lập tham gia giám định hàng hóa. Trong vòng 3 ngày làm việc kể từ khi kết thúc giám định, cơ quan giám định độc lập cung cấp Chứng thư giám định tình trạng và số lượng hàng hóa. Chứng thư giám định hàng hóa là căn cứ pháp lý để Bên A khiếu nại Bên B.
- 4.10 Bên B phải đảm bảo khi giao Hàng hóa cho Bên A phải có kèm theo đầy đủ các chứng từ như quy định tại **Điều 3** của Hợp đồng này. Trong trường hợp Bên B giao hàng tới kho của Bên A tại TP. Hồ Chí Minh nhưng chưa có đầy đủ các chứng từ theo quy định thì Bên A đồng ý cho Bên B tạm gửi hàng tại kho để chờ tập hợp đầy đủ các chứng từ cho việc giao nhận Hàng hóa chính thức.



Bên A đồng ý miễn phí lưu kho đối với lô Hàng tạm gửi này của Bên B trong 05 ngày lịch đầu tiên. Kể từ ngày thứ 6 trở đi, Bên B sẽ phải trả cho Bên A chi phí lưu kho của lô Hàng theo mức đơn giá lưu kho hiện hành của Bên A đang áp dụng cho các khách hàng của Bên A. Chi phí lưu kho này sẽ được Bên A khấu trừ thẳng vào giá trị mà Bên A thanh toán cho Bên B theo quy định của Hợp này hoặc những khoản thanh toán ở những Hợp đồng khác đã ký giữa Hai bên.

- 4.11 Bên A có quyền từ chối nhận Hàng nếu Hàng hoá khi giao không đảm bảo chất lượng, như đã quy định ở Điều 1, Phụ lục số 1.1, cũng như không có đầy đủ bộ chứng từ đi kèm như quy định tại Điều 3 của Hợp đồng này

ĐIỀU 5: BAO BÌ, ĐÓNG GÓI VÀ KÝ MÃ HIỆU:

- 5.1 Hàng hoá giao theo Hợp đồng này sẽ được đóng trong bao bì thích hợp theo tiêu chuẩn xuất khẩu, bảo đảm cho hàng hoá không bị hư hại, ăn mòn trong quá trình vận chuyển và thuận tiện cho bốc xếp, bốc dỡ.
- 5.2 Bên B hoàn toàn chịu trách nhiệm trong trường hợp hàng hoá bị mất mát, hư hỏng do thiếu sót trong việc đóng gói Hàng hoá.
- 5.3 Hàng hoá có thể được ghi rõ ràng bằng sơn không xóa được trên bề mặt hoặc in trên tấm ghi nhãn dính trên từng kiện với các thông tin sau bằng tiếng Anh hay tiếng Việt:
- Tên nhà sản xuất.
 - Tên Hàng.
 - Khối lượng (nếu có).
 - Số Hợp đồng (nếu có).
- 5.4 Bên B chịu toàn bộ phí tổn đối với mọi mất mát/ hư hại của Hàng hoá trong quá trình bốc xếp, bốc dỡ, vận chuyển do ghi ký mã hiệu không đúng, không đầy đủ cũng như chịu mọi chi phí vận chuyển, bảo quản, mất mát phát sinh thêm do Hàng hoá bị gửi nhầm địa chỉ do ghi ký mã hiệu sai.

ĐIỀU 6. Trách nhiệm do vi phạm hợp đồng

- 6.1. Bên B phải giao hàng đầy đủ cho Bên A theo từng nhóm hàng được quy định tại Phụ lục 1 và theo thời hạn quy định của hợp đồng. Nếu Bên B giao hàng bị chậm thì Bên B phải chịu phạt 0,2%/ngày cho 10 ngày lịch chậm đầu tiên; phạt 0,3%/ngày cho những ngày lịch tiếp theo tính trên giá trị của cả nhóm hàng có mục giao chậm cho đến mức tổng số tiền phạt không quá 8% giá trị của nhóm hàng có mục bị vi phạm.
- Nếu bên B giao hàng cho từng nhóm quy định tại Phụ lục 1 theo nhiều lần giao hàng thì thời gian giao nhận hàng của nhóm hàng đó được tính là thời gian giao hàng theo lần giao cuối cùng. Hàng hoá của những lần giao trước chỉ được ghi nhận lưu kho tại kho của bên A cho đến khi bên B giao đủ số hàng của nhóm hàng đó.
- 6.2. Nếu Bên B không giao đủ số lượng, chủng loại hàng hóa theo từng nhóm hàng (như quy định ở Phụ lục số 1 của Hợp đồng này) thì bên B vi phạm nghĩa vụ giao hàng theo hợp đồng này và phải chịu phạt một khoản tiền bằng 08% giá trị của nhóm hàng có mục bị vi phạm.
- 6.3. Nếu Bên B giao hàng hoá vượt số lần giao nhận như quy định tại Điều 4 của hợp đồng này thì:
- Bên B đã vi phạm điều kiện giao nhận hàng và phải chịu trách nhiệm thanh toán các chi phí liên quan tới giao nhận hàng hoá cho lần giao hàng vượt quá số lần giao hàng theo hợp đồng này theo mức đơn giá hiện hành của Bên A đang áp dụng cho các khách hàng của Bên A.
- 6.4. Nếu Bên B giao hàng không đảm bảo chất lượng như qui định tại Điều 2 của hợp đồng thì Bên A sẽ không nhận hàng và phạt Bên B theo mức phạt không giao đủ hàng như quy định tại mục



- 6.2 của hợp đồng này. Bên A có quyền chấp nhận/không chấp nhận việc Bên B sẽ cung cấp hàng mới thay thế cho hàng không đảm bảo chất lượng trên.
- 6.5 Vi phạm do cung cấp chậm/cung cấp không đủ hàng hoá:
- 6.5.1. Nếu Bên B giao hàng chậm quá 60 ngày lịch so với thời gian quy định tại mục 4.1 của hợp đồng này, ngoại trừ trường hợp bất khả kháng, thì Bên A có quyền:
- a) Chỉ định bên thứ 3 có khả năng cung cấp hàng hóa/hàng hoá kèm dịch vụ. Trong trường hợp đó Bên B có trách nhiệm ký hợp đồng với bên được chỉ định để tiếp tục thực hiện công việc cung cấp cho bên A.
- Hoặc:
- b) Trực tiếp ký hợp đồng mua hàng/hàng hoá kèm dịch vụ của Bên thứ 3 để tiếp tục thực hiện công việc của hợp đồng. Trong trường hợp đó Bên B phải trả khoản tiền chênh lệch và các chi phí liên quan nếu có.
- Hoặc:
- c) Đơn phương chấm dứt thực hiện hợp đồng và trong trường hợp này Bên B phải chịu phạt một khoản tiền bằng 08% giá trị của hợp đồng bị vi phạm.
- 6.5.2. Nếu Bên B giao hàng chậm (một phần hàng hoá) quá 60 ngày lịch so với thời gian quy định tại mục 4.1 của hợp đồng này, ngoại trừ trường hợp bất khả kháng, thì Bên A có quyền:
- a) Chỉ định bên thứ 3 có khả năng cung cấp hàng hóa/hàng hoá kèm dịch vụ. Trong trường hợp đó Bên B có trách nhiệm ký hợp đồng với bên được chỉ định để tiếp tục thực hiện công việc cung cấp cho bên A.
- Hoặc:
- b) Trực tiếp ký hợp đồng mua hàng/hàng hoá kèm dịch vụ của Bên thứ 3 để tiếp tục thực hiện công việc của hợp đồng. Trong trường hợp đó Bên B phải trả khoản tiền chênh lệch và các chi phí liên quan nếu có.
- c) Đơn phương chấm dứt thực hiện tiếp hợp đồng và trong trường hợp này Bên B phải chịu phạt một khoản tiền bằng 08% giá trị của phần hợp đồng bị vi phạm.
- 6.6 Tổng các loại phạt không vượt quá 08% giá trị hợp đồng.
- 6.7 Giá trị hợp đồng bị vi phạm ghi ở Điều 6 của hợp đồng này là giá trị không có thuế GTGT và không bao gồm thuế nhập khẩu.
- 6.8 Để thu hồi khoản tiền phạt vi phạm, Bên A sẽ toàn quyền:
- 1) Khấu trừ khoản tiền phạt vi phạm từ các khoản tiền mà Bên A sẽ thanh toán cho Bên B tại Hợp đồng này hoặc theo các hợp đồng khác được ký kết giữa hai bên;
 - 2) Yêu cầu Ngân hàng cấp Bảo đảm thực hiện hợp đồng thanh toán ngay khoản tiền Bên B mở bảo lãnh cho Bên A;
 - 3) Bằng văn bản, yêu cầu Bên B thanh toán. Trong mọi trường hợp, Bên B cam kết nghiêm túc thực hiện nghĩa vụ thanh toán của mình cho Bên A.
- 6.9 Việc bồi thường thiệt hại (nếu có) được thực hiện theo quy định của pháp luật Việt Nam.

ĐIỀU 7 Bảo hành

- 7.1 Bên B chịu trách nhiệm bảo hành chất lượng của hàng hóa trong thời hạn 18 tháng kể từ ngày giao hàng hoặc 12 tháng kể từ ngày nghiệm thu lắp đặt, tùy điều kiện nào đến trước. Điều kiện bảo hành theo đúng tiêu chuẩn bảo hành của nhà sản xuất.



- 7.2 Trong thời gian bảo hành nếu Bên A phát hiện có hư hỏng, sai sót về chủng loại, chất lượng hàng hóa thì Bên A sẽ thông báo kịp thời bằng fax/email cho Bên B biết để cùng nhau xác minh. Trong vòng 03 ngày làm việc kể từ khi nhận được thông báo bằng văn bản của Bên A, Bên B phải cử đại diện có chức năng tham gia vào việc kiểm tra, xác định. Trong trường hợp hai bên không thống nhất ý kiến sẽ mời cơ quan giám định độc lập tham gia. Nếu đại diện của Bên B không có mặt tại thời điểm đã thống nhất thì việc giám định chất lượng sẽ do Tổ chức giám định độc lập tiến hành mà không cần sự có mặt của đại diện Bên B. Biên bản giám định chất lượng Hàng hoá do Tổ chức giám định độc lập cấp là cơ sở pháp lý để Bên A khiếu nại Bên B. Việc xác minh sai sót về chất lượng phải được Bên B tiến hành không chậm quá 15 ngày lịch kể từ ngày Bên B nhận được thông báo. Việc xác minh phải được lập thành biên bản, trong đó ghi rõ kết luận về nguyên nhân gây ra hư hỏng, xác định trách nhiệm thay thế cái mới/sửa chữa các hư hỏng đó thuộc về bên nào và thời hạn thay thế/sửa chữa các hư hỏng đó làm thuộc về bên nào và thời hạn thay thế/sửa chữa làm căn cứ pháp lý trong thực hiện hợp đồng này.
- 7.3 Tùy mức độ hư hỏng, nhưng không quá 15 ngày lịch kể từ ngày có kết luận về nguyên nhân hư hỏng, sai sót về chất lượng hàng hóa do lỗi của Bên B thì Bên B phải tiến hành sửa chữa các sai sót về chất lượng hoặc đổi lại hàng mới cho Bên A.
- 7.4 Trong thời hạn 07 ngày lịch kể từ ngày nhận được thông báo của Bên A, nếu Bên B không trả lời thì coi như đã chấp nhận có sai sót về chất lượng hàng do lỗi của mình và có trách nhiệm phải sửa chữa các sai sót đó hoặc đổi lại hàng mới ngay trong vòng 15 ngày kể từ ngày nhận được thông báo của Bên A.
- 7.5 Nếu Bên B tiến hành sửa chữa hoặc đổi lại hàng mới bị chậm so với thời hạn qui định ở mục 7.3 và 7.4 của hợp đồng này thì Bên B phải chịu phạt theo mức phạt giao hàng chậm như qui định ở mục 6.1 của hợp đồng này.
- 7.6 Trong thời hạn quy định trên tại điều 7 của hợp đồng này, nếu Bên B không tiến hành khắc phục (sửa chữa các sai sót về chất lượng do lỗi của mình hoặc đổi lại hàng mới) thì Bên A có quyền tiến hành khắc phục (sửa chữa và/hoặc thay mới) và Bên B phải hoàn trả lại cho Bên A toàn bộ chi phí khắc phục, đồng thời phải chịu phạt 8% giá trị của mặt hàng này. Cách thức Bên A thu hồi tiền phạt từ Bên B quy định tại điều 6.7 của hợp đồng này.
- 7.7 Hàng hóa sau khi được Bên B sửa chữa và thay thế trong thời kỳ bảo hành sẽ được Bên B bảo hành lại 12 tháng kể từ ngày bàn giao (có biên bản giao nhận hàng như quy định tại điều 4.8- Phụ lục 02 của hợp đồng này) Bất kỳ một khiếu nại về chất lượng hoặc sự không phù hợp nào của Hàng hoá so với yêu cầu của Hợp đồng này sẽ phải được thông báo cho BÊN B trong thời hạn bảo hành.
- 7.8 Khi khuyết tật được khắc phục xong và/hoặc thay thế mới đã được cung cấp, mọi phí tổn liên quan đã được giải quyết, khiếu nại coi như được giải quyết xong.
- 7.9 Mọi chi phí liên quan đến khắc phục khuyết tật, hỏng hóc/hoặc thay thế mới do BÊN B phải chịu theo quy định của bản Hợp đồng. Trường hợp Bên B không thực hiện đầy đủ nghĩa vụ bảo hành của mình, thì các chi phí khắc phục và chi phí phạt do vi phạm hợp đồng sẽ được Bên A khấu trừ vào giá trị của Hợp đồng hoặc hoặc những khoản thanh toán ở những Hợp đồng khác đã ký giữa Hai bên.

ĐIỀU 8. Thanh Toán

- 8.1 Bên A thanh toán cho Bên B 100% giá trị hóa đơn hàng đã giao bằng phương thức chuyển khoản qua ngân hàng trong vòng 30 ngày làm việc kể từ ngày nhận được bộ chứng từ thanh toán gồm:
- 02 Hóa đơn thuế GTGT (02 bản gốc), trong đó:



+ Hóa đơn số 01: Cho giá trị hàng hóa được miễn thuế GTGT và thuế nhập khẩu ở khâu nhập khẩu: tỷ giá qui đổi ra VNĐ là tỷ giá ghi trên Tờ khai Hải quan; trên hóa đơn chỉ ghi dòng giá bán là giá không có thuế GTGT, dòng thuế suất, số thuế GTGT không ghi và được gạch bỏ.

+ Hóa đơn số 02: Cho phần phát sinh chênh lệch giữa giá trị hàng hóa đã khai báo tại khâu nhập khẩu và giá trị hàng hóa ghi trong Hợp đồng này; trên hóa đơn ghi thuế suất, số thuế GTGT phù hợp với quy định hiện hành.

- 01 bản gốc Biên bản giao nhận hàng (Điều 4.8 của Hợp đồng này).
- Chứng thư giám định (nếu có trung cầu quy định tại Điều 4.9 của Hợp đồng này).
- Các chứng từ (theo quy định tại Điều 3.2 của Hợp đồng này).
- Thông báo tỷ giá của Ngân hàng (01 bản copy).
- Bảo đảm thực hiện Hợp đồng (01 bản copy).
- Tờ khai Hải quan hàng nhập khẩu (bản copy)

- 8.2 Bên A chỉ thanh toán cho Bên B đối với hàng hóa hoàn toàn phù hợp với yêu cầu nêu trong hợp đồng.
- 8.3 Số tài khoản giao dịch theo hợp đồng này của Bên B:
- Số tài khoản:
 - Người thụ hưởng:
- 8.4 Phí chuyển tiền do Bên A chịu.

ĐIỀU 9: Bảo đảm thực hiện Hợp đồng

- 9.1 Trong vòng 07 ngày sau ngày ký hợp đồng (ghi tại trang 01 của hợp đồng), Bên B phải nộp giấy bảo lãnh thực hiện hợp đồng (Phụ lục số 3 của hợp đồng này) được cấp bởi Ngân hàng có uy tín. Giá trị Bảo đảm thực hiện hợp đồng bằng 3 % tổng giá trị hợp đồng. Giấy bảo lãnh này có hiệu lực bằng thời hạn giao hàng quy định tại mục 4.1 hợp đồng này cộng thêm 60 ngày lịch.
- 9.2 Mọi chi phí liên quan đến việc phát hành giấy bảo lãnh thực hiện hợp đồng do Bên B chịu.
- 9.3 Trong thời gian quy định tại mục 9.1 nêu trên, Bên B phải nộp bản gốc bảo lãnh thực hiện hợp đồng cho Bên A. Nếu sau thời gian quy định nói trên, bên A không nhận được bảo lãnh thực hiện Hợp đồng thì Bên A có quyền đơn phương chấm dứt Hợp đồng và thu hồi tiền bảo lãnh dự thầu của Bên B hoặc áp dụng quy định tại mục 6.8 của Hợp đồng này mà không cần có sự can thiệp của tòa án hoặc trọng tài. Đồng thời, Bên A sẽ áp dụng chế tài Bên B do vi phạm hợp đồng theo quy định hiện hành của Bên A.
- 9.4 Bên B không được nhận lại Bảo đảm thực hiện hợp đồng trong trường hợp Bên B từ chối/không thực hiện hợp đồng sau khi ký hợp đồng.
- 9.5 Trong trường hợp Bên B vi phạm trách nhiệm thực hiện hợp đồng theo quy định tại hợp đồng này thì khoản tiền bảo đảm được Bên A dùng để khấu trừ tiền phạt.
- 9.6 Bên B phải ngay lập tức yêu cầu Ngân hàng phát hành giấy bảo lãnh thực hiện hợp đồng thực hiện sửa đổi giấy Bảo đảm thực hiện Hợp đồng trong trường hợp cần gia hạn thời gian hiệu lực của Bảo lãnh này vì lý do chậm giao hàng hoặc gia hạn thời hạn giao hàng, đồng thời gửi ngay cho Bên A giấy Bảo lãnh đã gia hạn hiệu lực.

Trong vòng 03 ngày làm việc kể từ khi nhận được yêu cầu gia hạn bằng văn bản của Bên A, nếu Bên B không thực hiện hoặc chậm thực hiện gia hạn hiệu lực bảo lãnh thực hiện hợp đồng thì Bên B sẽ chịu phạt 0,2% giá trị bảo đảm tương ứng/ mỗi ngày chậm. Tổng giá trị phạt này không vượt quá giá trị bảo lãnh tương ứng. Thu hồi khoản tiền phạt vi phạm này thực hiện theo quy định tại khoản 6.8 Điều 6 của Hợp đồng.



ĐIỀU 10: Bất khả kháng

- 10.1 Sự kiện bất khả kháng là sự kiện xảy ra một cách khách quan không thể lường trước được và không thể khắc phục được mặc dù đã áp dụng mọi biện pháp cần thiết và khả năng cho phép như: chiến tranh, bạo loạn, xung đột vũ trang, cấm vận, thiên tai (lũ lụt, bão, lốc xoáy, động đất, sóng thần), hỏa hoạn, dịch bệnh (Epidemic, Pandemic) được WHO/Quốc gia công bố, lệnh phong tỏa Vùng/Quốc gia do Chính quyền sở tại áp đặt.
- 10.2 Bên gặp sự kiện bất khả kháng dẫn đến việc không thực hiện được nghĩa vụ theo hợp đồng do ảnh hưởng trực tiếp bởi các sự kiện bất khả kháng có nghĩa vụ phải ngay lập tức thông báo cho bên kia biết, bao gồm cung cấp thông tin, giải trình về sự ảnh hưởng trực tiếp của sự kiện bất khả kháng đến việc vi phạm thực hiện hợp đồng kèm chứng cứ chứng minh, các biện pháp đã được thực hiện để khắc phục vấn đề và giảm thiểu tổn thất. Việc chậm thông báo, cung cấp thông tin và giải trình nếu trễ hơn 14 ngày lịch sau khi sự kiện bất khả kháng xảy ra sẽ làm cho bên gặp bất khả kháng mất quyền miễn trách sau này vì lý do bất khả kháng.
- 10.3 Văn bản xác nhận của Phòng Thương mại và Công nghiệp Việt Nam hoặc cơ quan có thẩm quyền ở nơi xảy ra sự kiện bất khả kháng là bằng chứng đủ để chứng minh sự kiện và thời gian xảy ra bất khả kháng.
- 10.4 Trường hợp do hậu quả trực tiếp của sự kiện bất khả kháng mà một Bên trong Hợp đồng không thể thực hiện toàn bộ hoặc một phần nghĩa vụ theo Hợp đồng này thì thời gian thực hiện Hợp đồng sẽ được kéo dài thêm bằng thời gian mà sự kiện bất khả kháng diễn ra.
- 10.5 Nếu sự kiện bất khả kháng kéo dài hơn 02 tháng, mỗi bên đều có quyền chấm dứt hợp đồng này mà không phải bồi thường bất cứ một khoản tiền nào cho bên kia.
- 10.6 Các khó khăn trong sản xuất như thiếu vật tư, điện, nhân công, hỏa hoạn, đình công... không được coi là bất khả kháng và không miễn cho Bên B nghĩa vụ giao hàng hoặc giao hàng muộn; Các thông tin từ trang báo, mạng và các phương tiện truyền thông khác chỉ mang tính chất tham khảo.

ĐIỀU 11: Giải quyết tranh chấp

- 11.1 Mọi sự tranh chấp phát sinh từ việc thực hiện Hợp đồng này sẽ được các BÊN giải quyết thông qua thương lượng trên nguyên tắc hợp tác, hai BÊN cùng có lợi và tôn trọng lẫn nhau.
- 11.2 Trường hợp tranh chấp không thể giải quyết bằng thương lượng thì sẽ được giải quyết bằng trọng tài tại Trung tâm Trọng tài Quốc tế Việt Nam (VIAC) tại Hà Nội theo Quy tắc tổ tụng trọng tài của Trung tâm này. Số lượng trọng tài viên là 03 người. Luật áp dụng là Luật Việt Nam.
Phán quyết của Trung tâm trọng tài là cuối cùng và buộc hai bên phải tuân thủ. Án phí do bên thua kiện chịu.
- 11.3 Phán quyết của Trung tâm Trọng tài là cuối cùng và buộc hai BÊN phải tuân thủ.

ĐIỀU 12: Các điều khoản khác

- 12.1 Những điều không quy định hoặc quy định không đầy đủ trong Hợp đồng này sẽ căn cứ vào luật pháp Việt Nam hiện hành.
- 12.2 Bất kỳ sửa đổi, bổ sung nào đối với hợp đồng này đều phải được hai bên thỏa thuận bằng văn bản. Mọi giao dịch trong quá trình thực hiện Hợp đồng được các Bên thực hiện bằng văn bản và gửi theo đường bưu chính hoặc theo số Fax tới địa chỉ đăng ký hoặc số Fax của mỗi Bên đã ghi trong hợp đồng và email đến địa chỉ email theo mẫu Phụ lục số 4 (a, b) kèm theo.
- 12.3 Không bên nào được chuyển quyền và nghĩa vụ của mình theo hợp đồng này cho bên thứ ba mà không được sự đồng ý trước bằng văn bản của bên kia.
- 12.4 Hợp đồng và các tài liệu dẫn chiếu được sắp xếp theo thứ tự ưu tiên sau đây:
(1) Hợp đồng, kèm theo các phụ lục hợp đồng;



- (2) Thư chấp thuận Hồ sơ dự thầu và trao hợp đồng;
 - (3) Hồ sơ dự thầu và các văn bản làm rõ Hồ sơ dự thầu của Nhà thầu;
 - (4) Hồ sơ mời thầu và các tài liệu sửa đổi hồ sơ mời thầu (nếu có);
 - (5) Các tài liệu khác quy định tại Điều kiện cụ thể của hợp đồng.
- 12.5 Hợp đồng này có hiệu lực kể từ ngày Ngân hàng Bên B mở bảo lãnh thực hiện Hợp đồng (ngày hiệu lực của bảo lãnh) và hoàn thành việc ký Hợp đồng nhưng không muộn hơn 07 ngày làm việc so với ngày được ghi trên Hợp đồng và tiếp tục cho đến khi hai bên thực hiện hết trách nhiệm của mình như quy định trong hợp đồng.
- 12.6 Hết thời hạn hiệu lực của hợp đồng, nếu hai bên không có khiếu nại gì coi như hợp đồng đã được thanh lý.
- 12.7 Hợp đồng gồm ____ trang và 04 Phụ lục, được lập thành 04 bản bằng tiếng Việt (có sử dụng tiếng Anh mô tả hàng hóa tại Phụ lục số 1), các bản có giá trị pháp lý như nhau, Bên A giữ 03 bản, Bên B giữ 01 bản.

ĐẠI DIỆN BÊN A

ĐẠI DIỆN BÊN B

(Trường hợp Nhà thầu Liên danh thì phải tất cả các thành viên trong Liên danh phải cùng ký hợp đồng)



PHỤ LỤC SỐ 1 (..... trang)

THỎA THUẬN LIÊN DANH

(đính kèm Hợp đồng số: /...../T-N /...-.....)

_____, ngày _ tháng _ năm ____

Gói thầu: _____ [ghi tên gói thầu]

Thuộc dự án: _____ [ghi tên dự án]

Căn cứ hồ sơ mời thầu gói thầu ____ [ghi tên gói thầu] ngày _ tháng _ năm ____ [ngày được ghi trên HSMT];

Chúng tôi, đại diện cho các bên ký thỏa thuận liên danh, gồm có:

Tên thành viên liên danh _____ [ghi tên từng thành viên liên danh]

Đại diện là ông/bà:

Chức vụ:

Địa chỉ:

Điện thoại:

Fax:

E-mail:

Tài khoản:

Mã số thuế:

Giấy ủy quyền số _ ngày _ tháng _ năm ____ (trường hợp được ủy quyền).

Các bên (sau đây gọi là thành viên) thống nhất ký kết thỏa thuận liên danh với các nội dung sau:

Điều 1. Nguyên tắc chung

1. Các thành viên tự nguyện hình thành liên danh để tham dự thầu gói thầu _____ [ghi tên gói thầu] thuộc dự án _____ [ghi tên dự án].
2. Các thành viên thống nhất tên gọi của liên danh cho mọi giao dịch liên quan đến gói thầu này là: _____ [ghi tên của liên danh theo thỏa thuận].
3. Các thành viên cam kết không thành viên nào được tự ý tham gia độc lập hoặc liên danh với thành viên khác để tham gia gói thầu này. Trường hợp trúng thầu, tất cả các thành viên của liên danh sẽ tham gia ký kết hợp đồng và không thành viên nào có quyền từ chối thực hiện các trách nhiệm và nghĩa vụ đã quy định trong hợp đồng. Trường hợp thành viên của liên danh từ chối hoàn thành trách nhiệm riêng của mình như đã thỏa thuận hoặc vi phạm các quy định của hợp đồng đã ký kết thì thành viên đó bị xử lý như sau:
 - Bồi thường thiệt hại cho các bên trong liên danh;
 - Cùng các thành viên trong liên danh bồi thường toàn bộ thiệt hại cho Chủ đầu tư theo quy định nêu trong hợp đồng (tương ứng theo tỷ lệ của từng thành viên đã quy định tại Điều 2 Thỏa thuận này);
 - Hình thức xử lý khác _____ [ghi rõ hình thức xử lý khác].

Điều 2. Phân công trách nhiệm

Các thành viên thống nhất phân công trách nhiệm để thực hiện gói thầu _____ [ghi tên gói thầu] thuộc dự án _____ [ghi tên dự án] đối với từng thành viên như sau:



1. Thành viên đứng đầu liên danh:

Các bên nhất trí ủy quyền cho ____ [ghi tên một bên] làm thành viên đứng đầu liên danh, đại diện cho liên danh trong những phân việc sau¹:

[- Ký đơn dự thầu;

- Ký các văn bản, tài liệu để giao dịch với Bên mời thầu trong quá trình tham dự thầu, kể cả văn bản đề nghị làm rõ HSMT và văn bản giải trình, làm rõ HSDT hoặc văn bản đề nghị rút HSDT, sửa đổi, thay thế HSDT;
- Thực hiện bảo đảm dự thầu cho cả liên danh;
- Tham gia quá trình thương thảo, hoàn thiện hợp đồng;
- Thực hiện bảo đảm thực hiện hợp đồng cho cả liên danh trong trường hợp liên danh trúng thầu
- Ký đơn kiến nghị trong trường hợp nhà thầu có kiến nghị;
- Thực hiện tất cả các nghĩa vụ của liên danh không được nêu trong Bảng phân công trách nhiệm giữa các thành viên liên danh ở mục 2 dưới đây;
- Thực hiện các công việc khác trừ việc ký kết hợp đồng ____ [ghi rõ nội dung các công việc khác (nếu có)].

2. Các thành viên trong liên danh thỏa thuận phân công trách nhiệm thực hiện các công việc cụ thể theo bảng dưới đây²:

STT	Tên	Nội dung công việc đảm nhận	Tỷ lệ % so với tổng giá dự thầu	Giá trị theo tỷ lệ % so với tổng giá dự thầu
(1)	(2)	(3)	(4)	(5)
1	Tên thành viên thứ nhất (thành viên đứng đầu liên danh)	- Công việc 1:	_____ %	VNĐ/USD
		- Công việc 2:		
		- Công việc 3:		
				
2	Tên thành viên thứ 2	- Công việc 1:	_____ %	VNĐ/USD
		- Công việc 2:		
		- Công việc 3:		
....				
Tổng cộng		Toàn bộ công việc của gói thầu	100%	VNĐ/USD

3. Phương thức thanh toán cho liên danh trong trường hợp trúng thầu và ký hợp đồng với chủ đầu tư như sau:

-Chủ đầu tư sẽ thanh toán trực tiếp cho từng thành viên liên danh theo tiến độ thanh toán được qui định trong hợp đồng với giá trị được phân chia tương ứng với tỷ lệ khối lượng công việc đã được các thành viên liên danh thống nhất và nêu trong cột (4) Bảng phân công trách nhiệm ở mục 2 của thỏa thuận liên danh này.

-Từng thành viên của Liên danh sẽ phát hành Hóa đơn hợp pháp đúng với phần giá trị công việc đã được thành viên liên danh đó thực hiện theo tiến độ từng đợt thanh toán được qui định trong hợp đồng.

¹Phạm vi ủy quyền bao gồm một hoặc nhiều công việc nêu trên.

²Nhà thầu phải ghi rõ nội dung công việc cụ thể và ước tính giá trị tương ứng mà từng thành viên trong liên danh sẽ thực hiện, trách nhiệm chung, trách nhiệm của từng thành viên, kể cả thành viên đứng đầu liên danh.



Điều 3. Hiệu lực của thỏa thuận liên danh

1. Thỏa thuận liên danh có hiệu lực kể từ ngày ký.
2. Thỏa thuận liên danh chấm dứt hiệu lực trong các trường hợp sau:
 - Trong trường hợp liên danh trúng thầu, Thỏa thuận liên danh này là một phần không tách rời của hợp đồng ký kết với Chủ đầu tư và chỉ chấm dứt hiệu lực khi các bên hoàn thành trách nhiệm, nghĩa vụ của mình và thanh lý xong hợp đồng;
 - Các bên cùng thỏa thuận chấm dứt;
 - Nhà thầu liên danh không trúng thầu;
 - Hủy thầu gói thầu ____ *[ghi tên gói thầu]* thuộc dự án ____ *[ghi tên dự án]* theo thông báo của Bên mời thầu.

Thỏa thuận liên danh được lập thành ____ bản, mỗi bên giữ ____ bản, các bản thỏa thuận có giá trị pháp lý như nhau.

ĐẠI DIỆN HỢP PHÁP CỦA THÀNH VIÊN ĐÚNG ĐẦU LIÊN DANH

[ghi tên, chức danh, ký tên và đóng dấu]

ĐẠI DIỆN HỢP PHÁP CỦA THÀNH VIÊN LIÊN DANH

[ghi tên từng thành viên, chức danh, ký tên và đóng dấu]

¹ Phạm vi ủy quyền bao gồm một hoặc nhiều công việc nêu trên.

² Nhà thầu phải ghi rõ nội dung công việc cụ thể và ước tính giá trị tương ứng mà từng thành viên trong liên danh sẽ thực hiện, trách nhiệm chung, trách nhiệm của từng thành viên, kể cả thành viên đứng đầu liên danh.



PHỤ LỤC SỐ 1.1 (..... trang)
(đính kèm Hợp đồng số:/...../T- N../.....)

DANH MỤC, GIÁ TRỊ HÀNG HOÁ

cung cấp theo DH số

Số TT	Tên hàng, Ký hiệu, Quy cách	Mô tả	Model, P/N	Nhà sản xuất	Nước xuất xứ CO	ĐVT	Số lượng, cung cấp	Đơn giá (VND)	Thành tiền (VND)
I		Hàng hoá sử dụng hạn ngạch để nhập khẩu Hàng hoá (sử dụng Quota) Lô 09-1:							
1		...	...			Set/pc	...	...	...
2									
									
n									
		Giá trị Hàng hoá không bao gồm thuế GTGT và thuế nhập khẩu của giá trị hàng hóa nhập khẩu ghi trên Tờ khai Hải quan nhưng đã bao gồm toàn bộ các thuế, phí và chi phí phát sinh trong lãnh thổ Việt Nam.							
	Thành tiền I:								
II		Hàng hoá không sử dụng hạn ngạch để nhập khẩu Hàng hoá (Hàng hoá mua trong nước) :							
1						Set/pc			
									
n									
		<i>*Giá trị Hàng hoá chưa bao gồm GTGT:</i>							
		<i>*Thuế GTGT 10% (áp dụng theo Quy định hiện hành của VN):</i>							
	Thành tiền II:	Giá trị Hàng hoá đã bao gồm thuế GTGT và bao gồm toàn bộ các thuế, phí và chi phí phát sinh trong lãnh thổ Việt Nam.							
		Tổng giá trị hợp đồng (mục I+II): <i>*(áp dụng cho mục I và mục I&II) Giá trị Hàng hoá không bao gồm thuế GTGT và thuế nhập khẩu của giá trị hàng hóa nhập khẩu ghi trên Tờ khai Hải quan nhưng đã bao gồm toàn bộ các thuế, phí và chi phí phát sinh trong lãnh thổ Việt Nam.</i> <i>* (áp dụng cho Hàng hoá không sử dụng Quota – chỉ cho mục II) Giá trị hợp đồng trên đã bao gồm thuế GTGT và bao gồm toàn bộ các thuế, phí và chi phí phát sinh trong lãnh thổ Việt Nam cho Hàng hoá mua trong nước.</i>							

ĐẠI DIỆN BÊN A

ĐẠI DIỆN BÊN B



PHỤ LỤC SỐ 02

Phê duyệt - Утверждаю
Thủ trưởng đơn vị đặt hàng
Директор пред-я заказчика

Phê duyệt - Утверждаю
Giám đốc XNDV Cảng & Cung ứng VT TB
Директор ПОСОМ

Ngày.....tháng.....năm 20....

Ngày.....tháng.....năm 20....

BIÊN BẢN GIAO NHẬN HÀNG АКТ О ПРИЁМЕ - ПЕРЕДАЧЕ ТОВАРОВ

Ngày.... tháng.... năm 20....

Căn cứ HĐ (biên bản) số:

ký ngày.... tháng....năm 20...

На основании Договора номер:

Chúng tôi, những người ký tên dưới đây - Мы. Нижеподписавшиеся:

1- Đại diện bên giao - Представители поставщика:

- Ông (Bà) Chức vụ:
- Ông (Bà): Chức vụ:

2- Đại diện bên nhận - Представители получателя:

2.1 XN dịch vụ cảng & cung ứng vật tư TB - ПОСОМ

- Ông (Bà): Chức vụ:
- Ông (Bà): Chức vụ:

2.2 Đơn vị đặt hàng - Представители предприятия - заказчика:

- Ông (Bà): Chức vụ:
- Ông (Bà): Chức vụ:

- ...

Cùng nhau tiến hành giao nhận hàng hóa, cụ thể như sau: - Произвели приём - передачу следующих товаров на складе:...

STT П/П	Tên hàng, Ký hiệu, Quy cách Наименование. Марка товаров	ĐVT ЕД	Thực nhập Фак. Получение		Bao bì Тара	Chất lượng hàng Качество
			Số lượng Кол	Trọng lượng Вес		

CHỨNG TỪ KÈM THEO - Прилагаемые документы:

- Chứng chỉ phẩm chất - Сертификат:.....
- Hóa đơn (phiếu xuất kho) - Счет:.....



- Bản kê chi tiết danh điểm mặt hàng (Перечень товаров) gồm __ bản __ tờ
- Các chứng từ khác - Другие документы :

... Biên bản này chỉ lập một bản và chỉ có giá trị để làm thủ tục thanh toán sau khi được Giám đốc XNDVCảng & Cung ứng vật tư TB và Lãnh đạo đơn vị đặt hàng phê duyệt (trường hợp giao nhận thẳng cho đơn vị đặt hàng thì biên bản này phải được thủ trưởng đơn vị đặt hàng phê duyệt trước).

Ngày giao hàng của lô hàng này là ...

ĐẠI DIỆN BÊN GIAO

KÝ TÊN - Подписи

ĐẠI DIỆN BÊN NHẬN

Представители поставщика:

Представители получателя:

(Họ tên và chữ ký)

(Họ tên và chữ ký)

Xác nhận chất lượng của phòng thí nghiệm hoặc đơn vị đặt hàng (nếu có) - Справка лаборатории (заказчика) по качеству

.....Đại diện phòng thí nghiệm (Hoặc đơn vị đặt hàng) - Представитель лаборатории (заказчика)

Họ và tên - Фамилия.....

Ký tên: Подпись

Ngày.....tháng.....năm 20....

Kiểm tra và xác nhận: Các mặt hàng nêu trên có số lượng, ký mã hiệu, xuất xứ hàng hóa, chứng chỉ chất lượng & được kiểm tra chất lượng v.v. phù hợp với các quy định của hợp đồng (Biên bản)

Заключение:

Состояние товаров. Количество марки. Место происхождения. Сертификат по качеству и проверка качества....вышеуказанных товаров соответствуют условиям Договора:

T.P vật tư thiết bị - Начальник курирующего отделаю

Ký tên: Подпись

Ngày.....tháng.....năm 20....

Trưởng phòng TNHH - Начальник ОКД

Ký tên: Подпись

Ngày.....tháng.....năm 20....



PHỤ LỤC SỐ 03
MẪU BẢO LÃNH THỰC HIỆN HỢP ĐỒNG

Ngày tháng năm 20...

Kính gửi: Liên doanh Việt-Nga Vietsovpetro.

Liên quan tới Hợp đồng _____ về việc _____ (sau đây được gọi là “Hợp đồng”) được ký giữa _____ (sau đây gọi là “BÊN ĐƯỢC BẢO LÃNH”) và _____ (sau đây gọi là “BÊN THỤ HƯỞNG”), chúng tôi, _____ có trụ sở chính tại _____ (sau đây gọi là “BÊN BẢO LÃNH”) phát hành Thư bảo lãnh không hủy ngang và vô điều kiện cho bên thụ hưởng với số tiền là _____ (Bằng chữ: _____) (sau đây gọi là “THƯ BẢO LÃNH”).

THƯ BẢO LÃNH này có hiệu lực kể từ ngày phát hành và sẽ duy trì hiệu lực cho đến _____ sau đây gọi là "Ngày hết hiệu lực". Đối với bất cứ sự gia hạn, đổi mới hoặc chuyển nhượng Hợp đồng vượt quá thời gian được quy định trong THƯ BẢO LÃNH này, BÊN THỤ HƯỞNG sẽ không cần phải thông báo hoặc được sự đồng thuận của BÊN BẢO LÃNH. THƯ BẢO LÃNH này sẽ được gia hạn dựa trên yêu cầu bằng văn bản từ BÊN ĐƯỢC BẢO LÃNH để đảm bảo cho thời gian gia hạn, đổi mới hoặc chuyển nhượng của Hợp đồng.

BÊN BẢO LÃNH cam kết không hủy ngang và vô điều kiện thanh toán ngay cho BÊN THỤ HƯỞNG một khoản tiền hay những khoản tiền, theo chỉ thị của BÊN THỤ HƯỞNG, tổng không vượt quá số tiền bảo lãnh nêu trên trong vòng 05 ngày làm việc kể từ ngày nhận được văn bản yêu cầu của BÊN THỤ HƯỞNG ghi rõ BÊN ĐƯỢC BẢO LÃNH đã vi phạm nghĩa vụ theo Hợp đồng.

Sau Ngày hết hiệu lực, THƯ BẢO LÃNH này sẽ tự động không còn giá trị cho dù bản gốc THƯ BẢO LÃNH và các Thư sửa đổi liên quan (nếu có) có được gửi lại BÊN BẢO LÃNH hay không.

Số tiền bảo lãnh nêu trên sẽ được thanh toán ngay bởi BÊN BẢO LÃNH cho BÊN THỤ HƯỞNG cho dù có sự tranh cãi hoặc phản đối nào của BÊN ĐƯỢC BẢO LÃNH hoặc của BÊN BẢO LÃNH hoặc của bất kỳ bên thứ ba nào khác, và bất kể có hay không sự tranh chấp giữa BÊN ĐƯỢC BẢO LÃNH và BÊN THỤ HƯỞNG về hoặc liên quan tới Hợp đồng hoặc về bất cứ vấn đề khác và cho dù những tranh chấp này, nếu có, đã được giải quyết, dàn xếp, kiện tụng hoặc phân xử bằng bất kỳ hình thức nào.

BÊN BẢO LÃNH hoặc BÊN ĐƯỢC BẢO LÃNH sẽ không được giải trừ bất cứ nghĩa vụ nào theo THƯ BẢO LÃNH này cho dù có bất cứ sự sửa đổi, thay đổi, thanh toán sai lệch, gia hạn nào liên quan tới Hợp đồng hay bất kỳ sự trì hoãn ân hạn nào của BÊN THỤ HƯỞNG trong hoặc liên quan đến bất cứ vấn đề gì của Hợp đồng.

Việc đòi tiền nhiều lần theo bảo lãnh này là được phép và theo đó, Số tiền bảo lãnh nêu trên sẽ tự động giảm tương ứng với số tiền mà Ngân hàng đã thực hiện thanh toán cho Bên thụ hưởng theo Thư bảo lãnh.

Thư bảo lãnh được điều chỉnh và giải thích theo pháp luật Việt Nam. Bất kỳ tranh chấp nào phát sinh từ hoặc liên quan đến Thư bảo lãnh sẽ [do Tòa án nhân dân có thẩm quyền của Việt Nam giải quyết theo quy định của pháp luật] / [sẽ được giải quyết tại Trung tâm Trọng tài quốc tế Việt Nam (VIAC) theo quy tắc tổ tụng trọng tài của VIAC].

THƯ BẢO LÃNH này được phát hành duy nhất 01 (một) bản và không được phép chuyển nhượng.

NGÂN HÀNG BẢO LÃNH
(Ký tên và đóng dấu)



PHỤ LỤC SỐ 04 (A)

MẪU THƯ TÍN GIAO DỊCH THỰC HIỆN HỢP ĐỒNG

Ngày tháng năm 20..

Kính gửi: Liên doanh Việt-Nga Vietsovpetro
105 Lê Lợi, Phường Vũng Tàu, TP. Hồ Chí Minh
Fax: (84) 254 839857/Email: vspadmin@vietsov.com.vn

Người nhận: Ông Trần Quốc Thắng – Phó Tổng giám đốc Vietsovpetro
Sao gửi: Bà Nguyễn Thị Vân Anh – Trưởng phòng Thương mại Vietsovpetro

Email: (phuongvm.hq@vietsov.com.vn, hungnm.sd@vietsov.com.vn)

(Ghi nội dung giao dịch về: Thay đổi về Hàng hoá/Dịch vụ, tiến độ, sử dụng Quota, các nội dung liên quan tới giá trị HĐ, thanh toán.....)

ĐẠI DIỆN BÊN

(Ký tên và đóng dấu)

PHỤ LỤC SỐ 04 (B)

MẪU THƯ TÍN GIAO DỊCH THỰC HIỆN HỢP ĐỒNG

Ngày tháng năm 20..

Kính gửi: Liên doanh Việt-Nga Vietsovpetro
105 Lê Lợi, Phường Vũng Tàu, TP. Hồ Chí Minh
Fax: (84) 254 839857/ Email: vspadmin@vietsov.com.vn

Người nhận: Bà Nguyễn Thị Vân Anh – Trưởng Phòng Thương mại VSP
Ông Đỗ Mạnh Hà – Giám đốc XN Dịch vụ Cảng và CUVTTB
Ông Nguyễn Quốc Dũng – Giám đốc Xí nghiệp Khai thác.

Email: (phuongvm.hq@vietsov.com.vn, hungnm.sd@vietsov.com.vn)

(Ghi nội dung giao dịch về: Thông báo giao hàng, gửi chứng từ hàng hóa, thông báo bắt đầu thực hiện dịch vụ, thông tin về nhân sự/thiết bị thực hiện dịch vụ....)

ĐẠI DIỆN BÊN

(Ký tên và đóng dấu)



PART 4. APPENDICES

This Part includes:

1 - SCOPE OF SUPPLY

2 - TECHNICAL REQUIREMENT

3 - TECHNICAL EVALUATION CRITERIA





DANH MỤC - SPECIFICATION

Tên hàng hóa/Dịch vụ - На приобретение товаров/услуг: Оборудование для модернизации системы учета нефти и газа на ВК5, СТР2, RP3
Số ĐHXN - № заявки: 90.XNKT-0866/25-VT

STT П/п	Mã Vật Tư Код МТР	Tên VTTB/dịch vụ (Việt/Nga hoặc Anh) Наименование МТР/услуг (вьетнам./русс. или англ.)	Đặc Tính Kỹ Thuật Технические характеристики	ĐVT Ед. Изм.	Số Lượng Кол-во	Ghi Chú Примечание
(1)	(2)	(3)	(4)	(5)	(6)	(7)
I. VẬT TƯ THIẾT BỊ						
1	019.031.00001*	Optical flow sensors system for Flare, Instrument Range: 0.03 to 100 m/sec; - Система оптических датчиков потока для факела	OPTICAL FLOW SENSORS SYSTEM FOR FLARE Service: Hydrocarbon Gas; TRANSDUCER, SENSOR Type: Optical Scintillation; Material: MfrStd (316 SS pref.); Protection: MfrStd, fit to - Zone 2 IIA T3, IP56 min; Mounting: Flange 4-inch, #300 (ANSI); TRANSMITTER, COMPUTING PANEL Type: Digital Signal Processing (DSP) to measure the movement found in a gaseous flow stream; Instrument Range: 0.03 to 100 m/sec; Calibrated Range: 0 - 5 500 000 Sm3/d; Accuracy: 2 % of Reading; Output signal: 2x 4-20 mA HART (2-wire), RS-232; Power supply: 220 V AC, 50 Hz; Sensor Cables: YES, 10 m, MfrStd; Housing Type: Outdoor, Wallmount; Housing Material: MfrStd (316 SS pref.); Protection: MfrStd, fit to - Zone 2 IIA T3, IP56 min; Safety Level: N/A; ACCESSORIES Nameplate: 316 SS; Tagname: CPP2-FE/FIQR-1701, RP3-FE/FIQR-1701 Thermal Activator c/w Extraction Chamber; Active Purge Fittings c/w Rotameters; Refer to datasheet CPP2-291-IA2-DS-003, RP3-238-IA2-DS-003 for more detail	Set	2,00	
2	070.002.00033*	Orifice Plate 8", 300#, RF; Concentric, square edged - Дифрагма	ORIFICE PLATE AND FITTING Service: Hydrocarbon Gas ORIFICE FITTING:	Pce	1,00	



			N/A ORIFICE FE-401 Type: Concentric, square edged; Material: 316SS, tagname: BK5-FT -401 Refer to datasheet BK5-086-TS-1A2-DS-003 for more detail			
3	070.002.03945	Differential Pressure Transmitter c/w Integral Manifold Valve - Дифференциальный преобразователь давления с интегрированным вентильным блоком,, C, Calibrated range: 0-600 mbar	Differential Pressure Transmitter Service: Oil Water Gas Mixture TRANSMITTER Type: Differential Pressure Flow Transmitter; Instrument range: 0- 1600 mbar (VTA); Calibrated range: 0-600 mbar; Element type/material: Diaphragm / Hastelloy C-276 ; Over-range protection: 1.3 times; Output: 4-20 mA, HART; Accuracy: At least 0.05 % of calibrated span; Safety Level: SIL2; HOUSING Ex-d, IP-56 min, 316 SS; Power supply: 24 V DC Loop Powered; Local LCD meter; Process connections: ½” FNPT; Electrical connection: ½” FNPT, standard terminal block; Local configuration: Zero and Span COMPLETED WITH 5-Valves (Block, Vent, Equalize), Coplanar Style, Integral to Transmitter, 316 SS, ½” NPT c/w 316SS plugs for vent Rating: 3000 psig @200 degF (206 bar @ 93 degC) ACCESSORIES Mounting bracket for 2-inches pipe, 316 SS, c/w bolts and nuts (Refer to datasheet DPT for more detail)	Set	1,00	
4	019.027.01719	Pressure Transmitter Assembly: 0-40 barg (VTA); Wetted part Material: SS316; Calibrated span: 0-40 barg; Certified to SIL-2 - Bộ cảm biến áp suất/ датчик давления	Pressure Transmitter Assembly General: - Marine tropical environment; Class I Zone 2, IP56 as minimum for outdoor area; - Service: HC Gas; Transmitter: - Instrument range 0-40 barg (VTA); - Calibrated span: 0-40 barg; - 4-20 mA, Smart, HART Protocol; - Accuracy: less or equal ± 0.25 % of calibrated span; - Wetted part Material: SS316; - Electronic housing: SS316; - EEx-d, IIA T3, IP-56 min; - Process connections: 1/2” NPT-M; - C/w: SS316 2- valve manifold 1/2” NPT-F x 1/2” NPT-F - Certified to SIL-2;	Set	1,00	
5	019.027.02006	Pressure Transmitter Assembly; Instrument range:	General: - Service: Utility Air;	Set	2,00	



		0-16barg; Calibrated span: 0-10 barg; Wetted part Material: SS316; Certified SIL-2 as minimum; - Датчик давления	Transmitter: - Instrument range: 0-16barg; - Calibrated span: 0-10barg; - 4-20 mA, HART - Accuracy: ± 0.25 % of calibrated span; - Wetted part Material: SS316; - Electronic housing: SS316; - Ex-d, IIA T3, IP-56 min; - Process connections: 1/2" NPT-M; - C/w: SS316 2-valve manifold 1/2" NPT-F x 1/2" NPT-F - Certified SIL-2 as minimum.			
6	070.002.00034*	Temperature Transmitter Assembly, Instrument range: 0-100 °C; Accuracy: 0.1% of Full scale; SS316 flanged thermowell 2" 300# RF, U-length: 500mm, 1/2 NPT-F element connection - Датчик температуры в сборе	EMPERATURE TRANSMITTER Service: Hydrocarbon Gas; SENSOR Type: 3-Wire RTD, PT-100 ($\alpha=0.00385$), Mineral Insulated; Stem: 316 SS, diameter and length suit to the thermowell; Process connection: 1/2" MNPT; TRANSMITTER Instrument range: 0-100 degC (VTA); Calibrated range: 0-60 degC Output: 4-20 mA, HART, 2-wire; Accuracy: At least 0.1 % of calibrated span; Power supply: 24 V DC, Loop Powered; Mounted directly on the sensor; LCD local indication; HOUSING Ex d, IIA, T3, IP-56 min, 316 SS; Electrical connection: 1/2" FNPT, standard terminal block; THERMOWELL Type: Flanged 2-inch #300, RF; Material: 316 SS; Immersion length (dimension U): 500 mm; Instrument connection: 1/2" FNPT; ACCESSORIES Nameplate: 316 SS Refer to datasheet CPP2-291-IA2-DS-002 for more detail	Set	1,00	
7	070.002.00035*	Temperature Transmitter Assembly, Instrument range: 0-160 °C; Accuracy: 0.1% of Full scale; SS316 flanged thermowell 2" 300# RF, U-length: 240 mm, 1/2 NPT-F element connection - Датчик температуры в сборе	TEMPERATURE TRANSMITTER Service: Hydrocarbon Gas; SENSOR Type: 3-Wire RTD, PT-100 ($\alpha=0.00385$), Mineral Insulated; Stem: 316 SS, diameter and length suit to the thermowell; Process connection: 1/2" MNPT; TRANSMITTER Instrument range: 0-160 degC (VTA); Calibrated range: 0-100 degC Output: 4-20 mA, HART, 2-wire;	Set	1,00	



			Accuracy: At least 0.1 % of calibrated span; Power supply: 24 V DC, Loop Powered; Mounted directly on the sensor; LCD local indication; HOUSING Ex d, IIA, T3, IP-56 min, 316 SS; Electrical connection: ½” FNPT, standard terminal block; THERMOWELL Type: Flanged 2-inch #300, RF; Material: 316 SS; Immersion length (dimension U): 240 mm; Instrument connection: ½” FNPT; ACCESSORIES Nameplate: 316 SS, tagname: BK5-TT -401 Refer to datasheet BK5-086-TS-IA2-DS-001 for more detail			
8	070.002.00036*	Temperature Transmitter Assembly, Instrument range: 0-200 °C; Accuracy: 0.1% of Full scale; SS316 flanged thermowell 2” 300# RF, U-length: 250 mm, 1/2 NPT-F element connection - Датчик температуры в сборе	EMPERATURE TRANSMITTER Service: Hydrocarbon Gas; SENSOR Type: 3-Wire RTD, PT-100 ($\alpha=0.00385$), Mineral Insulated; Stem: 316 SS, diameter and length suit to the thermowell; Process connection: ½” MNPT; TRANSMITTER Instrument range: 0-200 degC (VTA); Calibrated range: 0-60 deg C; Output: 4-20 mA, HART, 2-wire; Accuracy: At least 0.1 % of calibrated span; Power supply: 24 V DC, Loop Powered; Mounted directly on the sensor; LCD local indication; HOUSING Ex ia, IIA, T3, IP-56 min, 316 SS; Electrical connection: ½” FNPT, standard terminal block; THERMOWELL Type: Flanged 2-inch #300, RF; Material: 316 SS; Immersion length (dimension U): 250 mm; Instrument connection: ½” FNPT; ACCESSORIES Nameplate: 316 SS, tagname: RP3-TT-1701 Refer to datasheet RP3-238-TS-IA2-DS-002, rev 2 for more detail	Set	1,00	
9	010.008.13441	Cable tray with cover, 50 x 50 x 3000 mm - Кабельный лоток перфорированный	Perforated heavy duty, Return Flange 180°, 316 SS, thickness 1.5 mm, shall c/w: - Tray cover, thickness 1mm; - Splice plate c/w bolts, nuts, washers; - Tray cover clamp c/w bolts, nuts, washers (if applicable); - All bolts, nuts and washers are self-locking type, 316 SS material	Set	14,00	



10	010.008.13473	Cable Tray, Straight Element (WxHxL): 100 x 50 X 3000 mm - Кабельный лоток	- Straight Element (WxHxL): 50 x 50 x 3000 mm Perforated heavy duty, Return Flange 180°, 316 SS, thickness 1.5 mm, shall c/w: - Tray cover, thickness 1mm; - Splice plate c/w bolts, nuts, washers; - Tray cover clamp c/w bolts, nuts, washers (if applicable); - All bolts, nuts and washers are self-locking type, 316 SS material (Bidder to advise the qty, size suitable for installation as above) - Straight element (WxHxL): 100 x 50 x 3000 mm	Set	10,00	
11	012.010.00810	Instrument Cable for Analog signals, 1P x 1.5 mm2 - Инструментальные кабель для аналоговых сигналов	INSTRUMENT CABLE FOR ANALOG SIGNALS Flame-retardant IEC 60332-3 Cat. A, Low Smoke emission IEC 61034, Halogen Free IEC 60754-1. Resistant to oil, alkali and sunlight; Suitable for marine, tropical condition IEC 60092-3; Design and construction: IEC-60092-376; Rated Voltage: 150/250V (300); Construction: Tinned annealed stranded copper wire as per IEC 60228, Class 2; Insulation: EP-Rubber to IEC 60092-360; Core: Color coded twisted pairs; Individual/Overall Screen: Aluminum backed polyester tape with stranded copper drain wire; Inner sheath: LSZH compound to IEC 60092-360; Armor: Tinned cooper wire braid; Outer sheath: Flame retardant to IEC 60332-3 Cat A, halogen free & mud resistant thermoset compound SHF Size: 1 PR x 1.5 mm2, Gray	Metre	200,00	
12	012.010.00061*	Instrument Cable for Analog signals, 4P x 1.5 mm2, Blue - Инструментальный кабель для аналоговых сигналов	INSTRUMENT CABLE FOR ANALOG SIGNALS Flame-retardant IEC 60332-3 Cat. A, Low Smoke emission IEC 61034, Halogen Free IEC 60754-1. Resistant to oil, alkali and sunlight; Suitable for marine, tropical condition IEC 60092-3; Design and construction: IEC-60092-376; Rated Voltage: 150/250V (300); Construction: Tinned annealed stranded copper wire as per IEC 60228, Class 2; Insulation: EP-Rubber to IEC 60092-360; Core: Color coded twisted pairs; Individual/Overall Screen: Aluminum backed polyester tape with stranded copper drain wire; Inner sheath: LSZH compound to IEC 60092-360; Armor: Tinned cooper wire braid; Outer sheath: Flame retardant to IEC 60332-3 Cat A, halogen free & mud resistant thermoset compound SHF Size: 4 PR x 1.5 mm2, Blue	Metre	100,00	
13	012.010.00062*	Instrument Cable for Analog	INSTRUMENT CABLE FOR ANALOG SIGNALS	Metre	200,00	



		signals, 6P x 1.5 mm2, Gray - Инструментальный кабель для аналоговых сигналов	Flame-retardant IEC 60332-3 Cat. A, Low Smoke emission IEC 61034, Halogen Free IEC 60754-1. Resistant to oil, alkali and sunlight; Suitable for marine, tropical condition IEC 60092-3; Design and construction: IEC-60092-376; Rated Voltage: 150/250V (300); Construction: Tinned annealed stranded copper wire as per IEC 60228, Class 2; Insulation: EP-Rubber to IEC 60092-360; Core: Color coded twisted pairs; Individual/Overall Screen: Aluminum backed polyester tape with stranded copper drain wire; Inner sheath: LSZH compound to IEC 60092-360; Armor: Tinned cooper wire braid; Outer sheath: Flame retardant to IEC 60332-3 Cat A, halogen free & mud resistant thermoset compound SHF; 6 PR x 1.5 mm2, Gray;			
14	012.003.01308	Power Cable_ Кабель силовой, 3C x 2.5 mm2 - Cáp nguồn	POWER CABLE 0.6kV/1kV, Flame retardant IEC 60332-3 Cat. A, Low Smoke emission IEC 61034, Halogen Free IEC 60754-1. Resistant to oil, alkali and sunlight, Type RFOU; Suitable for marine, tropical condition IEC 60092-3; Design and construction: IEC-60092-376; Rated Voltage: 0.6kV/1kV; Construction: Tinned annealed stranded copper wire as per IEC 60228, Class 2; Insulation: EP-Rubber to IEC 60092-360; Core: Color coded; Inner sheath: LSZH compound to IEC 60092-360; Armor: Tinned cooper wire braid; Outer sheath: Flame retardant to IEC 60332-3 Cat A, halogen free & mud resistant thermoset compound SHF; CU/EPR(XLPE)/LSF(SHF2)/TCWB/SHF2; Outer color: BLACK; Size: 3Cx 2.5mm ²	Metre	350,00	
15	012.009.00227	Grounding Cable, 1C x 2.5 mm2 - Кабель заземления	0.6/1 kV UX 1Cx 2.5mm2 Earthing cable Standard Applied IEC 60502-1. Flame-retardant, halogen free, resistant to oil, alkali and sunlight Suitable for marine, tropical condition. Rated Voltage: 0.6kV/1kV Construction: Tinned annealed stranded copper wire, Class 2 Insulation: EP-Rubber Armor: NOT REQUIRED Outer color: GREEN/YELLOW Size: 1Cx 2.5mm2	Metre	100,00	
16	012.013.00874	Cable 1 x 1.5 mm2 , PVC,	SINGLE CORE CONNECTION WIRE	Metre	100,00	



		Color: RED - Провод монтажный красный	Rated Voltage: 0,6kV/1kV; Flame-retardant IEC-332-3A; Construction: Stranded annealed copper wire; Insulation: PVC; Flexible class: 5; Outer color: RED; Size: 1C x 1,5 mm2			
17	012.013.00875	Cable 1 x 1,5 mm2 ,PVC, Color: Black - Провод монтажный красный	SINGLE CORE CONNECTION WIRE Rated Voltage: 0,6kV/1kV; Flame-retardant IEC-332-3A; Construction: Stranded annealed copper wire; Insulation: PVC; Flexible class: 5; Outer color: BLACK; Size: 1C x 1,5 mm2	Metre	100,00	
18	012.013.00876	Cable 1 x 0,75 mm2 ,PVC - Провод монтажный красный	SINGLE CORE CONNECTION WIRE Rated Voltage: 0,6kV/1kV; Flame-retardant IEC-332-3A; Construction: Stranded annealed copper wire; Insulation: PVC; Flexible class: 5; Outer color: GRAY; Size: 1C x 0,75 mm2	Metre	100,00	
19	010.006.00001*	Junction box for outdoor and hazardous area, 6 input, 18 terminals, Exe IIA T3, IP56 min - Клеммная коробка для наружных и взрывоопасных зон	JUNCTION BOX (6 input), tagname: JB-A-1701 Suitable for outdoor, marine, tropical condition; Factory drilled and equipped; Dimensions (HxWxD): 200 x 200 x 200 mm; Door: Hinged Type with Neoprene Gasket; Material: 316L SS; Protection: Ex-e IIA T3 (IEC), IP56 min; Terminals: 2.5 mm2, 20 A, Qty. 18, Ex e (IEC); Terminals Installation: Rail Mounted, 01 row horizontal; C/w Cable Glands and Plugs according Datasheet CPP2-291-TS-IA2-DS-004	Set	1,00	
20	010.006.00002*	Junction box for outdoor and hazardous area, 4 input, 12 terminals, Exe IIA T3, IP56 min - Клеммная коробка для наружных и взрывоопасных зон	JUNCTION BOX (4 input) Suitable for outdoor, marine, tropical condition; Factory drilled and equipped; Dimensions (HxWxD): 200 x 200 x 200 mm; Door: Hinged Type with Neoprene Gasket; Material: 316L SS; Protection: Ex-e IIA T3 (IEC), IP56 min; Terminals: 2.5 mm2, 20 A, Qty. 12, Ex e (IEC); Terminals Installation: Rail Mounted, 01 row horizontal; C/w Cable Glands and Plugs according Datasheet CPP2-291-TS-IA2-DS-004, RP3-238-TS-IA2-DS-003, BK5-086-TS-IA2-DS-004	Set	3,00	



21	010.022.01396	Cable Glands, 1/2" NPT - Кабельный ввод	Nickel-plated brass cable gland shall be dual certified Ex'd', Ex'e' suitable for Zone 2, IIA, T3 hazardous area applications. Compression type with a dia seal on the cable inner bedding and environmental seal on the cable outer sheath, minimum IP56 protection degree. Complete with sealing washer, earth tag and PVC shroud for cable with tinned copper wire braid	Set	15,00	
22	010.005.00052	Đầu vào cáp - Cable gland M20, Flameproof Exd IIC Gb, IP68 (OD: 11-16mm)/ Кабельный ввод M20	- Type: Double compression, Suitable for amour/braid and inner/outer sheath cable - Material: Electroless Nickel Plated Brass - Suitable to work with cables that exhibit "Cold Flow" characteristics - Flameproof certificate: Zone 1, EEx d II 2 GD, Gas Group IIC - Cable entry thread size / cable OD (min. - max) : 11 - 16 mm - Ingress protection: IP66 as minimum - c/w locknut, washer, earth tag, PVC shroud ... as manufacturer standard	Pce	15,00	
23	042.003.00036	Neoprene Rubber, 1.5 mm thickness - Изоляционный кембрик	Neoprene Rubber 1,5 mm (Thk); Density: 1.4 g/cm3; Dielectric strength: 14kV/mm; Color - Black	M2	3,00	
24	010.023.00946	Shoulder Washer, M6 - Плечевые шайбы	Shoulder Washer, Electrical-Insulating Sleeve M6, Thk. 2 mm, PTFE Plastic, (pack 100 pcs)	Set	3,00	
25	010.023.01002	Shoulder Washer - Плечевые шайбы, M10	Shoulder Washer, Electrical-Insulating Sleeve M10, Thk. 2 mm, PTFE Plastic, (pack 100 pcs)	Bag	3,00	
26	008.011.02573	Earth boss - Заземлитель-бобышка, M6 x 25mm DIA x 25mm LG	Mild steel/SS316 earthing boss 25mm(diameter)x25mm(height) with threaded hold. C/w bolt M6, nuts & plain washer.	Pce	10,00	
27	010.023.00856	Earthing Boss, 30-30-M10 - Точка заземления	Earthing Boss 30-30-M10, Mild Steel / 316 SS c/w M10 Stainless Steel Stud, Washers	Pce	3,00	
28	061.001.03589	Bolts & nuts: M10 x 40, SS316 c/w flat washer, spring washer- Болты и гайки M10 x 40, SS316 - Бу lông đai ốc inox, SS316 kèm vòng đệm phẳng, vòng đệm vênh/Болты с гайками, шайбами и ружвинными шайбами из нержавеющей стали SS316	Bolts & nuts: M10 x 40, SS316 c/w flat washer, spring washer (pack 50 pcs)	Set	3,00	
29	061.001.03324	болт- Bulong-Bolts & Nuts	M6x25 mm Bolt and Nuts c/w washers, 316 SS (pack 50 pcs)	Set	3,00	



		M6x25,SS316 - Bu lông kèm đai ốc Inox /Болты с гайками из нержавеющей стали SS316			
30	070.001.03496	Smart Analog Input repeater, dual chanel - Интеллектуальный повторитель для аналоговых сигналов	Pce	5,00	
31	010.019.00290	FEED-THROUGH TERMINAL BLOCKS, 2.5 mm2, 24 A_ Проходные клеммные колодки	Pce	50,00	
32	010.010.00611	FUSED TERMINAL BLOCKS 2.5 mm2, 6.5 A_ Клеммные колодки с предохранителем	Pce	50,00	
33	010.011.01161	Pin type Ferrules (lugs), 0.75 mm2 - Кабельные наконечники	Bag	1,00	
34	010.011.01160	Pin Type Ferrules (lugs), 1.5 mm2 - Кабельные наконечники	Bag	1,00	
35	010.011.01209	Pin Type Ferrules (lugs), 1.5mm2 - Кабельные наконечники	Bag	3,00	
36	010.011.01241	Кабельный наконечник_Pin type Ferrules (lugs), 2.5 mm2	Bag	2,00	
37	010.022.01485	Кольцевой кабельный наконечник_Ring Terminal M6, 6mm2	Bag	1,00	
38	010.022.01051	Tinned copper, PVC pre-insulated, fork type: Wire section: 1.5 - 2.5 mm2-Đầu cốt cáp - Кабельные наконечники	Bag	3,00	



39	010.021.00397	Cable Ties, 9 x 260mm - Кабельная стяжка	Cable Ties, Size 9 x 260 mm, Polyamide 6.6, UV stabilized (color black), flammability UL94 class V2, (pack 100 pcs)	Bag	3,00	
40	010.022.01389	Cable Marking, Set of number 0-9 - Маркировка кабельная	Numbers 0,1,2,3,4,5,6,7,8,9, each number 50 pcs	Set	3,00	
41	010.022.01390	Cable Marking, Set of Letter A,B,C,D,H,I,L,P,S,T,X,Y,Z - Маркировка кабельная	Letters A,B,C,D,H,I,L,P,S,T,X,Y,Z, each letter 50 pcs	Set	3,00	
42	010.022.01392	Symbol Cable Marking - Кабельная маркировка - Символы	Symbol (-), 30 pcs per set	Set	3,00	
43	010.022.01215	Holder for 14 characters - Держатель для 14 символов	Holder for 14 characters, red color	Pce	30,00	
44	010.022.01391	Holder Fastener, 4 x 150 mm - Кабельная стяжка	Holder Fastener, 4 x 150 mm, Polyamide, UV Resistant	Pce	100,00	
45	070.008.01252	Seamless stick Tubing 1/4" x 0.035" WT x 6M, SS316 - Труба нержавеющая - Трубки	Tubing 1/4 OD - 0.035" WT x 6m - Material: 316 stainless steel for all parts as per ASTM A276/ASME SA479 - Design: double ferrule compression type, consisting of front and back ferrules, nut and body, suitable for use on SS tubes conforming to ASTM A269 - Marking: Manufacturer, material and heat code on each fitting - Pressure Rating: Rating are based on ASME Code for Pressure Piping B31.3, Process Piping, at ambient temperature	Pce	20,00	
46	070.008.00702	TUBE (Трубка) 3/8"OD x 0.035"WT - Труба нержавеющая - Трубки	Seamless stick tubing, 3/8" x 0.035" WT x 6m - Material: 316 stainless steel for all parts as per ASTM A276/ASME SA479 - Design: double ferrule compression type, consisting of front and back ferrules, nut and body, suitable for use on SS tubes conforming to ASTM A269 - Marking: Manufacturer, material and heat code on each fitting - Pressure Rating: Rating are based on ASME Code for Pressure Piping B31.3, Process Piping, at ambient temperature	Pce	12,00	
47	070.008.01686	Seamless Stick Tubing, 1/2" x 0.035" WT - Трубы бесшовные	1/2" x 0.035" WT x 6m, SS316/316L - Material: 316 stainless steel for all parts as per ASTM A276/ASME SA479 - Design: double ferrule compression type, consisting of front and back ferrules, nut and body, suitable for use on SS tubes conforming to ASTM A269	Pce	3,00	



				- Marking: Manufacturer, material and heat code on each fitting - Pressure Rating: Rating are based on ASME Code for Pressure Piping B31.3, Process Piping, at ambient temperature			
48	070.008.01689	Single Tube Clamp, 3/8"OD - Трубный хомут		Single tube clamp, black, 3/8"OD, polyamide; c/w bolts, nuts and mounting accessories, SS316	Set	100,00	
49	070.008.01177	Female connector 1/2" NPTF - 1/2" OD - Соединитель с внутренней резьбой		Female Connector, 1/2" NPT-F x 1/2" OD, double compression type, 6000 Psig, SS316	Pce	4,00	
50	070.008.00749	Đầu nối đực 1/2"OD - 1/2"NPTM/Male Connector 1/2"OD - 1/2"NPTM/Штыревой соединитель 1/2"OD - 1/2"NPTM		Straight Fitting, Male Connector, 1/2" OD x 1/2" NPTM Material: 316 stainless steel ASTM A276, ASTM A479 (Straight fittings and tube adapters), ASTM A182 (Elbows, crosses, and tees) Certification: NACE MR0175, PED 97/23/EC, Offshore installation (BV, DNV-GL, ABS, GOST ...), ASTM B117-95 (corrosion resistance), ASME B1.20.1 (Thread Specifications), ASME B31.3 (Working Pressure) Marking: size, material, specifications, and heat code.	Pce	10,00	
51	070.008.00971	Đầu nối - Male connector, 3/8"O.D x 1/2" NPT / Переходник - Соединитель с внешней резьбой		Straight Fitting, Male Connector, Tube 3/8" OD x 1/2" NPTM Material: 316 stainless steel ASTM A276, ASTM A479 (Straight fittings and tube adapters), ASTM A182 (Elbows, crosses, and tees) Certification: NACE MR0175, PED 97/23/EC, Offshore installation (BV, DNV-GL, ABS, GOST ...), ASTM B117-95 (corrosion resistance), ASME B1.20.1 (Thread Specifications), ASME B31.3 (Working Pressure) Marking: size, material, specifications, and heat code.	Pce	3,00	
52	070.002.02270	Union 1/4" OD, SS316 - Соединитель		Union Straight 1/4"OD x 1/4"OD, - Material: 316 stainless steel for all parts as per ASTM A276/ASME SA479 - Design: double ferrule compression type, consisting of front and back ferrules, nut and body, suitable for use on SS tubes conforming to ASTM A269 - Marking: Manufacturer, material and heat code on each fitting - Pressure Rating: Rating are based on ASME Code for Pressure Piping B31.3, Process Piping, at ambient temperature - Corrosion Standard practice Test: ASTM B117 and ASTM A262 or equal.	Pce	10,00	
53	070.002.02268	Đầu nối - Fitting union 3/8" x3/8" / Переходник - Соединитель		Union Straight 3/8"OD x 3/8"OD, - Material: 316 stainless steel for all parts as per ASTM A276/ASME SA479 - Design: double ferrule compression type, consisting of front and back ferrules, nut and body, suitable for use on SS tubes conforming	Pce	10,00	



				to ASTM A269 - Marking: Manufacturer, material and heat code on each fitting - Pressure Rating: Rating are based on ASME Code for Pressure Piping B31.3, Process Piping, at ambient temperature - Corrosion Standard practice Test: ASTM B117 and ASTM A262 or equal.			
54	070.008.01697	Reducing Union, 3/8" OD x 1/4"OD - Сокращение Союз		Reducing Union 3/8"OD x 1/4"OD, - Material: 316 stainless steel for all parts as per ASTM A276/ASME SA479 - Design: double ferrule compression type, consisting of front and back ferrules, nut and body, suitable for use on SS tubes conforming to ASTM A269 - Marking: Manufacturer, material and heat code on each fitting - Pressure Rating: Rating are based on ASME Code for Pressure Piping B31.3, Process Piping, at ambient temperature - Corrosion Standard practice Test: ASTM B117 and ASTM A262 or equal.	Pee	10,00	
55	070.008.01698	Union Tee, 1/2" OD - Тройник		Union Tee 1/2"O.D x 1/2"OD x 1/2"OD, - Material: 316 stainless steel for all parts as per ASTM A276/ASME SA479 - Design: double ferrule compression type, consisting of front and back ferrules, nut and body, suitable for use on SS tubes conforming to ASTM A269 - Marking: Manufacturer, material and heat code on each fitting - Pressure Rating: Rating are based on ASME Code for Pressure Piping B31.3, Process Piping, at ambient temperature - Corrosion Standard practice Test: ASTM B117 and ASTM A262 or equal.	Pee	1,00	
56	070.002.02271	Union Tee 1/4" OD, Model: SS-400-3 - Союз Т		Union Tee, 1/4"OD - Material: 316 stainless steel for all parts as per ASTM A276/ASME SA479 - Design: double ferrule compression type, consisting of front and back ferrules, nut and body, suitable for use on SS tubes conforming to ASTM A269 - Marking: Manufacturer, material and heat code on each fitting - Pressure Rating: Rating are based on ASME Code for Pressure Piping B31.3, Process Piping, at ambient temperature - Corrosion Standard practice Test: ASTM B117 and ASTM A262 or equal.	Pee	2,00	
57	070.008.01692	Union Tee, 3/8" OD - Тройник		Union Tee, 3/8"OD - Material: 316 stainless steel for all parts as per ASTM A276/ASME SA479 - Design: double ferrule compression type, consisting of front and back ferrules, nut and body, suitable for use on SS tubes conforming to ASTM A269 - Marking: Manufacturer, material and heat code on each fitting	Pee	10,00	



			- Pressure Rating: Rating are based on ASME Code for Pressure Piping B31.3, Process Piping, at ambient temperature - Corrosion Standard practice Test: ASTM B117 and ASTM A262 or equal.		
58	040.001.12171	BALL VALVE 3/4" 3000 PSIG, FULL BORE, FLOATING BALL TYPE, SW x NPTF ENDS, LEVER OPERATED, WITH 1 PUP END PE Sch160 L=100mm, ASTM A105N - ШАРОВОЙ КРАН 3/4" 3000 PSIG Sch160 - Van Bi	Ball valve 3/4" 3000psig, full bore, Floating ball type, SW x NPTF Ends, Lever Operated, with Puppied end (PE) x Puppied MNPT	Pce	5,00
59	040.001.10364	Ball valve 1/2" Full Bore, SW x NPTF, 3000 Psig, ASTM A182-F316, ASME B16.34, Floating, Lever Operated, with 01 pup Sch80S plain end, 100mm welded on the SW end of Valve - Van bi/ Шаровой Кран	Ball valve 1/2" Full Bore, SW x NPTF, 3000 Psig, ASTM A182-F316, ASME B16.34, Floating, Lever Operated, with 01 pup Sch80S plain end, 100mm welded on the SW end of Valve	Pce	3,00
60	040.001.00007*	Ball valve 1 1/2 in, FB, SW, 800# - Шаровой кран	Ball Valve 1 1/2 in, FB, SW, 800#, A182-F316, ASME B16.34, W/O, with pup ends	Pce	2,00
61	040.001.11991	Ball Valve Full Bore, 2"-300#, RF Flanged ends, ASTM A216 WCB or equal, API 6D, Floating, Lever Operated, Locking device - Van bi/ Шаровой Кран	Ball Valve Full Bore, 2"-300#, RF Flanged ends, ASTM A216 WCB or equal, API 6D, Floating, Lever Operated, Locking device	Pce	2,00
62	040.001.12258	Ball valve 4" 300#, FB, Floating Ball Type, RF Flange Ends, ASTM A216-WCB, API 6D, Lever Operated, Locking device - Шаровой кран	Ball Valve, 4", Full Bore, 300#, RF Flanged ends, Body ASTM A216-WCB, Ball -ASTM A182 F316, Floating Ball Type, Lever operated, Locking device, Construction standard API 6D,	Pce	4,00
63	040.002.07083	FLANGE 2" , 300# SCH 80 RF WN ASTM A105N ASME B16.5 - Фланцы	WELD NECK RAISED FACE FLANGE 2" STANDARD SPECIFICATION: ASTM A105N RATING: 300# SCHEDULE: 80 DIMENSION: ASME B16.5	Pce	5,00



64	040.002.06848	Flange WN, 4" 300#, RF, Sch40S, ASTM A182-F316, ASME B16.5 - Mặt bích/Фланец	Flange WN, 4 inch, 300#, RF, S-40, ASTM A105N, ASME B16.5	Pee	4,00	
65	040.002.03160	Mặt bích/Фланец 6 in, Flange WN, 300#, RF, S-40, A105N, ASME B16.5	Flange WN, 6 inch, 300#, RF, S-40, ASTM A105N, ASME B16.5	Pee	2,00	
66	040.002.04734	Blind Flange, 3/4" 150# PN20, FF, UNS C70600, EEMUA 145, ASTM A105 (galv) - Mặt bích mù/ Фланец глухой	3/4 in Blind Flange, 150# PN20, FF, EEMUA 145, ASTM A105 (GALV.) to BS729 with Cu-Ni 90/10 Disc Facing, Non Seating Surfaces to Protected with Polyamide Epoxy Paint.	Pee	2,00	
67	040.005.02438	Elbow 10" sch 40 90o LR BW ASTM A234 WPB - Elbow 10" Sch40 90o	Elbow, Degree: 90 Deg. Standard Specification: ASTM A234, Material Grade: WPB, Dimensional Standard: ASME B16.9, Bend Radius: Long, Method of Manufacture: Seamless, End Preparation: Buttweld, Schedule Pressure Class: Sch 40, Nominal Pipe Size: 10 inch	Pee	2,00	
68	040.005.04693	Elbow 90 Deg. LR BW, 8" Sch40, ASTM A234 WPB, ASME B16.9 - Đầu nối cong/Отвод	Elbow 90 Deg. LR BW, 8" Sch40, ASTM A234 WPB, ASME B16.9	Pee	6,00	
69	040.006.01493	Tee 1/2" # 3000 SW/Тройник Reducing Tee 1-1/2"x1/2"-3000#, SW, A182-F316, ASME B16.11 - Đầu nối chạc ba/Тройник	Tee 1 1/2 in, SW, 3000#, ASTM A182-F316, ASME B16.11	Pee	1,00	
70	040.006.01283		Reducing Tee 1-1/2"x1/2"-3000#, SW, A182-F316, ASME B16.11	Pee	2,00	
71	040.006.02241	Tee Reducing 10 in x 8 in, BW, S-40 x S-40, ASTM A234-WPB, ASME B16.9	Reducing Tee 10 in x 8 in, BW, S-40 x S-40, ASTM A234-WPB, ASME B16.9	Pee	1,00	
72	040.011.01282	HEX HEAD PLUG 3/4", MNPT #3000 ASME B16.11, ASTM A105N - Nút bịt/Пробка	HEX HEAD PLUG 3/4", MNPT #3000 ASME B16.11, ASTM A105N	Pee	3,00	
73	040.011.01496	Hex Head Plug 1/2" 3000# NPT-M, ASTM A182 F316, ASME B16.11 - Nút bịt/Пробка	Hex Head Plug 1/2" 3000# NPTM, ASTM A182-F316, ASME B16.11	Pee	2,00	



74	040.015.00707	8 in x 6 in, Eccentric Reducer, BW, S-40 x S-40, ASTM A234-WPB, ASME B16.9 - Đầu nối chuyển tiếp/Эксцентрический редуктор	8 in x 6 in, Eccentric Reducer, BW, S-40 x S-40, ASTM A234-WPB, ASME B16.9,	Pce	2,00	
75	040.004.04211	Reducing Hex. Nipple, NPTM, 3000#, A182-F316, - шестигранный редукционный ниппель	3/4 in x 1/2 in Reducing Hex. Nipple, NPTM, 3000#, A182-F316, ASME B16.11,	Pce	2,00	
76	040.010.01248	Socket 3/4"-6000# A105N, MSS SP-97 - Седловина	Socket 8 in x 3/4 in, 6000# A105N, MSS SP-97	Pce	3,00	
77	040.010.01656	Socket 10"x3/4"; 6000#; ASTM A105N; MSS SP-97	Socket 10 in x 3/4 in, 6000#, ASTM A105N, MSS SP-97	Pce	1,00	
78	040.010.00027*	Socket 24 in x 3/4 in, 6000#, ASTM A105N, MSS SP-97 - Седловина	Socket 24 in x 3/4 in, 6000#, ASTM A105N, MSS SP-97	Pce	1,00	
79	040.010.01804	Weldolet, BW, S-120 x S-160, ASTM A105N, MSS SP-97, 4 in x 1 1/2 in - Седловина/Đầu nối ống nhánh	Weldolet, 8 in x 2 in, BW, S-160, ASTM A105N, MSS SP-97	Pce	1,00	
80	040.010.01670	Weldolet 10"x2"; BW; S-40 x S-80; ASTM A234-WPB; MSS SP-97 - Đầu nối nhánh yên ngựa/Седловина	Weldolet, BW, S-40 x S-80, ASTM A105N, MSS SP-97, 10 in x 2 in.	Pce	2,00	
81	040.010.00028*	Weldolet, 10 in x 4 in, BW, S-40 x S-40, ASTM A105N, MSS SP-97 - побышка под приварку	Weldolet, 10 in x 4 in, BW, S-40 x S-40, ASTM A105N, MSS SP-97	Pce	2,00	
82	040.010.00029*	Weldolet, 24 in x 2 in, BW, S-STD x S-80, ASTM A105N, MSS SP-97 - побышка под приварку	Weldolet, 24 in x 2 in, BW, S-STD x S-80, ASTM A105N, MSS SP-97	Pce	2,00	
83	040.010.00026*	Weldolet, 24 in x 4 in - побышка под приварку	WELDOLET, 24 in x 4 in, BW, S-STD x S-40, ASTM A105N, MSS SP-97	Pce	2,00	
84	040.011.00007*	Cap 1 1/2 in, SW, 3000#,	Cap 1 1/2 in, SW, 3000#, ATSM A182-F316, ASME B16.11	Pce	1,00	



		ATSM A182-F316, ASME B16.11 - Заглушка				
85	040.009.00946	ПРОКЛАДКА СПИРАЛЬНОЙ НАБАВКИ 10" - Spiral Wound Gasket 10" 150#, RF - Дем лам кін	Pce	2,00		
86	040.009.01363	Spiral Wound Gasket 8"-600# RF - Прокладка/ дем лам кін - Прокладка 8" #600 RF	Pce	12,00		
87	040.009.02412	SPIRAL WOUND GASKETS 0.175" THK, 300# RF ASME B16.20, SS316 GRAPHITE FILLED, 8" - Gioăng làm kín/ спирально-навигая прокладка	Pce	10,00		
88	040.009.04624	Spiral Wound Gasket 8"-150#; RF; SS316 Graphite Filler; Outer Ring SS316 & Inner Ring SS 316; 4.5mm Thk; ASME B16.20 - Vòng đệm làm kín - Прокладка спиральной набавки	Pce	4,00		
89	040.009.04725	Spiral Wound Gasket, 300#, RF, 4.5mm thick, Graphite Filler, Outer Ring CS & Inner Ring SS316, ASME B16.20, 6" - Прокладка	Pce	4,00		
90	040.009.04028	Прокладка/GASKET SPIRAL WOUND, 4.5mm THK, 4"# 300 , RF, ASME B16.20, SS316 WINDINGS WITH GRAPHITE FILLER, SS316 CENTERING AND SS316 INNER RING	Pce	14,00		
91	040.009.04563	Spiral Wound Gasket 2", 300#, RF, Outer Ring CS & Inner Ring SS, 4.5mm thick, ASME B16.20 - Спирально-навигая прокладка	Pce	7,00		



92	040.009.04350	Insulation kit for flange 2 in RF 300# c/w: - Vòng đệm/ Прокладка	Insulation kit for flange 2 in RF 300#, Type F c/w: - 1/8" thk. plated stainless steel washer, Xylan Fluorocarbon coated (16 pcs); - 1/8" thk. insulating washer, Glass reinforced epoxy resin G10 (16 pcs); - 1/32" thk. Full length insulating sleeve, Glass reinforced epoxy resin G10 (8 pcs); - 1/8" thk. insulating gasket with Teflon sealing ring (suitable for Raised face flanges), Seal material - PTFE, Insulating gasket - Glass reinforced epoxy resin G10 (2 pcs)	Set	1,00	
93	061.003.02029	Studbolts w/2 hex. nuts, ASTM A193-B7/ A194-2H, SermaGard coated, ASTM F1428, ASME B18.2.1/ B18.2.2, M30, 205mm, 1 1/8 in - Шпилька/ Бу лонг суốt	Studbolts 1 1/8 in w/2 hex. nuts, ASTM A193-B7/ A194-2H, Xylan fluorocarbon coated, ASME B18.2.1/ B18.2.2, M30, 205mm	Set	90,00	
94	061.003.01887	Studbolts M16 (5/8" UNC) x 100 mm w/2 hex. nuts, ASTM A193-B7/A194-2H, Xylan fluorocarbon coated, ASME B18.2.1/B18.2.2 - Шпилька	Studbolts 5/8" w/2 hex. nuts, ASTM A193-B7/ A194-2H, Xylan Fluorocarbon Coated, ASME B18.2.1/ B18.2.2, M16, 100mm	Set	48,00	
95	061.003.02245	Studbolts 3/4" UNC x 140 mm w/2 hex. nuts, ASTM A193 Gr.B7/ASTM A194 Gr.2H, ASME B18.2.1/B18.2.2, Galvanized and Xylan fluorocarbon coated - Шпильки	Studbolts 3/4" w/2 hex. nuts, A193-B7/ A194-2H, Xylan Fluorocarbon Coated, ASME B18.2.1/ B18.2.2, M20, 140mm	Set	8,00	
96	061.003.02305	Stud bolt 3/4" - 125 mm long - шпилька	STUDBOLTS 3/4" x 125 MM W/2 HEX. NUTS ASTM A193 GR.B7/ASTM A194 GR.2H ASME B18.2.1/B18.2.2 GALVANIZED AND XYLAN FLUOROCARBON COATED	Set	78,00	
97	061.003.02249	Studbolts 7/8" UNC x 125 mm w/2 hex. nuts, ASTM A193 Gr.B7/ASTM A194 Gr.2H, ASME B18.2.1/B18.2.2, Galvanized and Xylan fluorocarbon coated - Шпильки	Studbolts 7/8" x 125 w/2 hex. nuts, ASTM A193 Gr.B7/ASTM A194 Gr.2H, ASME B18.2.1/B18.2.2, Galvanized and Xylan fluorocarbon coated	Set	12,00	
98	061.003.01893	Studbolts M24 (7/8" UNC) x 150 mm w/2 hex. nuts, ASTM	Studbolts M24 (7/8" UNC) x 150 mm w/2 hex. nuts, ASTM A193-B7/A194-2H, Xylan fluorocarbon coated, ASME	Set	72,00	



		A193-B7/A194-2H, Xylan fluorocarbon coated, ASME B18.2.1/B18.2.2 - Шпилька	B18.2.1/B18.2.2			
99	061.008.01306	U-bolts guide (PS-06) M10 (ø3/8") for pipe 1.1/2" - Хомуты	M10 (ø3/8"), U-bolts guide (PS-06) for pipe 1 1/2" - 01 U-bolt ASTM A36, hot-dip galvanized and PTFE coated, insulated with Polyolefin Polyshrink to nuts, dimensions are based on "Nu-Bolt" Engineering; - 04 nuts ASTM A36, hot-dip galvanized and PTFE coated, - 3mm thk. plated steel washer, hot-dip galvanized and PTFE coated, (04 pcs); - 3mm thk. insulating washer, PTFE or Glass reinforced epoxy resin G10 (04 pcs); - 02 pcs Isolated bushing, PTFE or Glass reinforced epoxy resin G10; - 01 Half round I-rod Pad (non-gripping), 12.5mm thk., Teflon pad (White) Maximum Operating Temperature 95°C; Weight Load on the I-rod at each Pipe Support : 550kg	Set	1,00	
100	061.008.01231	U-bolts guide (PS06) for pipe 6" c/w: (see Long description) - Хомут/ Đại kẹp ống	M14 (ø1/2"), U-bolts guide (PS-06) for pipe 6" - 01 U-bolt ASTM A36, hot-dip galvanized and PTFE coated, insulated with Polyolefin Polyshrink to nuts, dimensions are based on "Nu-Bolt" Engineering; - 04 nuts ASTM A36, hot-dip galvanized and PTFE coated; - 3mm thk. plated steel washer, hot-dip galvanized and PTFE coated, (04 pcs); - 3mm thk. insulating washer, PTFE or Glass reinforced epoxy resin G10 (04 pcs); - 02 pcs Isolated bushing, PTFE or Glass reinforced epoxy resin G10; - 01 Half round I-rod Pad (non-gripping), 12.5mm thk., Teflon pad (White) Maximum Operating Temperature 83°C; Weight Load on the I-rod at each Pipe Support : 1640kg	Set	5,00	
101	061.008.01358	U-bolt for pipe 10" - Хомут	M20 (ø3/4"), U-bolts guide (PS-06) for pipe 10" - 01 U-bolt ASTM A36, hot-dip galvanized and PTFE coated, insulated with Polyolefin Polyshrink to nuts, dimensions are based on "Nu-Bolt" Engineering; - 04 nuts ASTM A36, hot-dip galvanized and PTFE coated; - 3mm thk. plated steel washer, hot-dip galvanized and PTFE coated, (04 pcs); - 3mm thk. insulating washer, PTFE or Glass reinforced epoxy resin G10 (04 pcs); - 02 pcs Isolated bushing, PTFE or Glass reinforced epoxy resin G10; - 01 Half round I-rod Pad (non-gripping), 19 mm thk., Teflon pad (White) Maximum Operating Temperature 83°C; Weight Load on the I-rod at each Pipe Support : 2460kg	Set	3,00	



102	061.008.01232	U-bolts guide (PS06) for pipe 8" c/w: (see Long description) - Xomuy/ Đại kẹp ống	M16 (ø5/8"), U-bolts guide (PS-06) for pipe 8" - 01 U-bolt ASTM A36, hot-dip galvanized and PTFE coated, insulated with Polyolefin Polyshrink to nuts, dimensions are based on "Nu-Bolt" Engineering: - 04 nuts ASTM A36, hot-dip galvanized and PTFE coated; - 3mm thk. plated steel washer, hot-dip galvanized and PTFE coated, (04 pcs); - 3mm thk. insulating washer, PTFE or Glass reinforced epoxy resin G10 (04 pcs); - 02 pcs Isolated bushing, PTFE or Glass reinforced epoxy resin G10; - 01 Half round I-rod Pad (non-gripping), 12.5mm thk., Teflon pad (White) Maximum Operating Temperature 83°C; Weight Load on the I-rod at each Pipe Support : 1640kg	Set	6,00	
103	038.010.07835	Seamless pipe 8" Sch 40 BE API 5L, Gr. B, 6 m per length - Ống thép đúc / Стальная труба	Ống thép đúc 8" Sch: 40. Kích thước: API 5L / ASME B36.10M, 6000 mm dài Tiêu chuẩn: API 5L PSL 1. Cấp vật liệu: API 5L PSL 1 Gr. B (hoặc tương đương)	Kg	1.021,20	
104	038.010.07836	Seamless pipe 10" Sch 40 BE API 5L, Gr. B, 6 m per length - Стальная труба	Seamless pipe Size:OD: 273.05 mm, Nominal Pipe Size: 10 Inch Schedule: 40, Wall Thickness: 9.27 mm Standard specification: API 5L PSL 1 Material Standard: API 5L PSL 1 Grade B Dimension: API 5L/ ASME B36.10M; End preparation: Beveled End 6 meters per length	Kg	361,74	
105	038.014.00753	Seamless Pipe 1 1/2" Sch 80S, PE, ASTM A312-TP316, ASME B36.19, Smls., 6m per length - Трубы нержавеющей	SEAMLESS PIPE 1 1/2" , ASTM A312-TP316 SCHEDULE: 80S, DIMENSION: ASTM A312/ ASME B36.19M 6 METERS PER LENGTH	Kg	32,46	
106	038.010.06857	Pipe 16", S-STD, BE - Стальная труба 16", S-STD, BE,	ASTM A106-B, ASME B36.10, Seamless, 6m per length	Kg	559,62	
107	038.010.07191	PIPE, METALLIC, CARBON STEEL, ASTM A106, GR.B, API 5L, SEAMLESS, 17.48 MM, OD:610 MM, 24 INCH - Трубы/ Ống thép	PIPE, METALLIC, MATERIAL:CARBON STEEL, MATERIAL STANDARD:ASTM A106, MATERIAL GRADE:GR.B, DIMENSIONAL STANDARD:ASTM A106, METHOD OF MANUFACTURE:SEAMLESS/ROLLED, WALL THICKNESS: 17.48 MM, SIZE:OD:610 MM, NOMINAL PIPE SIZE:24 INCH	Kg	846,72	
108	038.010.05494	PIPE, METALLIC, CARBON STEEL, ASTM A106, GR.B, ASME B36.10, SEAMLESS, 3.91 MM, OD:60.3 MM, 2	SMLS Pipe ASME B36.10M, 2" Sch 40, Material: ASTM A-106 Gr. B, Unit Weight: 5.44 kg/m.	Kg	135,00	



		INCH - Ống thép/ Труба			
109	037.021.00671	Steel plate б=10мм ASTM A36 - Thép tấm/ Сталь листовая	ASTM A36 (10x1500x6000 mm)	Kg	314,00
110	037.016.00622	Channel C150x75x9 ASTM A36 - Thép chữ U/ Швеллер	CHANNEL C 150 x 75 x 9 STANDARD SPECIFICATION: ASTM A36 6 METERS PER LENGTH	Kg	288,00
111	037.016.00623	Channel C100x50x5 ASTM A36 - Thép chữ U/ Швеллер	Channel C100x50x5mm ASTM A36 or Equivalent, L=6m	Kg	114,00
112	037.018.16568	Equal Angle bar L75x75x6mm, ASTM A36 - Уголок стальной	Equal Angle bar L75x75x6mm, ASTM A36	Kg	41,10
113	037.018.16386	Уголок–Thép góc-Equal Angle Bar L50 x 50 x 5 mm	Thép góc/ Equal Angle Bar L50 x 50 x 5 mm, ASTM A36	Kg	103,00



LD VIỆT – NGA VIETSOVPETRO

TECHNICAL REQUIREMENTS
ТЕХНИЧЕСКИЕ ТРЕБОВАНИЯ
YÊU CẦU KỸ THUẬT

V/v: Cung cấp “Thiết bị, Vật tư cho Nâng cấp hệ thống đo dầu và khí trên BK5, CTP2, RP3”

Обеспечение “Оборудование для модернизации системы учета нефти и газа на BK5, CTP2, RP3”.

Provision of “Material and equipment for the modernization of the oil metering system at BK5, CTP2, RP3”

1. MỤC ĐÍCH VÀ PHẠM VI SỬ DỤNG – ЦЕЛЬ И ОБЪЕМ ПРИМЕНЕНИЯ – PURPOSE AND SCOPE OF USE:

1.1. Mục đích sử dụng– Цель использования – Purpose.

- Nhằm cung cấp “Thiết bị, Vật tư cho Nâng cấp hệ thống đo dầu và khí trên BK5, CTP2, RP3”, sau đây gọi là “hàng hóa”.
- Обеспечение “Оборудование для модернизации системы учета нефти и газа на BK5, CTP2, RP3 “Товары”.
- Provision of “Material and equipment for the modernization of the oil metering system at BK5, CTP2, RP3”, hereafter is “the Goods”

1.2. Điều kiện môi trường sử dụng - Прикладная среда – Applied environment

- Hàng hóa phải phù hợp với điều kiện môi trường biển trong ngành công nghiệp dầu khí.
Товары должны подбираться с учетом морских условий и нефтегазовой отрасли.
The Goods are required to be tallied with offshore condition and Oil & Gas Industry field.

2. CÁC YÊU CẦU CHUNG ĐỐI VỚI HÀNG HÓA – ОБЩИЕ ТРЕБОВАНИЯ К ТОВАРАМ - GENERAL REQUIREMENTS FOR GOODS:



2.1. Tình trạng hàng hóa - Состояние товара - Condition of goods.

- Hàng hóa phải mới 100%, chưa qua sử dụng.
Товары должны быть на 100% новыми, неиспользованное.
The Goods must be 100% brand new, unused.

2.2. Năm sản xuất - Год выпуска - Year of Manufacture:

- Hàng hóa được sản xuất năm 2025 hoặc sau đó.
Товары должны быть произведены в 2025 году или позже.
The Goods must be manufactured in 2025 or later.

2.3. Các yêu cầu cơ bản đối với hàng hóa - Основные требования к товарам- Basic requirements of goods.

- Trong Hồ sơ dự thầu, Hàng hoá phải chỉ rõ tên hàng hóa, mô tả/đặc tính kỹ thuật, Model/Part number, tên nhà sản xuất và xuất xứ, phải thể hiện các tiêu chuẩn quốc gia, quốc tế phù hợp mà nhà sản xuất áp dụng cho từng mục hàng hóa (không có thông tin hoặc thông tin chung chung kiểu như “hoặc bằng”, “hoặc tương đương” sẽ không được chấp nhận).

Товары должны быть четко обозначены: название, описание товаров, номер модели/детали, производитель и происхождение, они должны соответствовать соответствующим национальным и международным стандартам, которые производители применяют к каждой категории товаров для товаров, которые участник торгов предложил в тендерном предложении (информации нет). или любая информация, такая как «или равно», «или эквивалент», неприемлема).

The Goods are shown clearly Name, Description of Goods, Model/Part number, Manufacturer and Origin, must meet the relevant national and international standards that manufacturers apply to each category of goods for the items that the bidder offered in the Bidding Proposal (No information or any information such as “or equal”, “or equivalent” is not acceptable).

- Các đề xuất kỹ thuật phải phù hợp với từng mục hàng trong phần 3
Технические предложения должны соответствовать каждому пункту раздела 3
Technical proposals must be suitable for each item in section 3.

2.4. Thời hạn bảo Hành - Гарантия - Warranty:

- Tất cả hàng hóa được bảo hành 18 tháng kể từ ngày giao hàng hoặc 12 tháng kể từ ngày nghiệm thu lắp đặt, tùy điều kiện nào đến trước.

Все товары должны быть снабжены гарантийным сертификатом на 18 месяцев с момента доставки или 12 месяцев после завершения ввода в эксплуатацию, в зависимости от того, что наступит раньше.

All of the goods shall be furnished with Warranty Certificate for 18 months from the delivery time or 12 months after commissioning completion, whichever comes first.

3. YÊU CẦU VỀ KỸ THUẬT, CÔNG NGHỆ ĐỐI VỚI VẬT TƯ - ТЕХНИЧЕСКИЕ И ТЕХНОЛОГИЧЕСКИЕ ТРЕБОВАНИЯ К МАТЕРИАЛАМ - TECHNICAL AND TECHNOLOGICAL REQUIREMENTS FOR MATERIALS:

- Các đề xuất kỹ thuật phải phù hợp với từng mục hàng trong Phụ lục I



Технические предложения должны подходить по каждому пункту Приложения I
 Technical proposals must be suitable for each item in Appendix I_ Technical Specification.

- Nhà thầu có thể chào hàng tương đương với hàng hoá có đặc tính được ghi trong danh mục đặt hàng Phụ lục I
 Участник торгов может предложить товары, эквивалентные товарам, имеющим спецификации, указанные в списке заказов в Приложении I
 The bidder may offer goods equivalent to those with the specification listed in the order list in Appendix I

4. NHÀ SẢN XUẤT, XUẤT XỨ HÀNG HÓA - ПРОИЗВОДИТЕЛЬ И ПРОИСХОЖДЕНИЕ ТОВАРА - MANUFACTURER AND ORIGIN OF GOODS.

4.1. Danh sách nhà sản xuất được đề xuất - Список рекомендуемых поставщиков - Recommended Manufacturer List:

Danh sách chi tiết nhà sản xuất được đề xuất như sau - Подробный список рекомендуемых поставщиков должен быть приведен ниже - Detail the recommended manufacturer list shall be as below:

No.	Description	Level 1	Level 2
1	OPTICAL FLOW SENSORS	Not application	
2	DIFFERENTIAL PRESSURE TRANSMITTER, PRESSURE TRANSMITTER, TEMPERATURE TRANSMITTER	Yokogawa •Rosemount (Emerson) •Endress+Hauser •ABB •Siemens •Krohne	•Emerson Process •Honeywell •E&H
3	JUNCTION BOX	Bartec •Technor Italsmea •Weidmuller •Cortem •Cooper Crouse hinds (Eaton) •Killark •Hawke •Rose	•Abtech •Appleton (Emerson) •Hoffman •Rittal •Phoenix contact •Legrand
4	CABLE LADDER/ TRAY/ CHANNEL	Ogleand •Ackron •B-line (Eaton) •GK •Kensteel •M*Rak (Tristar) •Sáng Tạo	•Enduro Composites •Intralink •Mita •Tristar
5	CABLE, INSTRUMENT	•Draka •General cable •Lapp Kabel	Teldor •Cables International (Jebsen & Jessen) •ZTT



		LS cable •TMC •Untel •Cables International •Prysmian •Amer Cables	
6	CABLE GLAND, INSTRUMENT	Hawke •Supermec •Peppers •CMP •Cortem, •Weidmuler •Crouse-Hinds •Bartec •Peppers	•Cortem •Weidmuler •Crouse-hinds •Thomas & Betts
7	BARRIER / ISOLATOR, SAFETY	Pepperl+Fuchs •Phoenix Contact •Weidmuller •MTL •Stahl	• IMI Sensor (PCB Piezotronics)
8	CABLE LUGS/PIN, CABLT TIE, CABLE MARKER	Hawke •Swagelok •Peppers •CMP •Cortem •Weidmuler •Klauke •Panduit •Band-It	•Burndy •Phoenix contact •Thomas & Betts •MHD
9	TUBING, FITTINGS	Swagelok •Parker •Sandvik •Fujikin •Fitok •Hamlet	
10	MANUAL VALVES	SRI •Insvalves •Valland •Topvalve •ICL •Keysung Metal •Alco •Erreesse •Bel Valve •Visvana •SAMI (WIKA) •Invalves FLV •S&W •Zavero	•Valve Engineering Services (VES) •General Valve



		Broady •Keysung Metal •Hanyang •DongKang Metal Valve •Technical SRL •Hawk Valve	
11	PIPE FITTINGS & FLANGES	PFC •SBC •Sam Sung Fitting •UMA •ST Eng. •DHF •KMC •Kangsung Flange (KSF) •SK Bend • Hyup Sung Metal (HSM)	
12	BOLT, STUD, NUTS	Tristar •Beck Crawford •Chinyuan •Seng Heng •LoneStar •Lianseng •ABN • DYNO Engineering Edge	•Mastercoat /Tristar •Rollstud •Southern Tristar •Steadfast
13	GASKETS	Karmsund •ConSeal •Flexiteck •Wolar •Foritex •Galperti •Klinger •Smith Gaskets	
14	PIPING	V & M •NSSMC •Bentler •Tenaris •Turbos •EEW •SeAH •Dongyang •Nippon Steel •Van Leeuwen •JFE Steel •Tubacex	•G. Fiori •JFE Steel Corp •Kawasaki •Mitsui •Soon Supply •Sumitomo
15	OTHERS	Not application	



- Trong trường hợp nhà thầu đề xuất nhà sản xuất thiết bị (hàng hóa) không thuộc Recommended Vendor List thì nhà thầu phải cung cấp thêm thông tin về năng lực của nhà sản xuất: catalogue, profile, các hợp đồng cung cấp thiết bị tương đương và các thông tin cần thiết khác để xem xét, đánh giá.

В случае предложения Претендентом производителя оборудования (товара), не входящего в Реестр рекомендуемых поставщиков, подрядчик должен предоставить дополнительную информацию о возможностях производителя: каталог, профиль, договоры поставки и другую необходимую информацию для рассмотрения и оценки.

In the case that the Bidder proposes an equipment (goods) manufacturer not included in the Recommended Vendor List, the contractor must provide additional information regarding the manufacturer's capabilities: catalog, profile, supply contracts and other necessary information for consideration and evaluation.

4.2. Recommended country of Origin:

- Không áp dụng – Не применимо - Not application

5. THỜI GIAN VÀ ĐỊA ĐIỂM GIAO HÀNG - СРОКИ И МЕСТО ДОСТАВКИ - TIME AND LOCATION OF DELIVERY:

5.1. Thời gian giao hàng - Срок поставки - Delivery time:

- Trong vòng 22 tuần cho nhóm I, II và 16 tuần cho các nhóm III, IV, V, VI, VII, VIII kể từ ngày ký hợp đồng.

В течение 22 недель для группы: I, II и 16 недель для групп III, IV, V, VI, VII, VIII со дня подписания договора.

During 22 weeks for group I, II and 16 weeks for groups III, IV, V, VI, VII, VIII from the day of signing the contract.

5.2. Địa điểm giao hàng - Место поставки - Delivery address

- Tất cả hàng hóa được giao tại kho của VSP, địa chỉ 67 đường 30/4, phường Rạch Rủ, Tp.Hồ Chí Minh, Việt Nam.

Все товары должны быть доставлены на склад VSP, №67, улица 30/4, квартал Рач Руа, г. Хошимин, С.Р. Вьетнам.

All GOODS shall be delivered at VSP's warehouse, No.67, 30/4 Road, Rach Rua Ward, Ho Chi Minh City, S.R Viet Nam

5.3. Số lần giao hàng - Количество поставок - Number of shipments:

- Tối đa 2 lần _ Максимум 02 (две) отправок _ Maximum 02 (two) shipment.
- 01 lần cho mỗi nhóm hàng - Максимум 1 отправка для каждой - 01 time for each Group.

6. YÊU CẦU VỀ SỐ LƯỢNG VÀ ĐÓNG GÓI HÀNG HÓA - КОЛИЧЕСТВО И УПАКОВКА ТОВАРОВ - QUANTITY AND PACKAGING:

6.1. Số lượng vật tư - Количество товара - Quantity of goods:

- Cung cấp đủ số lượng như trong “DANH MỤC- СПЕЦИФИКАЦИЯ” của Hồ sơ mời thầu.



Поставить достаточное количество в « DANH MỤC - СПЕЦИФИКАЦИИ» тендерной документации.
Supply sufficient quantities in the “DANH MỤC - СПЕЦИФИКАЦИИ” of the tender documentation.

6.2. Đóng gói hàng hóa – Упаковка – Packaging:

- Vật tư được đóng gói theo tiêu chuẩn của nhà chế tạo, thuận tiện cho việc vận chuyển và bảo quản. Trên hàng hóa cần ghi rõ tên Nhà sản xuất/nhãn hiệu thương mại, ...
Материалы должны быть упакованы по стандарту производителя, это удобно при транспортировке и хранении. На упаковке должно быть полностью отображено название производителя / товарный знак,
The materials should be packaged according to manufacturer's standard, it is convenient for transportation and storage. There must be fully displayed of Manufacturer's name/Trademark, ... on the package
- Hàng hóa được đóng gói không bị hư hỏng trong quá trình vận chuyển.
Гарантировать сохранность товаров в процессе транспортировки.
Ensure the safety of goods during transportation

7. YÊU CẦU VỀ TÀI LIỆU KỸ THUẬT - ТРЕБОВАНИЯ К ТЕХНИЧЕСКОЙ ДОКУМЕНТАЦИИ - TECHNICAL DOCUMENTATION REQUIREMENTS:

7.1. Yêu cầu tài liệu kỹ thuật giai đoạn đấu thầu - Требования к технической документации на этапе тендера - Technical document, catalogs requirement for bidding stage:

Nhà thầu phải nộp đầy đủ các tài liệu kỹ thuật như một phần của hồ sơ chào thầu và với các yêu cầu tối thiểu như sau:

Участнику торгов предлагается предоставить полную техническую документацию как часть его тендерного документа и минимальные требования, указанные ниже:

BIDDER is requested to submit a complete of Technical Documentations as a part of its bid document and the minimum requirements as below:

Item	Certificates	Group I	Group II	Group III	Group IV	Group V	Group VI	Group VII	Group VIII
1.	Scope of supply with detailed model or part number, manufacturer, Origin and quantity (No information or any information such as “or equal”, “or equivalent” is not acceptable).	X	X	X	X	X	X	X	X
2.	Manufacturer datasheet, specification or filled datasheet (as VSP's form) that shown the detailed specification stamped and signed by manufacturer.	X	X	X					
3.	Equipment Catalog with highlight specification, model, part number	X	X			X	X		



4.	Equipment General Arrangement drawing (dimension of equipment)	X	X		X		X		
5.	Corrosion Test Report according to ASTM B117 or equivalent (Sample).				Items 49 ÷ 57				
6.	Certificates of Explosion protection, Ingress Protection issued by third party (Where applicable) (copy)	X	Items 3 ÷ 8						
7.	Type Approval Certificate or Test Certificate issued by Third party (copy)			Items 11 ÷ 14					
8.	A copy of valid certificate of Authority to use the Official API Monogram, issued by API to the manufacturer (copy)								Items 103 ÷ 108

NOTE:

- Участник тендера должен предоставить каталог производителя, спецификацию, техническое описание или сертификаты/отчет, в которых указано, что оборудование подходит для установки на платформе/море. Участник тендера должен предоставить каталог производителя, спецификацию, техническое описание или сертификаты/отчет, в которых указано, что оборудование подходит для установки на платформе/море. - Bidder to submit manufacturer's catalog, specification, datasheet or certificates / report which indicate the equipment are suitable for platform/ marine installation.
- Символ (X) в таблице выше означает «Да», требуется подача заявки на участие в торгах./ The symbol (X) in the table above is “Yes” required submission for Bidding
- В технической документации должно быть указано название и логотип производителя, а также указана ссылка на продукцию на сайте производителя./ Technical documentations must have the name and the logo of manufacturer and supply the link of the products on the website of manufacturer.

7.2. Yêu cầu tài liệu kỹ thuật khi giao hàng - Требования к технической документации при доставке - Request for technical documentation upon delivery:

- Tài liệu hướng dẫn vận hành/ lắp đặt cho hàng hóa của nhà sản xuất cho các mục 1 Руководства по эксплуатации/ установке товара, выданные производителем для позиций 1.
Operation/ installation manuals of the goods issued by the manufacturer for items 1.

8. YÊU CẦU VỀ CHỨNG CHỈ - ТРЕБОВАНИЯ К СЕРТИФИКАТАМ ТОВАРОВ
- REQUIREMENTS FOR CERTIFICATES OF THE GOODS:

- Tất cả các chứng chỉ liên quan phải được xác nhận hoặc cam kết cung cấp và nộp trước khi giao hàng, nhưng không giới hạn ở những điều sau:
Все соответствующие сертификаты должны быть подтверждены или подтверждены для предоставления и представления перед доставкой, но не ограничиваются следующим:



All relevant certificates must be confirmed or committed to provide and to be submitted before delivery, but not limited to the following:

No.	Certificates	Group: I, II	Group: III, IV	Group: V ÷ VIII
1	Certificate of quality, quantity (CQ/eCQ) issued by Manufacturer/ manufacturer's branch	Original/ Electronic original with link to check	Original/ Electronic original with link to check/ Copy with stamp of importer	Original/ Electronic original with link to check/ Copy with stamp of importer
2	Certificate of Origin (CO/ eCO) issued by the competent authority of Manufacturer's country or exporter's country	Original/ Electronic original with link to check	Original/ Electronic original with link to check/ Copy with stamp of importer	Original/ Electronic original with link to check/ Copy with stamp of importer
3	Calibration report / test report issued by manufacturer	Item 3 ÷ 8: Original or Certified copy by Manufacturer		
4	Certificates of Explosion protection, Ingress Protection issued by third party (Where applicable)	Certified copy by Manufacturer		
5	Material certificate in accordance with EN 10204 Type 3.1 issued by manufacturer	Original/ Copy with stamp of importer, (except item 2)		Original/ Copy with stamp of importer
6	Corrosion Test Report according to ASTM B117 or equivalent			Items 49 ÷ 57: Original/ Copy with stamp of importer
7	Pressure test certificate in accordance with API 6D, API 598 issued by manufacturer.			Items 58 ÷ 62: Original/ Copy with stamp of importer
8	Fire safe certificate issued by manufacturer			Items 58 ÷ 62: Original/ Copy with stamp of importer
9	Warranty Certificate issued by Bidder	Original	Original	Original

Note:

- Đối với các mặt hàng được nhà thầu nhập khẩu theo hạn ngạch (Quota) của Vietsovpetro, bắt buộc phải cung cấp bản gốc chứng chỉ xuất xứ (CO) của hàng hóa. Для товаров, импортируемых подрядчиком по квоте Вьетсовпетро, необходимо предоставить оригинал сертификата происхождения (CO).

With items imported by the contractor under Vietsovpetro's import quota, the original Certificate of Origin (CO) must be provided

9. PHƯƠNG PHÁP ĐÁNH GIÁ - МЕТОДЫ ОЦЕНКИ - EVALUTION METHODS:



- Các đề xuất kỹ thuật sẽ được đánh giá là Đạt hoặc Không Đạt dựa các Tiêu chí đánh giá kỹ thuật kèm theo - Технические предложения будут оцениваться как соответствующие или не соответствующие на основе прилагаемых технических критериев - The technical proposals will be evaluated as PASS or FAIL based on the attached Technical Evaluation Criteria.
- Việc đánh giá sẽ theo từng nhóm hàng hóa và có bất cứ mục hàng nào trong nhóm không đạt thì nhóm hàng đó sẽ không đạt yêu cầu.
Оценка будет проводиться для каждой группы, и если какой-либо элемент в группе не будет выполнен, вся группа будет считаться не прошедшей.
Evaluation will be conducted for each group, and if any item within the group fails, the entire group will fail.
- Nhà thầu có thể chào từng nhóm hoặc tất cả các nhóm hàng nhưng bắt buộc phải chào đủ số lượng của tất cả các mục hàng trong mỗi nhóm hàng
Участник торгов может предложить цену каждой группы или все группы, но участник торгов должен указать достаточное количество всех товаров в каждой группе.
Bidder can quote each Group or all Groups but Bidder must quote enough quantity of all items in each Group.
- Đơn hàng bao gồm 8 nhóm hàng hóa: Nhóm I (mục 1), nhóm II (các mục 2 ÷ 8), nhóm III (các mục 9 ÷ 29), nhóm IV (các mục 30 ÷ 44), nhóm V (các mục 45 ÷ 57), nhóm VI (các mục 58 ÷ 62), nhóm VII (các mục 63 ÷ 102), nhóm VIII (các mục 103 ÷ 113).
Заказ включает в себя 8 группы товаров: Группа I (пункт 1), Группа II (пункты 2 ÷ 8), Группа III (пункты 9 ÷ 29), Группа IV (пункты 30 ÷ 44), Группа V (пункты 45 ÷ 57), Группа VI (пункты 58 ÷ 62), Группа VII (пункты 63 ÷ 102), Группа VIII (пункты 103 ÷ 113).
The order includes 8 groups of goods: Group I (item 1), Group II (items 2 ÷ 8), Group III (items 9 ÷ 29), Group IV (items 30 ÷ 44), Group V (items 45 ÷ 57), Group VI (items 58 ÷ 62), Group VII (items 63 ÷ 102), Group VII (items 103 ÷ 113).

10. PHỤ LỤC – ПРИЛОЖЕНИЕ - APPENDIX

- *Appendix I_ TECHNICAL SPECIFICATION*



I. Appendix I_ TECHNICAL SPECIFICATION

No.	Name, Description	Long description, Specification	Unit	Note
1	2	3	4	5
I	Group I			
1.	Optical flow sensors system for Flare, Instrument Range: 0.03 to 100 m/sec; - Система оптических датчиков потока для факела	OPTICAL FLOW SENSORS SYSTEM FOR FLARE Service: Hydrocarbon Gas; TRANSDUCER, SENSOR Type: Optical Scintillation; Material: MfrStd (316 SS pref.); Protection: MfrStd, fit to - Zone 2 IIA T3, IP56 min; Mounting: Flange 4-inch, #300 (ANSI); TRANSMITTER, COMPUTING PANEL Type: Digital Signal Processing (DSP) to measure the movement found in a gaseous flow stream; Instrument Range: 0.03 to 100 m/sec; Calibrated Range: 0 - 5 500 000 Sm3/d; Accuracy: 2 % of Reading; Output signal: 2x 4-20 mA HART (2-wire), RS-232; Power supply: 220 V AC, 50 Hz; Sensor Cables: YES, 10 m, MfrStd; Housing Type: Outdoor, Wallmount; Housing Material: MfrStd (316 SS pref.); Protection: MfrStd, fit to - Zone 2 IIA T3, IP56 min; Safety Level: N/A; ACCESSORIES Nameplate: 316 SS; Tagname: CPP2-FE/FIQR-1701, RP3-FE/FIQR-1701 Thermal Activator c/w Extraction Chamber; Active Purge Fittings c/w Rotameters; Refer to datasheet CPP2-291-IA2-DS-003, RP3-238-IA2-DS-003 for more detail	Set	
II	Group II			



No.	Name, Description	Long description, Specification	Unit	Note
2.	Orifice Plate 8", 300#, RF; Concentric, square edged - Дифрагма	ORIFICE PLATE AND FITTING Service: Hydrocarbon Gas ORIFICE FITTING: N/A ORIFICE FE-401 Type: Concentric, square edged; Material: 316SS, tagname: BK5-FT-401 Refer to datasheet BK5-086-TS-IA2-DS-003 for more detail	Pce	
3.	Differential Pressure Transmitter c/w Integral Manifold Valve - Дифференциальный преобразователь давления с интегрированным вентильным блоком,, C, Calibrated range: 0- 600 mbar	Differential Pressure Transmitter Service: Oil Water Gas Mixture TRANSMITTER Type: Differential Pressure Flow Transmitter; Instrument range: 0- 1600 mbar (VTA); Calibrated range: 0-600 mbar; Element type/material: Diaphragm / Hastelloy C-276 ; Over-range protection: 1.3 times; Output: 4-20 mA, HART; Accuracy: At least 0.05 % of calibrated span; Safety Level: SIL2; HOUSING EX-d, IP-56 min, 316 SS; Power supply: 24 V DC Loop Powered; Local LCD meter; Process connections: 1/2" FNPT; Electrical connection: 1/2" FNPT, standard terminal block; Local configuration: Zero and Span COMPLETED WITH 5-Valves (Block, Vent, Equalize), Coplanar Style, Integral to Transmitter, 316 SS, 1/2" NPT c/w 316SS plugs for vent Rating: 3000 psig @200 degF (206 bar @ 93 degC) ACCESSORIES Mounting bracket for 2-inches pipe, 316 SS, c/w bolts and nuts (Refer to datasheet DPT for more detail)	Set	
4.	Pressure Transmitter Assembly: 0-40 barg (VTA); Wetted part Material: SS316; Calibrated span: 0-40 barg; Certified to SIL-2 - Bộ cảm biến áp suất/ đầu dò áp suất	Pressure Transmitter Assembly General: - Marine tropical environment; Class 1 Zone 2, IP56 as minimum for outdoor area; - Service: HC Gas; Transmitter: - Instrument range 0-40 barg (VTA); - Calibrated span: 0-40 barg; - 4-20 mA, Smart, HART Protocol;	Set	



No.	Name, Description	Long description, Specification	Unit	Note
		- Accuracy: less or equal ± 0.25 % of calibrated span; - Wetted part Material: SS316; - Electronic housing: SS316; - EEx-d, IIA T3, IP-56 min; - Process connections: 1/2" NPT-M; - C/w: SS316 2- valve manifold 1/2" NPT-F x 1/2" NPT-F - Certified to SIL-2;		
5.	Pressure Transmitter Assembly; Instrument range: 0-16barg; Calibrated span: 0-10 barg; Wetted part Material: SS316; Certified SIL-2 as minimum; - Датчик давления	General: - Service: Utility Air; Transmitter: - Instrument range: 0-16barg; - Calibrated span: 0-10barg; - 4-20 mA, HART - Accuracy: ± 0.25 % of calibrated span; - Wetted part Material: SS316; - Electronic housing: SS316; - Ex-d, IIA T3, IP-56 min; - Process connections: 1/2" NPT-M; - C/w: SS316 2-valve manifold 1/2" NPT-F x 1/2" NPT-F - Certified SIL-2 as minimum.	Set	
6.	Temperature Transmitter Assembly, Instrument range: 0-100 °C; Accuracy: 0.1% of Full scale; SS316 flanged thermowell 2" 300# RF, U-length: 500mm, 1/2 NPT-F element connection - Датчик температуры в сборе	TEMPERATURE TRANSMITTER Service: Hydrocarbon Gas; SENSOR Type: 3-Wire RTD, PT-100 ($\alpha=0.00385$), Mineral Insulated; Stem: 316 SS, diameter and length suit to the thermowell; Process connection: 1/2" MNPT; TRANSMITTER Instrument range: 0-100 degC (VTA); Calibrated range: 0-60 degC Output: 4-20 mA, HART, 2-wire; Accuracy: At least 0.1 % of calibrated span; Power supply: 24 V DC, Loop Powered; Mounted directly on the sensor; LCD local indication; HOUSING Ex d, IIA, T3, IP-56 min, 316 SS;	Set	



No.	Name, Description	Long description, Specification	Unit	Note
		Electrical connection: ½” FNPT, standard terminal block; THERMOWELL Type: Flanged 2-inch #300, RF; Material: 316 SS; Immersion length (dimension U): 500 mm; Instrument connection: ½” FNPT; ACCESSORIES Nameplate: 316 SS Refer to datasheet CPP2-291-IA2-DS-002 for more detail		
7.	Temperature Transmitter Assembly, Instrument range: 0-160 °C; Accuracy: 0.1% of Full scale; SS316 flanged thermowell 2” 300# RF, U-length: 240 mm, 1/2 NPT-F element connection - Датчик температуры в сборе	TEMPERATURE TRANSMITTER Service: Hydrocarbon Gas; SENSOR Type: 3-Wire RTD, PT-100 ($\alpha=0.00385$), Mineral Insulated; Stem: 316 SS, diameter and length suit to the thermowell; Process connection: ½” MNPT; TRANSMITTER Instrument range: 0-160 degC (VTA); Calibrated range: 0-100 degC Output: 4-20 mA, HART, 2-wire; Accuracy: At least 0.1 % of calibrated span; Power supply: 24 V DC, Loop Powered; Mounted directly on the sensor; LCD local indication; HOUSING Ex d, IIA, T3, IP-56 min, 316 SS; Electrical connection: ½” FNPT, standard terminal block; THERMOWELL Type: Flanged 2-inch #300, RF; Material: 316 SS; Immersion length (dimension U): 240 mm; Instrument connection: ½” FNPT; ACCESSORIES Nameplate: 316 SS, tagname: BK5-TT -401 Refer to datasheet BK5-086-TS-IA2-DS-001 for more detail	Set	



No.	Name, Description	Long description, Specification	Unit	Note
8.	Temperature Transmitter Assembly, Instrument range: 0-200 °C; Accuracy: 0.1% of Full scale; SS316 flanged thermowell 2" 300# RF, U-length: 250 mm, 1/2 NPT-F element connection - Датчик температуры в сборе	TEMPERATURE TRANSMITTER Service: Hydrocarbon Gas; SENSOR Type: 3-Wire RTD, PT-100 ($\alpha=0.00385$), Mineral Insulated; Stem: 316 SS, diameter and length suit to the thermowell; Process connection: 1/2" MNPT; TRANSMITTER Instrument range: 0-200 degC (VTA); Calibrated range: 0-60 deg C; Output: 4-20 mA, HART, 2-wire; Accuracy: At least 0.1 % of calibrated span; Power supply: 24 V DC, Loop Powered; Mounted directly on the sensor; LCD local indication; HOUSING Ex ia, IIA, T3, IP-56 min, 316 SS; Electrical connection: 1/2" FNPT, standard terminal block; THERMOWELL Type: Flanged 2-inch #300, RF; Material: 316 SS; Immersion length (dimension U): 250 mm; Instrument connection: 1/2" FNPT; ACCESSORIES Nameplate: 316 SS, tagname: RP3-TT-1701 Refer to datasheet RP3-238-TS-1A2-DS-002, rev 2 for more detail	Set	
III	Group III			
9.	Cable tray with cover, 50 x 50 x 3000 mm - Кабельный лоток перфорированный	Perforated heavy duty, Return Flange 180°, 316 SS, thickness 1.5 mm, shall c/w: - Tray cover, thickness 1mm; - Splice plate c/w bolts, nuts, washers; - Tray cover clamp c/w bolts, nuts, washers (if applicable); - All bolts, nuts and washers are self-locking type, 316 SS material - Straight Element (WxHxL): 50 x 50 x 3000 mm	Set	



No.	Name, Description	Long description, Specification	Unit	Note
10.	Cable Tray, Straight Element (WxHxL): 100 x 50 X 3000 mm - Кабельный лоток	Perforated heavy duty, Return Flange 180°, 316 SS, thickness 1.5 mm, shall c/w: - Tray cover, thickness 1mm; - Splice plate c/w bolts, nuts, washers; - Tray cover clamp c/w bolts, nuts, washers (if applicable); - All bolts, nuts and washers are self-locking type, 316 SS material (Bidder to advise the qty, size suitable for installation as above) - Straight element (WxHxL): 100 x 50 x 3000 mm	Set	
11.	Instrument Cable for Analog signals, 1P x 1.5 mm ² - Инструментальные кабель для аналоговых сигналов	INSTRUMENT CABLE FOR ANALOG SIGNALS Flame-retardant IEC 60332-3 Cat. A, Low Smoke emission IEC 61034, Halogen Free IEC 60754-1. Resistant to oil, alkali and sunlight; Suitable for marine, tropical condition IEC 60092-3; Design and construction: IEC-60092-376; Rated Voltage: 150/250V (300); Construction: Tinned annealed stranded copper wire as per IEC 60228, Class 2; Insulation: EP-Rubber to IEC 60092-360; Core: Color coded twisted pairs; Individual/Overall Screen: Aluminum backed polyester tape with stranded copper drain wire; Inner sheath: LSZH compound to IEC 60092-360; Armor: Tinned cooper wire braid; Outer sheath: Flame retardant to IEC 60332-3 Cat A, halogen free & mud resistant thermoset compound SHF Size: 1 PR x 1.5 mm², Gray	Metre	
12.	Instrument Cable for Analog signals, 4P x 1.5 mm ² , Blue - Инструментальный кабель для аналоговых сигналов	INSTRUMENT CABLE FOR ANALOG SIGNALS Flame-retardant IEC 60332-3 Cat. A, Low Smoke emission IEC 61034, Halogen Free IEC 60754-1. Resistant to oil, alkali and sunlight; Suitable for marine, tropical condition IEC 60092-3; Design and construction: IEC-60092-376; Rated Voltage: 150/250V (300); Construction: Tinned annealed stranded copper wire as per IEC 60228, Class 2; Insulation: EP-Rubber to IEC 60092-360; Core: Color coded twisted pairs;	Metre	



No.	Name, Description	Long description, Specification	Unit	Note
		Individual/Overall Screen: Aluminum backed polyester tape with stranded copper drain wire; Inner sheath: LSZH compound to IEC 60092-360; Armor: Tinned cooper wire braid; Outer sheath: Flame retardant to IEC 60332-3 Cat A, halogen free & mud resistant thermoset compound SHF Size: 4 PR x 1.5 mm2, Blue		
13.	Instrument Cable for Analog signals, 6PR x 1.5 mm2, Gray - Инструментальный кабель для аналоговых сигналов	INSTRUMENT CABLE FOR ANALOG SIGNALS Flame-retardant IEC 60332-3 Cat. A, Low Smoke emission IEC 61034, Halogen Free IEC 60754-1. Resistant to oil, alkali and sunlight; Suitable for marine, tropical condition IEC 60092-3; Design and construction: IEC-60092-376; Rated Voltage: 150/250V (300); Construction: Tinned annealed stranded copper wire as per IEC 60228, Class 2; Insulation: EP-Rubber to IEC 60092-360; Core: Color coded twisted pairs; Individual/Overall Screen: Aluminum backed polyester tape with stranded copper drain wire; Inner sheath: LSZH compound to IEC 60092-360; Armor: Tinned cooper wire braid; Outer sheath: Flame retardant to IEC 60332-3 Cat A, halogen free & mud resistant thermoset compound SHF; 6 PR x 1.5 mm2, Gray;	Metre	
14.	Power Cable_ Кабель силовой, 3C x 2.5 mm2 - Cáp nguồn	POWER CABLE 0,6kV/1kV, Flame retardant IEC 60332-3 Cat. A, Low Smoke emission IEC 61034, Halogen Free IEC 60754-1. Resistant to oil, alkali and sunlight, Type RFOU; Suitable for marine, tropical condition IEC 60092-3; Design and construction: IEC-60092-376; Rated Voltage: 0,6kV/1kV; Construction: Tinned annealed stranded copper wire as per IEC 60228, Class 2; Insulation: EP-Rubber to IEC 60092-360; Core: Color coded;	Metre	



No.	Name, Description	Long description, Specification	Unit	Note
		Inner sheath: LSZH compound to IEC 60092-360; Armort: Tinned cooper wire braid; Outer sheath: Flame retardant to IEC 60332-3 Cat A, halogen free & mud resistant thermoset compound SHF; CU/EPR(XLPE)/LSF(SHF2)/TCWB/SHF2; Outer color: BLACK; Size: 3Cx 2.5mm² 0.6/1 kV UX 1Cx 2.5mm² Earthing cable Standard Applied IEC 60502-1. Flame-retardant, halogen free, resistant to oil, alkali and sunlight Suitable for marine, tropical condition. Rated Voltage: 0,6kV/1kV Construction: Tinned annealed stranded copper wire, Class 2 Insulation: EP-Rubber Armort: NOT REQUIRED Outer color: GREEN/YELLOW Size: 1Cx 2.5mm²		
15.	Grounding Cable, 1C x 2.5 mm2 - Кабель заземления		Metre	
16.	Cable 1 x 1.5 mm2 , PVC, Color: RED - Провод монтажный красный	SINGLE CORE CONNECTION WIRE Rated Voltage: 0,6kV/1kV; Flame-retardant IEC-332-3A; Construction: Stranded annealed copper wire; Insulation: PVC; Flexible class: 5; Outer color: RED; Size: 1C x 1,5 mm2	Metre	
17.	Cable 1 x 1.5 mm2 ,PVC, Color: Black - Провод монтажный красный	SINGLE CORE CONNECTION WIRE Rated Voltage: 0,6kV/1kV; Flame-retardant IEC-332-3A; Construction: Stranded annealed copper wire; Insulation: PVC; Flexible class: 5; Outer color: BLACK; Size: 1C x 1,5 mm2	Metre	
18.	Cable 1 x 0.75 mm2 ,PVC - Провод монтажный красный	SINGLE CORE CONNECTION WIRE Rated Voltage: 0,6kV/1kV; Flame-retardant IEC-332-3A; Construction: Stranded annealed copper wire; Insulation: PVC;	Metre	



No.	Name, Description	Long description, Specification	Unit	Note
		Flexible class: 5; Outer color: GRAY; Size: 1C x 0,75 mm2		
19.	Junction box for outdoor and hazardous area, 6 input, 18 terminals, Exe IIA T3, IP56 min - Клеммная коробка для наружных и взрывоопасных зон	JUNCTION BOX (6 input), tagname: JB-A-1701 Suitable for outdoor, marine, tropical condition; Factory drilled and equipped; Dimensions (HxWxD): 200 x 200 x 200 mm; Door: Hinged Type with Neoprene Gasket; Material: 316L SS; Protection: Ex-e IIA T3 (IEC), IP56 min; Terminals: 2.5 mm2, 20 A, Qty. 18, Ex e (IEC); Terminals Installation: Rail Mounted, 01 row horizontal; C/w Cable Glands and Plugs according Datasheet CPP2-291-TS-IA2-DS-004	Set	
20.	Junction box for outdoor and hazardous area, 4 input, 12 terminals, Exe IIA T3, IP56 min - Клеммная коробка для наружных и взрывоопасных зон	JUNCTION BOX (4 input) Suitable for outdoor, marine, tropical condition; Factory drilled and equipped; Dimensions (HxWxD): 200 x 200 x 200 mm; Door: Hinged Type with Neoprene Gasket; Material: 316L SS; Protection: Ex-e IIA T3 (IEC), IP56 min; Terminals: 2.5 mm2, 20 A, Qty. 12, Ex e (IEC); Terminals Installation: Rail Mounted, 01 row horizontal; C/w Cable Glands and Plugs according Datasheet CPP2-291-TS-IA2-DS-004, RP3-238-TS-IA2-DS-003, BK5-086-TS-IA2-DS-004	Set	
21.	Cable Glands, 1/2" NPT - Кабельный ввод	Nickel-plated brass cable gland shall be dual certified Ex'd', Ex'e' suitable for Zone 2, IIA, T3 hazardous area applications. Compression type with a dia seal on the cable inner bedding and environmental seal on the cable outer sheath, minimum IP56 protection degree. Complete with sealing washer, earth tag and PVC shroud for cable with tinned copper wire braid	Set	
22.	Đầu vào cáp - Cable gland M20, Flameproof Exd IIC Gb, IP68 (OD: 11-16mm)/ Кабельный ввод M20	- Type: Double compression, Suitable for amou/braid and inner/outer sheath cable - Material: Electroless Nickel Plated Brass - Suitable to work with cables that exhibit "Cold Flow" characteristics - Flameproof certificate: Zone 1, EEx d II 2 GD, Gas Group IIC - Cable entry thread size / cable OD (min. - max) : 11 - 16 mm - Ingress protection: IP66 as minimum - c/w locknut, washer, earth tag, PVC shroud ... as manufacturer standard	Pce	



No.	Name, Description	Long description, Specification	Unit	Note
23.	Neoprene Rubber, 1.5 mm thickness - Изоляционный кембрик	Neoprene Rubber 1,5 mm (Thk); Density: 1.4 g/cm3; Dielectric strength: 14kV/mm; Color - Black	M2	
24.	Shoulder Washer, M6 - Плечевые шайбы	Shoulder Washer, Electrical-Insulating Sleeve M6, Thk. 2 mm, PTFE Plastic, (pack 100 pcs)	Set	
25.	Shoulder Washer _ - Плечевые шайбы, M10	Shoulder Washer, Electrical-Insulating Sleeve M10, Thk. 2 mm, PTFE Plastic, (pack 100 pcs)	Bag	
26.	Earth boss - Заземлитель-бобышка, M6 x 25mm DIA x 25mm LG	Mild steel/SS316 earthing boss 25mm(diameter)x25mm(height) with threaded hold. C/w bolt M6, nuts & plain washer.	Pce	
27.	Earthing Boss, 30-30-M10 - Точка заземления	Earthing Boss 30-30-M10, Mild Steel / 316 SS c/w M10 Stainless Steel Stud, Washers	Pce	
28.	Bolts & nuts: M10 x 40, SS316 c/w flat washer, spring washer- Болты и гайки M10 x 40, SS316 - Бу лонг dài ốc inox, SS316 kèm vòng đệm phẳng, vòng đệm vênh/Bолты с гайками, шайбами и ружинными шайбами из нержавеющей стали SS316	Bolts & nuts: M10 x 40, SS316 c/w flat washer, spring washer (pack 50 pcs)	Set	
29.	болт- Bulong-Bolts & Nuts M6x25,SS316 - Бу лонг kèm đai ốc Inox /Болты с гайками из нержавеющей стали SS316	M6x25 mm Bolt and Nuts c/w washers, 316 SS (pack 50 pcs)	Set	
IV	Group IV			
30.	Smart Analog Input repeater, dual channel - Интеллектуальный повторитель для аналоговых сигналов	Smart Analog Input repeater, • 2-channel isolated barrier • 24 V DC supply (bus powered) • 2-wire SMART transmitter • Output 4 mA ... 20 mA or 1 V ... 5 V • Low power dissipation	Pce	



No.	Name, Description	Long description, Specification	Unit	Note
		Up to SIL2 acc. to IEC 61508 Reference to ELCON 2026 or equivalent		
31.	FEED-THROUGH TERMINAL BLOCKS, 2.5 mm2, 24 A_ Прходные клеммные колодки	FEED-THROUGH TERMINAL BLOCKS 2.5 mm2, 24 A Refer to UT 2,5 PHOENIX or equivalent	Pce	
32.	FUSED TERMINAL BLOCKS 2.5 mm2, 6.5 A_ Клеммные колодки с предохранителем	FUSED TERMINAL BLOCKS 2.5 mm2, 6.5 A (NOMINAL), FUSE 0.5 A Refer to UT 4-HESI PHOENIX or equivalent	Pce	
33.	Pin type Ferrules (lugs), 0.75 mm2 - Кабельные наконечники	Compression type, insulated, for wire 0.75 mm2 (pack 100 pcs)	Bag	
34.	Pin Type Ferrules (lugs), 1.5 mm2 - Кабельные наконечники	Compression type, insulated, for wire 1.5 mm2 (pack 100 pcs)	Bag	
35.	Pin Type Ferrules (lugs), 1.5mm2 - Кабельные наконечники	Pin type Ferrules (lugs), Isolated, Crimping, Copper, for 1.5 mm2 copper wire, (pack 100 pcs)	Bag	
36.	Кабельный наконечник_ Pin type Ferrules (lugs), 2.5 mm2	"PIN TYPE FERRULES (lugs) Isolated, Crimping, for 2.5 mm2 copper core (pack 100 pcs)"	Bag	
37.	Кольцевой кабельный наконечник_ Ring Terminal M6, 6mm2	"RING TYPE FERRULES Copper, M6, Compression type, Copper for 2.5 mm2 copper wire, (pack 100 pcs)"	Bag	
38.	Tinned copper, PVC pre-insulated, fork type: Wire section: 1.5 - 2.5 mm2-Đầu cốt cáp - Кабельные наконечники	Fork type Ferrules M6, Compression type, Copper for 2.5 mm2 copper wire, (pack 100 pcs)	Bag	



No.	Name, Description	Long description, Specification	Unit	Note
39.	Cable Ties, 9 x 260mm - Кабельная стяжка	Cable Ties, Size 9 x 260 mm, Polyamide 6.6, UV stabilized (color black), flammability UL94 class V2, (pack 100 pcs)	Bag	
40.	Cable Marking, Set of number 0-9 - Маркировка кабельная	Numbers 0,1,2,3,4,5,6,7,8,9, each number 50 pcs	Set	
41.	Cable Marking, Set of Letter A,B,C,D,H,L,P,S,T,X,Y,Z - Маркировка кабельная	Letters A,B,C,D,H,L,P,S,T,X,Y,Z, each letter 50 pcs	Set	
42.	Symbol Cable Marking - Кабельная маркировка - Символы	Symbol (-), 30 pcs per set	Set	
43.	Holder for 14 characters - Держатель для 14 символов	Holder for 14 characters, red color	Pce	
44.	Holder Fastener, 4 x 150 mm - Кабельная стяжка	Holder Fastener, 4 x 150 mm, Polyamide, UV Resistant	Pce	
V	Group V			
45.	Seamless stick Tubing 1/4" x 0.035" WT x 6M, SS316 - Труба нержавеющая - Трубки	Tubing 1/4 OD - 0.035" WT x 6m - Material: 316 stainless steel for all parts as per ASTM A276/ASME SA479 - Design: double ferrule compression type, consisting of front and back ferrules, nut and body, suitable for use on SS tubes conforming to ASTM A269 - Marking: Manufacturer, material and heat code on each fitting - Pressure Rating: Rating are based on ASME Code for Pressure Piping B31.3, Process Piping, at ambient temperature	Pce	
46.	TUBE (Трубка) 3/8"OD x 0.035"WT _ Труба нержавеющая - Трубки	Seamless stick tubing, 3/8" x 0.035" WT x 6m - Material: 316 stainless steel for all parts as per ASTM A276/ASME SA479 - Design: double ferrule compression type, consisting of front and back ferrules, nut and body, suitable for use on SS tubes conforming to ASTM A269 - Marking: Manufacturer, material and heat code on each fitting - Pressure Rating: Rating are based on ASME Code for Pressure Piping B31.3, Process Piping, at ambient temperature	Pce	



No.	Name, Description	Long description, Specification	Unit	Note
47.	Seamless Stick Tubing, 1/2" x 0.035" WT - Трубы бесшовные	1/2" x 0.035" WTx6m, SS316/316L - Material: 316 stainless steel for all parts as per ASTM A276/ASME SA479 - Design: double ferrule compression type, consisting of front and back ferrules, nut and body, suitable for use on SS tubes conforming to ASTM A269 - Marking: Manufacturer, material and heat code on each fitting - Pressure Rating: Rating are based on ASME Code for Pressure Piping B31.3, Process Piping, at ambient temperature	Pce	
48.	Single Tube Clamp, 3/8"OD - Трубный хомут	Single tube clamp, black, 3/8"OD, polyamide; c/w bolts, nuts and mounting accessories, SS316	Set	
49.	Female connector 1/2" NPTF - 1/2" OD - Соединитель с внутренней резьбой	Female Connector, 1/2" NPT-F x 1/2" OD, double compression type, 6000 Psig, SS316	Pce	
50.	Đầu nối đực 1/2"OD - 1/2"NPTM/Male Connector 1/2"OD - 1/2"NPTM/Штыревой соединитель 1/2"OD - 1/2"NPTM	Straight Fitting, Male Connector, 1/2" OD x 1/2" NPTM Material: 316 stainless steel ASTM A276, ASTM A479 (Straight fittings and tube adapters), ASTM A182 (Elbows, crosses, and tees) Certification: NACE MR0175, PED 97/23/EC, Offshore installation (BV, DNV-GL, ABS, GOST...), ASTM B117-95 (corrosion resistance), ASME B1.20.1 (Thread Specifications), ASME B31.3 (Working Pressure) Marking: size, material, specifications, and heat code.	Pce	
51.	Đầu nối - Male connector, 3/8"O.D x 1/2" NPT / Переходник - Соединитель с внешней резьбой	Straight Fitting, Male Connector, Tube 3/8" OD x 1/2" NPTM Material: 316 stainless steel ASTM A276, ASTM A479 (Straight fittings and tube adapters), ASTM A182 (Elbows, crosses, and tees) Certification: NACE MR0175, PED 97/23/EC, Offshore installation (BV, DNV-GL, ABS, GOST...), ASTM B117-95 (corrosion resistance), ASME B1.20.1 (Thread Specifications), ASME B31.3 (Working Pressure) Marking: size, material, specifications, and heat code.	Pce	



No.	Name, Description	Long description, Specification	Unit	Note
52.	Union 1/4" OD, SS316 - Соединитель	Union Straight 1/4"OD x 1/4"OD, - Material: 316 stainless steel for all parts as per ASTM A276/ASME SA479 - Design: double ferrule compression type, consisting of front and back ferrules, nut and body, suitable for use on SS tubes conforming to ASTM A269 - Marking: Manufacturer, material and heat code on each fitting - Pressure Rating: Rating are based on ASME Code for Pressure Piping B31.3, Process Piping, at ambient temperature - Corrosion Standard practice Test: ASTM B117 and ASTM A262 or equal.	Pce	
53.	Đầu nối - Fitting union 3/8" x3/8" / Переходник - Соединитель	Union Straight 3/8"OD x 3/8"OD, - Material: 316 stainless steel for all parts as per ASTM A276/ASME SA479 - Design: double ferrule compression type, consisting of front and back ferrules, nut and body, suitable for use on SS tubes conforming to ASTM A269 - Marking: Manufacturer, material and heat code on each fitting - Pressure Rating: Rating are based on ASME Code for Pressure Piping B31.3, Process Piping, at ambient temperature - Corrosion Standard practice Test: ASTM B117 and ASTM A262 or equal.	Pce	
54.	Reducing Union, 3/8" OD x 1/4"OD - Сокращение Соеюза	Reducing Union 3/8"OD x 1/4"OD, - Material: 316 stainless steel for all parts as per ASTM A276/ASME SA479 - Design: double ferrule compression type, consisting of front and back ferrules, nut and body, suitable for use on SS tubes conforming to ASTM A269 - Marking: Manufacturer, material and heat code on each fitting - Pressure Rating: Rating are based on ASME Code for Pressure Piping B31.3, Process Piping, at ambient temperature - Corrosion Standard practice Test: ASTM B117 and ASTM A262 or equal.	Pce	
55.	Union Tee, 1/2" OD - Тройник	Union Tee 1/2"OD x 1/2"OD x 1/2"OD, - Material: 316 stainless steel for all parts as per ASTM A276/ASME SA479 - Design: double ferrule compression type, consisting of front and back ferrules, nut and body, suitable for use on SS tubes conforming to ASTM A269 - Marking: Manufacturer, material and heat code on each fitting - Pressure Rating: Rating are based on ASME Code for Pressure Piping B31.3, Process Piping, at ambient temperature - Corrosion Standard practice Test: ASTM B117 and ASTM A262 or equal.	Pce	



No.	Name, Description	Long description, Specification	Unit	Note
56.	Union Tee 1/4" OD, Model: SS-4003-T	Union Tee, 1/4"OD - Material: 316 stainless steel for all parts as per ASTM A276/ASME SA479 - Design: double ferrule compression type, consisting of front and back ferrules, nut and body, suitable for use on SS tubes conforming to ASTM A269 - Marking: Manufacturer, material and heat code on each fitting - Pressure Rating: Rating are based on ASME Code for Pressure Piping B31.3, Process Piping, at ambient temperature - Corrosion Standard practice Test: ASTM B117 and ASTM A262 or equal.	Pce	
57.	Union Tee, 3/8" OD - Тройник	Union Tee, 3/8"OD - Material: 316 stainless steel for all parts as per ASTM A276/ASME SA479 - Design: double ferrule compression type, consisting of front and back ferrules, nut and body, suitable for use on SS tubes conforming to ASTM A269 - Marking: Manufacturer, material and heat code on each fitting - Pressure Rating: Rating are based on ASME Code for Pressure Piping B31.3, Process Piping, at ambient temperature - Corrosion Standard practice Test: ASTM B117 and ASTM A262 or equal.	Pce	
VI	Group VI			
58.	BALL VALVE 3/4" 3000 PSIG, FULL BORE, FLOATING BALL TYPE, SWxNPTF ENDS, LEVER OPERATED, WITH 1 PUP END PE Sch160 L=100mm, ASTM A105N - ШАРОВОЙ КРАН 3/4" 3000 PSIG Sch160 - Van Bi	Ball valve 3/4" 3000psig, full bore, Floating ball type, SWx SW Ends, Lever Operated, with Puppended (PE) x Puppended MNPT	Pce	
59.	Ball valve 1/2" Full Bore, SW x NPTF, 3000 Psig, ASTM A182-F316, ASME B16.34, Floating, Lever Operated, with 01 pup Sch80S plain end, 100mm welded on the SW end of Valve - Van bi/ Шаровой Кран	Ball valve 1/2" Full Bore, SW x NPTF, 3000 Psig, ASTM A182-F316, ASME B16.34, Floating, Lever Operated, with 01 pup Sch80S plain end, 100mm welded on the SW end of Valve	Pce	



No.	Name, Description	Long description, Specification	Unit	Note
60.	Ball valve 1 1/2 in, FB, SW, 800# - Шаровой кран	Ball Valve 1 1/2 in, FB, SW, 800#, A182-F316, ASME B16.34, WO, with pup ends	Pce	
61.	Ball Valve Full Bore, 2"-300#, RF Flanged ends, ASTM A216 WCB or equal, API 6D, Floating, Lever Operated, Locking device - Ван би/ Шаровой Кран	Ball Valve Full Bore, 2"-300#, RF Flanged ends, ASTM A216 WCB or equal, API 6D, Floating, Lever Operated, Locking device	Pce	
62.	Ball valve 4" 300#, FB, Floating Ball Type, RF Flange Ends, ASTM A216-WCB, API 6D, Lever Operated, Locking device - Шаровой кран	Ball Valve, 4", Full Bore, 300#, RF Flanged ends, Body ASTM A216-WCB, Ball -ASTM A182 F316, Floating Ball Type, Lever operated, Locking device, Construction standard API 6D,	Pce	
VII	Group VII			
63.	FLANGE 2", 300# SCH 80 RF WN ASTM A105N ASME B16.5 - Фланцы	WELD NECK RAISED FACE FLANGE 2" STANDARD SPECIFICATION: ASTM A105N RATING: 300# SCHEDULE: 80 DIMENSION: ASME B16.5	Pce	
64.	Flange WN, 4" 300#, RF, Sch40S, ASTM A182-F316, ASME B16.5 - Mặt bích/ Фланец	Flange WN, 4 inch, 300#, RF, S-40, ASTM A105N, ASME B16.5	Pce	
65.	Mặt bích/Фланец 6 in, Flange WN, 300#, RF, S-40, A105N, ASME B16.5	Flange WN, 6 inch, 300#, RF, S-40, ASTM A105N, ASME B16.5	Pce	
66.	Blind Flange, 3/4" 150# PN20, FF, UNS C70600, EEMUA 145, ASTM A105 (galv) - Mặt bích mù/ Фланец глухой	3/4 in Blind Flange, 150# PN20, FF, EEMUA 145, ASTM A105 (GALV.) to BS729 with Cu-Ni 90/10 Disc Facing, Non Seating Surfaces to Protected with Polyamide Epoxy Paint.	Pce	



No.	Name, Description	Long description, Specification	Unit	Note
67.	Elbow 10" sch 40 90o LR BW ASTM A234 WPB - Elbow 10" Sch40 90o	Elbow, Degree: 90 Deg, Standard Specification: ASTM A234, Material Grade: WPB, Dimensional Standard: ASME B16.9, Bend Radius: Long, Method of Manufacture: Seamless, End Preparation: Buttweld, Schedule Pressure Class: Sch 40, Nominal Pipe Size: 10 inch	Pce	
68.	Elbow 90 Deg. LR BW, 8" Sch40, ASTM A234 WPB, ASME B16.9 - Đầu nối cong/ Отвод	Elbow 90 Deg. LR BW, 8" Sch40, ASTM A234 WPB, ASME B16.9	Pce	
69.	Tee 1/2" # 3000 SW/ Тройник	Tee 1 1/2 in, SW, 3000#, ASTM A182-F316, ASME B16.11	Pce	
70.	Reducing Tee 1-1/2"x1/2"- 3000#, SW, A182-F316, ASME B16.11 - Đầu nối chạc ba/ Тройник	Reducing Tee 1-1/2"x1/2"-3000#, SW, A182-F316, ASME B16.11	Pce	
71.	Tee Reducing 10 in x 8 in, BW, S-40 x S-40, ASTM A234- WPB, ASME B16.9	Reducing Tee 10 in x 8 in, BW, S-40 x S-40, ASTM A234-WPB, ASME B16.9	Pce	
72.	HEX HEAD PLUG 3/4", MNPT #3000 ASME B16.11, ASTM A105N - Nút bịt/ Пробка	HEX HEAD PLUG 3/4", MNPT #3000 ASME B16.11, ASTM A105N	Pce	
73.	Hex Head Plug 1/2" 3000# NPT- M, ASTM A182 F316, ASME B16.11 - Nút bịt / Пробка	Hex Head Plug 1/2" 3000# NPTM, ASTM A182-F316, ASME B16.11	Pce	
74.	8 in x 6 in, Eccentric Reducer, BW, S-40 x S-40, ASTM A234- WPB, ASME B16.9 - Đầu nối chuyển tiếp/Эксцентрический редуктор	8 in x 6 in, Eccentric Reducer, BW, S-40 x S-40, ASTM A234-WPB, ASME B16.9,	Pce	
75.	Reducing Hex. Nipple, NPTM, 3000#, A182-F316, - шестигранный редуционный ниппель	3/4 in x 1/2 in Reducing Hex. Nipple, NPTM, 3000#, A182-F316, ASME B16.11,	Pce	



No.	Name, Description	Long description, Specification	Unit	Note
76.	Sockolet 3/4"-6000# A105N, MSS SP-97 - Седловина	Sockolet 8 in x 3/4 in, 6000# A105N, MSS SP-97	Pce	
77.	Sockolet 10"x3/4"; 6000#; ASTM A105N; MSS SP-97	Sockolet 10 in x 3/4 in, 6000#, ASTM A105N, MSS SP-97	Pce	
78.	Sockolet 24 in x 3/4 in, 6000#, ASTM A105N, MSS SP-97 - Седловина	Sockolet 24 in x 3/4 in, 6000#, ASTM A105N, MSS SP-97	Pce	
79.	Weldolet, BW, S-120 x S-160, ASTM A105N, MSS SP-97, 4 in x 1 1/2 in - Седловина/ Đầu nối ống nhánh	Weldolet, 8 in x 2 in, BW, S-160, ASTM A105N, MSS SP-97	Pce	
80.	Weldolet 10"x2"; BW; S-40 x S-80; ASTM A234-WPB; MSS SP-97 - Đầu nối nhánh yên ngựa/ Седловина	Weldolet, BW, S-40 x S-80, ASTM A105N, MSS SP-97, 10 in x 2 in.	Pce	
81.	Weldolet, 10 in x 4 in, BW, S-40 x S-40, ASTM A105N, MSS SP-97 - побышка под приварку	Weldolet, 10 in x 4 in, BW, S-40 x S-40, ASTM A105N, MSS SP-97	Pce	
82.	Weldolet, 24 in x 2 in, BW, S-STD x S-80, ASTM A105N, MSS SP-97 - побышка под приварку	Weldolet, 24 in x 2 in, BW, S-STD x S-80, ASTM A105N, MSS SP-97	Pce	
83.	Weldolet, 24 in x 4 in - побышка под приварку	WELDOLET, 24 in x 4 in, BW, S-STD x S-40, ASTM A105N, MSS SP-97	Pce	
84.	Cap 1 1/2 in, SW, 3000#, ATSM A182-F316, ASME B16.11 - Заглушка	Cap 1 1/2 in, SW, 3000#, ATSM A182-F316, ASME B16.11	Pce	
85.	ПРОКЛАДКА СПИРАЛЬНОЙ НАБАВКИ 10" - Spiral Wound Gasket 10" 150#, RF - Đệm làm kín	Spiral Wound Gasket, 10 in, 150#, RF, Outer & Inner Ring - SS, 4.5mm thick, ASME B16.20	Pce	



No.	Name, Description	Long description, Specification	Unit	Note
86.	Spiral Wound Gasket 8"-600# RF - Прокладка/ đệm làm kín - Прокладка 8" #600 RF	Spiral Wound Gasket, 4.5mm THK, 8", 600# RF, SS316L winding with flexible graphite filler, 3.0 mm THK, SS316L inner ring and centering ring, ASME B16.20	Pce	
87.	SPIRAL WOUND GASKETS 0.175" THK. 300# RF ASME B16.20, SS316 GRAPHITE FILLED, 8" - Gioăng làm kín/ спирально-навигая прокладка	Spiral Wound Gasket, 300#, RF, 4.5mm thick, Graphite Filler, Outer Ring CS & Inner Ring SS316, ASME B16.20, 8"	Pce	
88.	Spiral Wound Gasket 8"-150#; RF; SS316 Graphite Filler; Outer Ring SS316 & Inner Ring SS 316; 4.5mm Thk; ASME B16.20 - Vòng đệm làm kín - Прокладка спиральной набавки	Spiral Wound Gasket 8"-150#; RF; SS316 Graphite Filler; Outer Ring SS316 & Inner Ring SS 316; 4.5mm Thk; ASME B16.20 - Vòng đệm làm kín	Pce	
89.	Spiral Wound Gasket, 300#, RF, 4.5mm thick, Graphite Filler, Outer Ring CS & Inner Ring SS316, ASME B16.20, 6" - Прокладка	Spiral Wound Gasket, 4.5mm THK, 6", 300# RF, SS316L winding with flexible graphite filler, 3.0 mm THK, SS316L inner ring and centering ring, ASME B16.20	Pce	
90.	Прокладка/GASKET SPIRAL WOUND, 4.5mm THK, 4"# 300 , RF, ASME B16.20, SS316 WINDINGS WITH GRAPHITE FILLER, SS316 CENTERING AND SS316 INNER RING	Spiral Wound Gasket 4" 300#, RF, Outer & Inner Ring - SS 316, 4.5mm thick, ASME B16.20	Pce	
91.	Spiral Wound Gasket 2" , 300#, RF, Outer Ring CS & Inner Ring SS, 4.5mm thick, ASME B16.20 - Спирально-навигая прокладка	Spiral Wound Gasket, 4.5mm THK, 2", 300# RF, SS316L winding with flexible graphite filler, 3.0 mm THK, SS316L inner ring and centering ring, ASME B16.20	Pce	
92.	Insulation kit for flange 2 in RF 300# c/w: - Vòng đệm/ Прокладка	Insulation kit for flange 2 in RF 300#, Type F c/w: - 1/8" thk. plated stainless steel washer, Xylan Fluorocarbon coated (16 pcs); - 1/8" thk. insulating washer, Glass reinforced epoxy resin G10 (16 pcs); - 1/32" thk. Full length insulating sleeve, Glass reinforced epoxy resin G10 (8 pcs); - 1/8" thk. insulating gasket with Teflon sealing ring (suitable for Raised face flanges), Seal material - PTFE, Insulating gasket - Glass reinforced epoxy resin G10 (2 pcs)	Set	



No.	Name, Description	Long description, Specification	Unit	Note
93.	Studbolts w/2 hex. nuts, ASTM A193-B7/A194-2H, SermaGard coated, ASTM F1428, ASME B18.2.1/B18.2.2, M30, 205mm, 1 1/8 in - Шпилька/ Бу лóнг suốt	Studbolts 1 1/8 in w/2 hex. nuts, ASTM A193-B7/ A194-2H, Xylan fluorocarbon coated, ASME B18.2.1/B18.2.2, M30, 205mm	Set	
94.	Studbolts M16 (5/8" UNC) x 100 mm w/2 hex. nuts, ASTM A193-B7/A194-2H, Xylan fluorocarbon coated, ASME B18.2.1/B18.2.2 - Шпилька	Studbolts 5/8" w/2 hex. nuts, ASTM A193-B7/ A194-2H, Xylan Fluorocarbon Coated, ASME B18.2.1/B18.2.2, M16, 100mm	Set	
95.	Studbolts 3/4" UNC x 140 mm w/2 hex. nuts, ASTM A193 Gr.B7/ASTM A194 Gr.2H, ASME B18.2.1/B18.2.2, Galvanized and Xylan fluorocarbon coated - Шпильки	Studbolts 3/4" w/2 hex. nuts, A193-B7/ A194-2H, Xylan Fluorocarbon Coated, ASME B18.2.1/B18.2.2, M20, 140mm	Set	
96.	Stud bolt 3/4" - 125 mm long - шпилька	STUDBOLTS 3/4" x 125 MM W/2 HEX. NUTS ASTM A193 GR.B7/ASTM A194 GR.2H ASME B18.2.1/B18.2.2 GALVANIZED AND XYLANFLUOROCARBON COATED	Set	
97.	Studbolts 7/8" UNC x 125 mm w/2 hex. nuts, ASTM A193 Gr.B7/ASTM A194 Gr.2H, ASME B18.2.1/B18.2.2, Galvanized and Xylan fluorocarbon coated - Шпильки	Studbolts 7/8" x 125 w/2 hex. nuts, ASTM A193 Gr.B7/ASTM A194 Gr.2H, ASME B18.2.1/B18.2.2, Galvanized and Xylan fluorocarbon coated	Set	
98.	Studbolts M24 (7/8" UNC) x 150 mm w/2 hex. nuts, ASTM A193-B7/A194-2H, Xylan fluorocarbon coated, ASME B18.2.1/B18.2.2 - Шпилька	Studbolts M24 (7/8" UNC) x 150 mm w/2 hex. nuts, ASTM A193-B7/A194-2H, Xylan fluorocarbon coated, ASME B18.2.1/B18.2.2	Set	
99.	U-bolts guide (PS-06) M10 (ø3/8") for pipe 1.1/2" - Хомуты	M10 (ø3/8"), U-bolts guide (PS-06) for pipe 1 1/2" - 01 U-bolt ASTM A36, hot-dip galvanized and PTFE coated, insulated with Polyolefin Polyshrink to nuts, dimensions are based on "Nu-Bolt" Engineering; - 04 nuts ASTM A36, hot-dip galvanized and PTFE coated;	Set	



No.	Name, Description	Long description, Specification	Unit	Note
		- 3mm thk. plated steel washer, hot-dip galvanized and PTFE coated, (04 pcs); - 3mm thk. insulating washer, PTFE or Glass reinforced epoxy resin G10 (04 pcs); - 02 pcs Isolated bushing, PTFE or Glass reinforced epoxy resin G10; - 01 Half round I-rod Pad (non-gripping), 12.5mm thk., Teflon pad (White) Maximum Operating Temperature 95°C; Weight Load on the I-rod at each Pipe Support : 550kg		
100.	U-bolts guide (PS06) for pipe 6" c/w: (see Long description) - Xomyt/ Đại kẹp ống	M14 (ø1/2"), U-bolts guide (PS-06) for pipe 6" - 01 U-bolt ASTM A36, hot-dip galvanized and PTFE coated, insulated with Polyolefin Polyshtink to nuts, dimensions are based on "Nu-Bolt" Engineering; - 04 nuts ASTM A36, hot-dip galvanized and PTFE coated; - 3mm thk. plated steel washer, hot-dip galvanized and PTFE coated, (04 pcs); - 3mm thk. insulating washer, PTFE or Glass reinforced epoxy resin G10 (04 pcs); - 02 pcs Isolated bushing, PTFE or Glass reinforced epoxy resin G10; - 01 Half round I-rod Pad (non-gripping), 12.5mm thk., Teflon pad (White) Maximum Operating Temperature 83°C; Weight Load on the I-rod at each Pipe Support : 1640kg	Set	
101.	U-bolt for pipe 10" - Xomyt	M20 (ø3/4"), U-bolts guide (PS-06) for pipe 10" - 01 U-bolt ASTM A36, hot-dip galvanized and PTFE coated, insulated with Polyolefin Polyshtink to nuts, dimensions are based on "Nu-Bolt" Engineering; - 04 nuts ASTM A36, hot-dip galvanized and PTFE coated; - 3mm thk. plated steel washer, hot-dip galvanized and PTFE coated, (04 pcs); - 3mm thk. insulating washer, PTFE or Glass reinforced epoxy resin G10 (04 pcs); - 02 pcs Isolated bushing, PTFE or Glass reinforced epoxy resin G10; - 01 Half round I-rod Pad (non-gripping), 19 mm thk., Teflon pad (White) Maximum Operating Temperature 83°C; Weight Load on the I-rod at each Pipe Support : 2460kg	Set	
102.	U-bolts guide (PS06) for pipe 8" c/w: (see Long description) - Xomyt/ Đại kẹp ống	M16 (ø5/8"), U-bolts guide (PS-06) for pipe 8" - 01 U-bolt ASTM A36, hot-dip galvanized and PTFE coated, insulated with Polyolefin Polyshtink to nuts, dimensions are based on "Nu-Bolt" Engineering; - 04 nuts ASTM A36, hot-dip galvanized and PTFE coated; - 3mm thk. plated steel washer, hot-dip galvanized and PTFE coated, (04 pcs); - 3mm thk. insulating washer, PTFE or Glass reinforced epoxy resin G10 (04 pcs); - 02 pcs Isolated bushing, PTFE or Glass reinforced epoxy resin G10;	Set	



No.	Name, Description	Long description, Specification			Unit	Note
		- 01 Half round I-rod Pad (non-gripping), 12.5mm thk., Teflon pad (White) Maximum Operating Temperature 83°C: Weight Load on the I-rod at each Pipe Support : 1640kg				
VIII	Group VIII					
103.	Seamless pipe 8" Sch 40 BE API 5L, Gr. B, 6 m per length - Ống thép đúc / Стальная труба	Ống thép đúc 8" Sch: 40. Kích thước: API 5L / ASME B36.10M, 6000 mm dài Tiêu chuẩn: API 5L PSL 1. Cấp vật liệu: API 5L PSL 1 Gr. B (hoặc tương đương)			Kg	
104.	Seamless pipe 10" Sch 40 BE API 5L, Gr. B, 6 m per length - Стальная труба	Seamless pipe Size:OD: 273.05 mm, Nominal Pipe Size: 10 Inch Schedule: 40, Wall Thickness: 9.27 mm Standard specification: API 5L PSL1 Material Standard: API 5L PSL1 Grade B Dimension: API 5L/ ASME B36.10M; End preparation: Beveled End 6 meters per length			Kg	
105.	Seamless Pipe 1 1/2" Sch 80S, PE, ASTM A312-TP316, ASME B36.19, Smls., 6m per length - Трубы нержавеющей	SEAMLESS PIPE 1 1/2", ASTM A312-TP316 SCHEDULE: 80S, DIMENSION: ASTM A312/ ASME B36.19M 6 METERS PER LENGTH			Kg	
106.	Pipe 16", S-STD, BE - Стальная труба 16", S-STD, BE,	ASTM A106-B, ASME B36.10, Seamless, 6m per length			Kg	
107.	PIPE, METALLIC, CARBON STEEL, ASTM A106, GR.B, API 5L, SEAMLESS, 17.48 MM, OD:610 MM, 24 INCH - Трубы/ Ống thép	PIPE, METALLIC, MATERIAL:CARBON STEEL, MATERIAL STANDARD:ASTM A106, MATERIAL GRADE:GR.B, DIMENSIONAL STANDARD:ASTM A106, METHOD OF MANUFACTURE:SEAMLESS/ROLLED, WALL THICKNESS: 17.48 MM, SIZE:OD:610 MM, NOMINAL PIPE SIZE:24 INCH			Kg	
108.	PIPE, METALLIC, CARBON STEEL, ASTM A106, GR.B, ASME B36.10, SEAMLESS, 3.91 MM, OD:60.3 MM, 2 INCH - Ống thép/ Труба	SMLS Pipe ASME B36.10M, 2" Sch 40, Material: ASTM A-106 Gr. B, Unit Weight: 5,44 kg/m.			Kg	



No.	Name, Description	Long description, Specification	Unit	Note
109.	Steel plate 6=10mm ASTM A36 - Thép tấm/ Сталь листовая	ASTM A36 (10x1500x6000 mm)	Kg	
110.	Channel C150x75x9 ASTM A36 - Thép chữ U/ Швеллер	CHANNEL C 150 x 75 x 9 STANDARD SPECIFICATION: ASTM A36 6 METERS PER LENGTH	Kg	
111.	Channel C100x50x5 ASTM A36 - Thép chữ U/ Швеллер	Channel C100x50x5mm ASTM A36 or Equivalent, L=6m	Kg	
112.	Equal Angle bar L75x75x6mm, ASTM A36 - Уголок стальной	Equal Angle bar L75x75x6mm, ASTM A36	Kg	
113.	Уголок- Thép góc-Equal Angle Bar L50 x 50 x 5 mm	Thép góc/ Equal Angle Bar L50 x 50 x 5 mm, ASTM A36	Kg	

II. Appendix 2_DATASHEETS

1. For item 1: Datasheet no. CPP2-291-TS-IA2-DS-003, RP3-238-TS-IA2-DS-003.
2. For item 2: Datasheet no. BK5-086-TS-IA2-DS-003.
3. For items 3, 4, 7: Datasheet no. BK5-086-TS-IA2-DS-001.
4. For item 5: Datasheet no. CPP2-291-TS-IA2-DS-001.
5. For item 6: Datasheet no. CPP2-291-TS-IA2-DS-002.
6. For item 8: Datasheet no. RP3-238-TS-IA2-DS-002.
7. For item 19, 20: Datasheet no. CPP2-291-TS-IA2-DS-004, RP3-238-TS-IA2-DS-003, BK5-086-TS-IA2-DS-004.



	INSTALLATION OF A GAS METERING UNIT ON THE HIGH-PRESSURE FLARE ON CPP-2				CPP2-291-TS-IA2-DS-003			
	DATASHEET FLOW INSTRUMENT				Rev.	0	Page	2 of 2
	OPTICAL FLOW SENSORS SYSTEM FOR FLARE							
GENERAL DATA	1	Tag Number	Qty.	CPP2-FE/FIQR-1701				1 SET
	2	P&ID No.	Pipe class	CPP2-291-TS-PR1-PID-001				#300
	3	Line No.	Line size					24-inch
	4	Location						
	5	Hazardous Area Classification						
OPERATING CONDITIONS	6	Fluid	State	Hydrocarbon Gas		GAS		
	7	Design Press.	Design Temp.	7 barg		100 degC		
	8	Maximum Allowable Diff. Press.						
	9			Minimal	Nominal		Maximal	
	10	Flow	Sm3/d	5 000			5 500 000	
	11	Inlet Pressure	barg	0,5			4	
	12	Oper. Temperature	degC	25			55	
	13	Molecular Weight		21,59	21,59		21,59	
	14	Density at Oper. Cond.	kg/m3	1,33	-		4,04	
	15	Compressibility	-	0,99	0,99		0,99	
	16	Viscosity at Oper. Cond.	cP	0,01	0,01		0,01	
	17	Cp / Cv	-	1,24	1,24		1,24	
	18	Isentropic Exponent	-					
	TRANSMITTER-RECEIVER	19	Type	Configuration	Optical Scintillation		Transmitter-Receiver	
20		Sensor Material	Housing Material	MfrStd		MfrStd (316 SS pref.)		
21		Expl. Protection	Ingress Protec.	MfrStd, fit to - Zone 2 IIA T3		IP 56 min		
22		Mounting			Flange 4-inch, #300 (ANSI)			
23		Piping configuration			Horizontal			
COMPUTING PANEL	24	Type			Digital Signal Processing (DSP) to measure the movement found in a gaseous flow stream			
	25	Instr. range	Calibrated range	0.03 to 100 m/sec		(0)-5 500 000 Sm3/d NOTE 3		
	26	Accuracy			± 2 % of Reading			
	27	Output signal			2x 4-20 mA HART (2-wire), RS-232			
	28	Power supply			220 V AC, 50 Hz			
	29	Housing: Type	Material	Outdoor, Wallmount		MfrStd (316 SS pref.)		
	30	Sensor Cables	Electrical Conn.	YES, 10 m, MfrStd		MfrStd (M20 pref.)		
	31	Expl. Protection	Ingress Protec.	MfrStd, fit to - Zone 2 IIA T3		IP 56 min		
	32	Safety Integrity Level			N/A			
	33	Software Configuration			Automatic Calibration, Sensor Health Monitoring, Mass and Volumetric Flow add-ons			
ACCESSORIES	34	Thermal Activator			REQUIRED c/w Extraction Chamber			
	35	Active Purge Fittings			REQUIRED c/w Rotameters			
	36	Sight Glass			NOT REQUIRED			
PURCHASE	37	Manufacturer			Optical Scientific. Inc. (or equivalent)			
	38	Model			OFS-2000F (or equivalent)			
VTC - Vendor to Conform / Calculate VTA - Vendor to Advise N/A - Not Applicable (Not Required) MfrStd - According to Manufacturer Standard or Practice								
NOTES 1. Permanent fitted SS Name Plate shall be provided with standard specifications. 2. All interconnection within of instrument set shall be complete with Ex d, IP 56 min Cable Glands by Manufacturer. 3. LOWER Range Limit - Smallest Value as technically possible at operational condition.								



		INSTALLATION OF FLOWMETERS FOR ACCOUNTING FLARED GAS AT THE RP-3 FLARE				RP3-238-TS-IA2-DS-003				
		DATASHEET FLOW INSTRUMENT				Rev.	3	Page	2 of 2	
		OPTICAL FLOW SENSORS SYSTEM FOR FLARE								
GENERAL DATA	1	Tag Number	Qty.	RP3-FE/FIQR-1701				1 SET		
	2	P&ID No.	Pipe class	RP3-238-TS-PR1-PID-001				#150		
	3	Line No.	Line size					10-inch		
	4	Location								
	5	Hazardous Area Classification								
OPERATING CONDITIONS	6	Fluid	State	Hydrocarbon Gas		GAS				
	7	Design Press.	Design Temp.	7,5 barg		120 degC				
	8	Maximum Allowable Diff. Press.								
	9			Minimal	Nominal		Maximal			
	10	Flow	Sm3/d	10 000			1 200 000			
	11	Inlet Pressure	barg	0,2			4			
	12	Oper. Temperature	degC	22			55			
	13	Molecular Weight		21,59			21,59			
	14	Density at Oper. Cond.	kg/m3	0,98			4,093			
	15	Compressibility	-	0,9962			0,9847			
	16	Viscosity at Oper. Cond.	cP	0,0117			0,0119			
	17	Cp / Cv	-	1,231			1,231			
	18	Isentropic Exponent	-							
	TRANSMITTER-RECEIVER	19	Type	Configuration	Optical Scintillation		Transmitter-Receiver			
		20	Sensor Material	Housing Material	MfrStd		MfrStd (316 SS pref.)			
		21	Expl. Protection	Ingress Protec.	MfrStd, fit to - Zone 2 IIA T3		IP 56 min			
		22	Mounting			Flange 4-inch, #300 (ANSI)				
		23	Piping configuration			Horizontal				
COMPUTING PANEL	24	Type			Digital Signal Processing (DSP) to measure the movement found in a gaseous flow stream					
	25	Instr. range	Calibrated range	0.03 to 100 m/sec		(0)-1 500 000 Sm3/d NOTE 3				
	26	Accuracy			± 2 % of Reading					
	27	Output signal			2x 4-20 mA HART (2-wire), RS-232					
	28	Power supply			220 V AC, 50 Hz					
	29	Housing: Type	Material	Outdoor, Wallmount		MfrStd (316 SS pref.)				
	30	Sensor Cables	Electrical Conn.	YES, 10 m, MfrStd		MfrStd (M20 pref.)				
	31	Expl. Protection	Ingress Protec.	MfrStd, fit to - Zone 2 IIA T3		IP 56 min				
	32	Safety Integrity Level			N/A					
	33	Software Configuration			Automatic Calibration, Sensor Health Monitoring, Mass and Volumetric Flow add-ons					
ACCESSORIES	34	Thermal Activator			REQUIRED c/w Extraction Chamber					
	35	Active Purge Fittings			REQUIRED c/w Rotameters					
	36	Sight Glass			NOT REQUIRED					
PURCHASE	37	Manufacturer			Optical Scientific. Inc. (or equivalent)					
	38	Model			OFS-2000F (or equivalent)					
VTC - Vendor to Conform / Calculate VTA - Vendor to Advise N/A - Not Applicable (Not Required) MfrStd - According to Manufacturer Standard or Practice										
NOTES 1. Permanent fitted SS Name Plate shall be provided with standard specifications. 2. All interconnection within of instrument set shall be complete with Ex d, IP 56 min Cable Glands by Manufacturer. 3. LOWER Range Limit - Smallest Value as technically possible at operational condition.										



	INSTALLATION OF GAS FLOWMETER AT OUTLET V-400 BK5				BK5-086-TS-IA2-DS-003			
	DATASHEET FOR FLOW INSTRUMENT				Rev.	0	Page	2 of 3
	DP FLOW TRANSMITTER							
GENERAL DATA	1	Tag Number	Qty.	BK5-FT -401				1
	2	P&ID No.	Pipe class	BK5-086-PR1-PID-001				#300
	3	Line No.	Line size	PG-BC1-8"-0403N				8-inch
	4	Location		V-400				
	5	Hazardous Area Classification		Zone 2 IIA T3				
OPERATING CONDITIONS	6	Fluid		Hydrocarbon Gas				
	7	Oper. Press. Min/Op/Max	barg	10	16.5	30		
	8	Oper. Temp. Min/Op/Max	degC	30	75	90		
	9	Design Press.	Design Temp.	45 barg		120 degC		
	10	Oper. Diff Pressure		30 - 600 mbar (VTC according FE calc.)				
	11							
TRANSMITTER	12	Type		Differential Pressure Transmitter				
	13	Instr. range	Calibrated range	0-1600 mbar (VTA)		0-600 mbar		
	14	Accuracy	Overpress. Limit	± 0.05 of span		1.3 x Design Pressure		
	15	Adjustable Zero	Adjustable Span	YES		YES		
	16	Output signal	Power supply	4-20 mA HART, 2-wire		24 V DC , loop powered		
	17	Element type	Material	Diaphragm		316 SS		
	18	Fill Fluid		MfrStd				
	19	Housing material		316 SS, (NOTE 1)				
	20	Process conn.	Electrical Conn.	1/2" NPT		1/2" FNPT		
	21	Cable Gland		cable entry plugged				
	22	Expl. Protection	Ingress Protec.	Ex ia IIA T3 (IEC)		IP 56 min		
	23	Safety Integrity Level		N/A				
	24							
MANIFOLD (NOTE 2)	25	Type		5-Valves (Block, Vent, Equalize), Coplanar Style, Integral to Transmitter				
	26	Size		1/2" FNPT				
	27	Rating		3000 psig @200 degF (206 bar @ 93 degC)				
	28	Body material		316 SS				
	29	Diaphragm Seal		N/A				
	30							
ACCESSORIES	31	Integral Meter		YES (LCD)				
	32	Mounting bracket		YES, for 2-inch pipe stand, 316 SS				
	33							
PURCHASE	34	Manufacturer		VTA				
	35	Model		VTA				
	36							
VTC - Vendor to Conform / Calculate VTA - Vendor to Advise N/A - Not Applicable (Not Required) MfrStd - According to Manufacturer Standard or Practice								
NOTES 1. 2. Transmitter and Manifold shall be assembled and tested by Manufacture. 3. Permanent fitted SS Name Plate shall be provided with standard specifications.								



	INSTALLATION OF GAS FLOWMETER AT OUTLET V-400 BK5				BK5-086-TS-IA2-DS-003			
	DATASHEET FOR FLOW INSTRUMENT				Rev.	0	Page	3 of 3
	ORIFICE PLATE AND FITTING							
GENERAL DATA	1	Tag Number	Qty.	BK5-FE -401				1
	2	P&ID No.	Pipe class	BK5-086-PR1-PID-001				#300
	3	Line No.	Line size	PG-BC1-8"-0403N				8-inch
	4	Location			V-400			
	5	Hazardous Area Classification			Zone 2 IIA T3			
OPERATING CONDITIONS	6	Fluid	State	Hydrocarbon Gas		GAS		
	7	Design Press.	Design Temp.	45 barg		120 degC		
	8	Maximum Allowable Diff. Press.			600 mbar			
	9				Minimal	Nominal	Maximal	
	10	Flow	Sm3/day (15 degC)	100,000	300,000	400,000		
	11	Inlet Pressure	barg	10	16.5	30		
	12	Differential Pressure	barg	VTC	VTC	VTC		
	13	Oper. Temperature	degC	30	75	90		
	14	Molecular Weight			21.65			
	15	Density at Std.Cond.(15 degC kg/m3			0.918			
	16	Compressibility -			0.9959			
	17	Viscosity at Oper. Cond. cP			0.01			
	18	Cp / Cv	-					
19	Isentropic Exponent -			1.3				
ORIFICE PLATE (NOTE 1)	20	Type		Concentric, square edged				
	21	Material	Min. Thickness	316 SS		0.125-inch		
	22	Bore Size	Beta Ratio	3.500 inch (VTC)		0.4385 (VTC)		
	23	Drain or Vent Hole		N/A				
	24	Differ. Pressure @ Full Scale		less 600 mbar (VTC)				
	25							
ORIFICE HOLDER	26	Type		N/A NOTE 2				
	27	Size	Rating	Conn. Type				
	28	Material						
	29	Taps Size	Quantity					
	30	Taps Orientation						
ACCESSORIES	31	Block valves	Quantity	N/A NOTE 2				
	32	Size	Material					
	33	Rating						
PURCHASE	34	Manufacturer		VTA				
	35	Model		VTA				
	36							
VTC - Vendor to Conform / Calculate VTA - Vendor to Advise N/A - Not Applicable (Not Required) MfrStd - According to Manufacturer Standard or Practice								
NOTES 1. One spare orifice plate shall be provided 2. Existing Single Chamber Orifice Fitting with accessories.								



	INSTALLATION OF GAS FLOWMETER AT OUTLET V-400 BK5				BK5-086-TS-IA2-DS-001			
	DATASHEET FOR PRESSURE INSTRUMENT				Rev.	0	Page	2 of 2
	PRESSURE TRANSMITTER							
GENERAL DATA	1	Tag Number	Qty.	BK5-PT -401				1
	2	P&ID No.	Pipe class	BK5-086-PR1-PID-001				#300
	3	Line No.	Line size	PG-BC1-8"-0403N				8-inch
	4	Location		V-400				
	5	Hazardous Area Classification		Zone 2 IIA T3				
OPERATING CONDITIONS	6	Fluid		Hydrocarbon Gas				
	7	Oper. Press. Min/Op/Max	barg	10	16.5	30		
	8	Oper. Temp. Min/Op/Max	degC	30	75	90		
	9	Design Press.	Design Temp.	45 barg		120 degC		
	10							
	11							
TRANSMITTER	12	Instr. range	Calibrated range	0-40 barg		0-40 barg		
	13	Accuracy	Overpress. Limit	± 0.05 of span		1.3 x Design Pressure		
	14	Output signal	Power supply	4-20 mA HART, 2-wire		24 V DC , loop powered		
	15	Element type	Material	Diaphragm		316 SS		
	16	Fill Fluid		MfrStd				
	17	Housing material		316 SS, NOTE 1				
	18	Process conn.	Electrical Conn.	1/2" MNPT		1/2" FNPT		
	19	Cable Gland		cable entry plugged				
	20	Expl. Protection	Ingress Protec.	Ex ia IIA T3 (IEC)		IP 56 min		
	21	Safety Integrity Level		N/A				
	22							
	23							
	24							
MANIFOLD	25	Type		2-Valves (Block and Bleed)				
	26	Size		1/2" FNPT x 1/2" FNPT				
	27	Rating		3000 psig @200 degF (206 bar @ 93 degC)				
	28	Body material		316 SS				
	29	Diaphragm Seal		N/A				
	30							
ACCESSORIES	31	Integral Meter		YES (LCD)				
	32	Mounting bracket		YES, for 2-inch pole stand, 316 SS				
	33							
PURCHASE	34	Manufacturer		VTA				
	35	Model		VTA				
	36							
VTC - Vendor to Conform / Calculate VTA - Vendor to Advise N/A - Not Applicable (Not Required) MfrStd - According to Manufacturer Standard or Practice								
NOTES 1. 2. Manifold shall c/w 316 SS plug for vent/drain/test port. 3. Permanent fitted SS Name Plate shall be provided with standard specifications.								



	INSTALLATION OF A GAS METERING UNIT ON THE HIGH-PRESSURE FLARE ON CPP-2				CPP2-291-TS-IA2-DS-001			
	DATASHEET PRESSURE INSTRUMENT				Rev.	0	Page	2 of 2
	PRESSURE TRANSMITTER							
GENERAL DATA	1	Tag Number	Qty.	CPP2-PT-1701				1
	2	P&ID No.	Pipe class	CPP2-291-TS-PR1-PID-001				#300
	3	Line No.	Line size					24-INCH
	4	Location						
	5	Hazardous Area Classification						
OPERATING CONDITIONS	6	Fluid						
	7	Oper. Press. Min/Op/Max	barg	0,5				4
	8	Oper. Temp. Min/Op/Max	degC	25				55
	9	Design Press.	Design Temp.	7 barg		100 degC		
	10							
	11							
TRANSMITTER	12	Instr. range	Calibrated range	0-16 barg		0-10 barg		
	13	Accuracy	Overpress. Limit	± 0.05 of span		1.3 x Design Pressure		
	14	Output signal	Power supply	4-20 mA HART, 2-wire		24 V DC , loop powered		
	15	Element type	Material	Diaphragm		316 SS		
	16	Fill Fluid						
	17	Housing material						
	18	Process conn.	Electrical Conn.	1/2" MNPT		1/2" FNPT		
	19	Cable Gland						
	20	Expl. Protection	Ingress Protec.	Ex d IIA T3 (IEC)		IP 56 min		
	21	Safety Integrity Level						
	22							
	23							
	24							
MANIFOLD	25	Type						
	26	Size						
	27	Rating						
	28	Body material						
	29	Diaphragm Seal						
ACCESSORIES	31	Integral Meter						
	32	Mounting bracket						
	33	Overpressure Protector						
PURCHASE	34	Manufacturer						
	35	Model						
	36							
VTC - Vendor to Conform / Calculate VTA - Vendor to Advise N/A - Not Applicable (Not Required) MfrStd - According to Manufacturer Standard or Practice								
NOTES 1. 2. Manifold shall c/w 316 SS plug for vent/drain/test port. 3. Permanent fitted SS Name Plate shall be provided with standard specifications.								



	INSTALLATION OF A GAS METERING UNIT ON THE HIGH-PRESSURE FLARE ON CPP-2				CPP2-291-TS-IA2-DS-002			
	DATASHEET TEMPERATURE INSTRUMENT				Rev.	0	Page	2 of 2
	TEMPERATURE TRANSMITTER							
GENERAL DATA	1	Tag Number	Qty.	CPP2-TT-1701				1
	2	P&ID No.	Pipe class	CPP2-291-TS-PR1-PID-001				#300
	3	Line No.	Line size					24-inch
	4	Location						
	5	Hazardous Area Classification						
OPERATING CONDITIONS	6	Fluid						
	7	Oper. Press. Min/Op/Max		barg	0,5			4
	8	Oper. Temp. Min/Op/Max		degC	25			55
	9	Design Press.	Design Temp.	7 barg		100 degC		
	10	Fluid Density	Fluid Viscosity	6.27 kg/m3		0.01 cP		
	11	Fluid Velocity	Nozzle Dim (mm)			Length-	108	ID- 49
SENSOR AND TRANSMITTER	12	Sensor Type	Insulation	3-Wire RTD, PT-100 ($\alpha=0.00385$)			Mineral Insulated	
	13	Sensor Dimension	Material	to suit Thermowell			316 SS	
	14	Mounting of Transmitter						
	15	Instr. Range	Calibrated range	0-100 degC (VTA)		0-60 degC		
	16	Accuracy	Linearization	± 0.1 % FS		YES, REQUIRED		
	17	Output Signal	Power Supply	4-20 mA HART, 2-wire		24 V DC, loop powered		
	18	Burn-out Protection						
	19	Housing material						
	20	Process conn.	Electrical Conn.	1/2" MNPT		1/2" FNPT		
	21	Cable Gland						
	22	Expl. Protection	Ingress Protec.	Ex d IIA T3 (IEC)		IP 56 min		
	23	Safety Integrity Level						
	24							
THERMOWELL NOTE 3	25	Type						
	26	Process conn.	Instrum. Conn.	Flange 2-inch, #300, RF		1/2" FNPT		
	27	Body material						
	28	Connection Length (H)						
	29	Insertion Length (U)						
	30							
ACCESSORIES	31	Integral Meter						
	32	Mounting bracket						
	33							
PURCHASE	34	Manufacturer						
	35	Model						
	36							
VTC - Vendor to Conform / Calculate VTA - Vendor to Advise N/A - Not Applicable (Not Required) MfrStd - According to Manufacturer Standard or Practice								
NOTES 1. 2. Permanent fitted SS Name Plate shall be provided with standard specifications. 3. Wake Frequency Calculation shall be provided by Vendor								



	INSTALLATION OF GAS FLOWMETER AT OUTLET V-400 BK5				BK5-086-TS-IA2-DS-002			
	DATASHEET FOR TEMPERATURE INSTRUMENT				Rev.	0	Page	2 of 2
	TEMPERATURE TRANSMITTER							
GENERAL DATA	1	Tag Number	Qty.	BK5-TT -401				1
	2	P&ID No.	Pipe class	BK5-086-PR1-PID-001				#300
	3	Line No.	Line size	PG-BC1-8"-0403N				8-inch
	4	Location			V-400			
	5	Hazardous Area Classification			Zone 2 IIA T3			
OPERATING CONDITIONS	6	Fluid			Hydrocarbon Gas			
	7	Oper. Press. Min/Op/Max	barg	10	16.5	30		
	8	Oper. Temp. Min/Op/Max	degC	30	75	90		
	9	Design Press.	Design Temp.	45 barg		120 degC		
	10	Fluid Density	Fluid Viscosity	0.918 kg/m3 @ Std. (15)		0.01 cP		
	11	Fluid Velocity	Nozzle ID. (mm)	2.7 - 10.7 m/s		Length- 108 DIA- 49		
SENSOR AND TRANSMITTER	12	Sensor Type	Insulation	3-Wire RTD, PT-100 ($\alpha=0.00385$)			Mineral Insulated	
	13	Sensor Dimension	Material	to suit Thermowell			316 SS	
	14	Mounting of Transmitter			Direct on sensor			
	15	Instr. Range	Calibrated range	0-160 degC (VTA)		0-100 degC		
	16	Accuracy	Linearization	$\pm 0.1 \% FS$		YES, REQUIRED		
	17	Output Signal	Power Supply	4-20 mA HART, 2-wire		24 V DC, loop powered		
	18	Burn-out Protection			YES			
	19	Housing material			316 SS, NOTE 1			
	20	Process conn.	Electrical Conn.	1/2" MNPT		1/2" FNPT		
	21	Cable Gland			cable entry plugged			
	22	Expl. Protection	Ingress Protec.	Ex ia IIA T3 (IEC)		IP 56 min		
	23	Safety Integrity Level			N/A			
THERMOWELL NOTE 3	24							
	25	Type			Flanged with Tapered drilled bar stock			
	26	Process conn.	Instrum. Conn.	Flange 2-inch, #300, RF		1/2" FNPT		
	27	Body material			316 SS			
	28	Connection Length (H)			minimal by MfrStd			
	29	Insertion Length (U)			240 mm			
ACCESSORIES	30							
	31	Integral Meter			YES (LCD)			
	32	Mounting bracket			N/A			
PURCHASE	33							
	34	Manufacturer			VTA			
	35	Model			VTA			
	36							
VTC - Vendor to Conform / Calculate VTA - Vendor to Advise N/A - Not Applicable (Not Required) MfrStd - According to Manufacturer Standard or Practice								
NOTES 1. 2. Permanent fitted SS Name Plate shall be provided with standard specifications. 3. Wake Frequency Calculation shall be provided by Vendor								



	INSTALLATION OF FLOWMETERS FOR ACCOUNTING FLARED GAS AT THE RP-3 FLARE				RP3-238-TS-IA2-DS-002			
	DATASHEET TEMPERATURE INSTRUMENT				Rev.	2	Page	2 of 2
	TEMPERATURE TRANSMITTER							
GENERAL DATA	1	Tag Number	Qty.	RP3-TT-1701				1
	2	P&ID No.	Pipe class	RP3-238-TS-PR1-PID-001				#150
	3	Line No.	Line size					10-inch
	4	Location						
	5	Hazardous Area Classification						
OPERATING CONDITIONS	6	Fluid						
	7	Oper. Press. Min/Op/Max		barg	0,2			4
	8	Oper. Temp. Min/Op/Max		degC	22			55
	9	Design Press.	Design Temp.	7.5 barg		120 degC		
	10	Fluid Density	Fluid Viscosity	0.98-4.093 kg/m3		0.01 cP		
	11	Fluid Velocity	Nozzle Dim (mm)			Length-	108	ID- 49
SENSOR AND TRANSMITTER	12	Sensor Type	Insulation	3-Wire RTD, PT-100 ($\alpha=0.00385$)			Mineral Insulated	
	13	Sensor Dimension	Material	to suit Thermowell			316 SS	
	14	Mounting of Transmitter						
	15	Instr. Range	Calibrated range	0-200 degC (VTA)		0-60 degC		
	16	Accuracy	Linearization	± 0.1 % FS		YES, REQUIRED		
	17	Output Signal	Power Supply	4-20 mA HART, 2-wire		24 V DC, loop powered		
	18	Burn-out Protection						
	19	Housing material						
	20	Process conn.	Electrical Conn.	1/2" MNPT		1/2" FNPT		
	21	Cable Gland						
	22	Expl. Protection	Ingress Protec.	Ex d IIA T3 (IEC)		IP 56 min		
	23	Safety Integrity Level						
THERMOWELL NOTE 3	24							
	25	Type						
	26	Process conn.	Instrum. Conn.	Flange 2-inch, #300, RF		1/2" FNPT		
	27	Body material						
	28	Connection Length (H)						
	29	Insertion Length (U)						
ACCESSORIES	30							
	31	Integral Meter						
	32	Mounting bracket						
PURCHASE	33							
	34	Manufacturer						
	35	Model						
	36							
VTC - Vendor to Conform / Calculate VTA - Vendor to Advise N/A - Not Applicable (Not Required) MfrStd - According to Manufacturer Standard or Practice								
NOTES 1. 2. Permanent fitted SS Name Plate shall be provided with standard specifications. 3. Wake Frequency Calculation shall be provided by Vendor								
TOTALLY REVISED PAGE								2



	INSTALLATION OF FLOWMETERS FOR ACCOUNTING FLARED GAS AT THE RP-3 FLARE				RP3-238-TS-IA2-DS-004				
	DATASHEET JUNCTION BOX				Rev.	0	Page	2 of 2	
GENERAL DATA	1	Tag Number	Qty.	JB-P-1701				1	
	2	Plan / Layout DWG.	RP3-238-TS-IA2-LD-001						
	3								
	4	Location							
	5	Hazardous Area Classification	Zone 2 IIA T3						
OPERATING CONDITIONS	6	Environment	Tropical, Marine, Offshore						
	7	Area	Open-door, exposed to sun, wind, rainfall, water splashes						
	8	Ambient Temp.	Rel. Humidity	21 - 39 degC		Aver. 80 % (MAX 100 %)			
	9	Wind Velocity	Rainfall	Aver. 8.5 m/s (MAX 45.6 m/s)		50 mm/hr			
	10								
ENCLOSURE	11	Type	Enclosure for Low Voltage Wiring (0.6/1 kV)						
	12	Size (HxWxD)	Material	200 x 200 x 200 mm (VTA)		316L SS			
	13	Wall Thk	Finish	1.5 mm (MIN)		Natural or Brushed			
	14	Door	Detachable external hinged door with 125° minimum opening						
	15	Door Fastening	Padlock	Hex head screw, 316 SS		N/A			
	16	Gasket	Breathing Plug	Neoprene		YES			
	17	Ground Stud	Grounding Bar	YES		N/A			
	18	Gland Plates	Heater	YES, Bottom		N/A			
	19	Expl. Protection	Ingress Protec.	Ex e IIA T3 (IEC)		IP 56 min			
	20								
TERMINALS	21	Terminals Size	Type of connect	Feed-through 2.5 mm ² , 20 A		Screw			
	22	Qty	Pattern	12		1 Row, Horizontal			
	23	Mounting	Numbering	DIN-Rail 35 mm		Sequential			
	24	Rated to Hazardous Application		Ex e (IEC)					
CABLE GLANDS AND PLUGS	25	Cable Glands Type		Double Compression for Wire Braided Armored Cable					
	26	Application	Material	Outdoor		Brass, Nickel Plated			
	27	Expl. Protection	Ingress Protec.	Ex d / Ex e (IEC)		IP 56 min			
	28								
CONFIGURATION	29	CABLE ENTRIES (Qty x Size)			COMPLITE WITH (Qty x Size)				
	30	LEFT	RIGHT	BOTTOM	CABLE GLANDS		PLUGS		
	31			04 x M20	04 x M20(O)				
	32								
	33	TOP side not used							
PURCHASE	34	Manufacturer	VTA						
	35	Model	VTA						
	36								
VTC - Vendor to Conform / Calculate VTA - Vendor to Advise N/A - Not Applicable (Not Required) MfrStd - According to Manufacturer Standard or Practice									
NOTES 1. Permanent fitted SS Name Plate shall be provided with standard specifications.									



	INSTALLATION OF A GAS METERING UNIT ON THE HIGH-PRESSURE FLARE ON CPP-2				CPP2-291-TS-IA2-DS-004				
	DATASHEET JUNCTION BOX				Rev.	0	Page	2 of 3	
GENERAL DATA	1	Tag Number	Qty.	JB-A-1701				1	
	2	Plan / Layout DWG.	CPP2-291-TS-IA2-LD-001						
	3								
	4	Location							
	5	Hazardous Area Classification	Zone 2 IIA T3						
OPERATING CONDITIONS	6	Environment	Tropical, Marine, Offshore						
	7	Area	Open-door, exposed to sun, wind, rainfall, water splashes						
	8	Ambient Temp.	Rel. Humidity	21 - 39 degC		Aver. 80 % (MAX 100 %)			
	9	Wind Velocity	Rainfall	Aver. 8.5 m/s (MAX 45.6 m/s)		50 mm/hr			
	10								
ENCLOSURE	11	Type	Enclosure for Low Voltage Wiring (0.6/1 kV)						
	12	Size (HxWxD)	Material	200 x 200 x 200 mm (VTA)		316L SS			
	13	Wall Thk	Finish	1.5 mm (MIN)		Natural or Brushed			
	14	Door	Detachable external hinged door with 125° minimum opening						
	15	Door Fastening	Padlock	Hex head screw, 316 SS		N/A			
	16	Gasket	Breathing Plug	Neoprene		YES			
	17	Ground Stud	Grounding Bar	YES		N/A			
	18	Gland Plates	Heater	YES, Bottom		N/A			
	19	Expl. Protection	Ingress Protec.	Ex e IIA T3 (IEC)		IP 56 min			
	20								
TERMINALS	21	Terminals Size	Type of connect	Feed-through 2.5 mm2, 20 A		Screw			
	22	Qty	Pattern	18 NOTE 2		1 Row, Horizontal			
	23	Mounting	Numbering	DIN-Rail 35 mm		Sequential			
	24	Rated to Hazardous Application		Ex e (IEC)					
CABLE GLANDS AND PLUGS	25	Cable Glands Type		Double Compression for Wire Braided Armored Cable					
	26	Application	Material	Outdoor		Brass, Nickel Plated			
	27	Expl. Protection	Ingress Protec.	Ex d / Ex e (IEC)		IP 56 min			
	28								
CONFIGURATION	29	CABLE ENTRIES (Qty x Size)			COMPLITE WITH (Qty x Size)				
	30	LEFT	RIGHT	BOTTOM	CABLE GLANDS		PLUGS		
	31			06 x M20	03 x M20(O)	01 x M25 (B)	03 x M20		
	32			01 x M25					
	33	TOP side not used							
PURCHASE	34	Manufacturer		VTA					
	35	Model		VTA					
	36								
VTC - Vendor to Conform / Calculate VTA - Vendor to Advise N/A - Not Applicable (Not Required) MfrStd - According to Manufacturer Standard or Practice									
NOTES 1. Permanent fitted SS Name Plate shall be provided with standard specifications. 2. Including terminals for shields									



	INSTALLATION OF A GAS METERING UNIT ON THE HIGH-PRESSURE FLARE ON CPP-2				CPP2-291-TS-IA2-DS-004				
	DATASHEET JUNCTION BOX				Rev.	0	Page	3 of 3	
GENERAL DATA	1	Tag Number	Qty.	JB-P-1701				1	
	2	Plan / Layout DWG.		CPP2-291-TS-IA2-LD-001					
	3								
	4	Location							
	5	Hazardous Area Classification		Zone 2 IIA T3					
OPERATING CONDITIONS	6	Environment		Tropical, Marine, Offshore					
	7	Area		Open-door, exposed to sun, wind, rainfall, water splashes					
	8	Ambient Temp.	Rel. Humidity	21 - 39 degC		Aver. 80 % (MAX 100 %)			
	9	Wind Velocity	Rainfall	Aver. 8.5 m/s (MAX 45.6 m/s)		50 mm/hr			
	10								
ENCLOSURE	11	Type		Enclosure for Low Voltage Wiring (0.6/1 kV)					
	12	Size (HxWxD)	Material	200 x 200 x 200 mm (VTA)		316L SS			
	13	Wall Thk	Finish	1.5 mm (MIN)		Natural or Brushed			
	14	Door		Detachable external hinged door with 125° minimum opening					
	15	Door Fastening	Padlock	Hex head screw, 316 SS		N/A			
	16	Gasket	Breathing Plug	Neoprene		YES			
	17	Ground Stud	Grounding Bar	YES		N/A			
	18	Gland Plates	Heater	YES, Bottom		N/A			
	19	Expl. Protection	Ingress Protec.	Ex e IIA T3 (IEC)		IP 56 min			
	20								
TERMINALS	21	Terminals Size	Type of connect	Feed-through 2.5 mm ² , 20 A		Screw			
	22	Qty	Pattern	12		1 Row, Horizontal			
	23	Mounting	Numbering	DIN-Rail 35 mm		Sequential			
	24	Rated to Hazardous Application		Ex e (IEC)					
CABLE GLANDS AND PLUGS	25	Cable Glands Type		Double Compression for Wire Braided Armored Cable					
	26	Application	Material	Outdoor		Brass, Nickel Plated			
	27	Expl. Protection	Ingress Protec.	Ex d / Ex e (IEC)		IP 56 min			
	28								
CONFIGURATION	29	CABLE ENTRIES (Qty x Size)			COMPLITE WITH (Qty x Size)				
	30	LEFT	RIGHT	BOTTOM	CABLE GLANDS		PLUGS		
	31			04 x M20	04 x M20(O)				
	32								
	33	TOP side not used							
PURCHASE	34	Manufacturer		VTA					
	35	Model		VTA					
	36								
VTC - Vendor to Conform / Calculate VTA - Vendor to Advise N/A - Not Applicable (Not Required) MfrStd - According to Manufacturer Standard or Practice									
NOTES 1. Permanent fitted SS Name Plate shall be provided with standard specifications.									



TIÊU CHÍ ĐÁNH GIÁ BẢNG HÌNH THỨC “ĐẠT/KHÔNG ĐẠT”
đối với các chào hàng cung cấp “Thiết bị, Vật tư cho Nâng cấp hệ thống đo dầu và khí trên BK5, CTP2, RP3”

КРИТЕРИЙ ОЦЕНКИ ДЛЯ ТЕНДЕРНЫХ ПРЕДЛОЖЕНИЙ В ФОРМЕ «УДОВЛЕТВОРИТЕЛЬНО/ НЕУДОВЛЕТВОРИТЕЛЬНО»
Обеспечение “Оборудование для модернизации системы учета нефти и газа на BK5, CTP2, RP3”

EVALUATION CRITERIA OF TECHNICAL PROPOSALS USING FORM “PASS/FAIL”
Provision of “Material and equipment for the modernization of the oil metering system at BK5, CTP2, RP3”

Đánh giá đề xuất kỹ thuật sẽ được đánh giá qua 2 bước, chi tiết như sau _ Тендерное техническое предложение оценивается в 2 этапа, как указано ниже _ Tender technical proposal shall be evaluated through 2 steps, detailed as below:

Step/Этап 1 :

Đề xuất kỹ thuật đạt bước 1 chỉ khi thỏa mãn các điều kiện sau đây/_ Technical proposal shall be passed Step 1 if it meet ALL the condition as below/_ Техническое предложение проходит Этап 1, если оно соответствует ВСЕМ условиям, указанным ниже:

STT/ No	Tiêu chí - Критерии - Criteria	Đánh giá - Оценка - Evaluation Đạt/ Không đạt Удовлетворительно/ Неудовлетворительно	Ghi chú - Примечание - Note
1	Tình trạng hàng hoá: Mục 2.1 của yêu cầu kỹ thuật Состояние товара: Раздел 2.1 Технического требования Condition of goods: Section 2.1 of Technical Requirement		
2	Năm sản xuất: Mục 2.2 của yêu cầu kỹ thuật Год производства: Раздел 2.2 Технического требования Year of manufacture: Section 2.2 of Technical Requirement		
3	Thời hạn bảo hành: Mục 2.4 của yêu cầu kỹ thuật Гарантия: Раздел 2.4 Технического требования Warranty: Section 2.4 of Technical Requirement		



EVALUATION CRITERIA OF TECHNICAL PROPOSALS USING FORM "PASS/FAIL"
Provision of "Material and equipment for the modernization of the oil metering system at BK5, CTP2, RP3"

4	Copy of valid certificate authorizing the usage of official Monogram API, issued by API.		For group VI
---	--	--	--------------

/Step/Этап 2

Bước 2 sẽ được đánh giá trong trường hợp đề xuất kỹ thuật đã đạt các điều kiện của bước 1/ Step 2 shall be evaluated in case the Technical tender proposal passed condition in Step 1/
Этап 2 оценивается в случае, если Техническое тендерное предложение соответствует условиям этапа 1

STT/ No	Tên gọi tiêu chí - Название критерия - Criteria name	Nội dung chào hàng - Content of the offer	Đánh giá - Оценка - Evaluation Đạt/ Không đạt - Pass/ Fail Удовлетворительно/ Неудовлетворительно	Lý do không đạt Reasons for unqualified	Ghi chú Note
(1)	(2)	(3)	(4)	(5)	(6)
1	YÊU CẦU CHUNG ĐỐI VỚI THIẾT BỊ - ОБЩИЕ ТРЕБОВАНИЯ К ТОВАРАМ - GENERAL REQUIREMENTS FOR EQUIPMENT				
1.1	Nội dung chào hàng - Contents of proposals				
	Ghi rõ tên gọi, ký mã hiệu, đặc tính kỹ thuật, nhà sản xuất và xuất xứ của từng mục vật tư, thiết bị Указание наименования, макри, тех.характеристик производителя и страны происхождения каждого пункта Материала/ оборудования Shown clearly Name, Description of Goods, Model/Part number, Manufacturer and Origin each item	Đạt Удовлетворительно Passed			
	Không rõ ràng Неясно Unclear	Không đạt Неудовлетворительно Failed		Không có cơ sở để đánh giá Нет оснований для оценки No basis for evaluation	
2	YÊU CẦU KỸ THUẬT_ ТЕХНИЧЕСКИЕ ТРЕБОВАНИЯ_ TECHNICAL REQUIREMENTS.				
2.1	Yêu cầu về đặc tính kỹ thuật - Требования спецификации - Requirements of Specification				
	Đặc tính kỹ thuật của hàng hóa tương đương hoặc tốt hơn so với đặc tính kỹ thuật của từng mục hàng được quy định trong Mục 3 của yêu cầu kỹ thuật. Технические характеристики товара эквивалентны или превосходят технические характеристики каждого товара, указанные в разделе 3 технических требований The specifications of the goods are equivalent to or better than the specifications of each item specified in Section 3 of technical requirements	Đạt Удовлетворительно Passed			



EVALUATION CRITERIA OF TECHNICAL PROPOSALS USING FORM "PASS/FAIL"
Provision of "Material and equipment for the modernization of the oil metering system at BK5, CTP2, RP3"

		Không đáp ứng yêu cầu trên. Not comply with above requirement. Не соответствует вышеуказанному требованию	Không đạt Неудовлетворительно Failed	Không chấp nhận hàng hóa có thông số kỹ thuật không phù hợp. Не принимаются товары, не соответствующие заявленным характеристикам. Not accepted goods with non-conforming specifications.	
3	NHÀ SẢN XUẤT, XUẤT XỨ HÀNG HÓA - ПРОИЗВОДИТЕЛЬ И ПРОИСХОЖДЕНИЕ ТОВАРА - MANUFACTURER AND ORIGIN OF GOODS				
3.1	Nhà sản xuất - Производитель				
	Đáp ứng các yêu cầu trong YCKT, nằm trong Recommended Manufacturer List Соответствует требованиям ТТ, находится в "Recommended Manufacturer List". Meets the requirements in the TR, is in the "Recommended Manufacturer List"	Đạt Удовлетворительно Passed			
	NSX chào hàng không thuộc Recommended Manufacturer List nhưng nhà thầu cung cấp đầy đủ thông tin về năng lực của nhà sản xuất: catalogue, profile, các hợp đồng cung cấp thiết bị tương đương đáp ứng yêu cầu Подрядчик предлагает производителя которого нет в "Recommended Manufacturer List", но предоставить дополнительную информацию о возможностях производителя: каталог, профиль, эквивалентные контракты на поставку оборудования обеспечения в соответствии с требованиями The Contractor proposes a manufacturer that is not in the "Recommended Manufacturer List", but provides additional information about the manufacturer's capabilities: catalog, profile, equivalent contracts for the supply of equipment in accordance with the requirements.	Chấp nhận Приемлемо Accepted			
	Không thuộc các trường hợp trên Не попадает в вышеперечисленные случаи Does not fall into the above cases	Không đạt Неудовлетворительно Failed			
4	THỜI GIAN VÀ ĐỊA ĐIỂM GIAO HÀNG - ВРЕМЯ И МЕСТО ПОСТАВКИ - TIME AND LOCATION OF DELIVERY				
4.1	Địa điểm giao hàng - Место поставки - Delivery location.				



EVALUATION CRITERIA OF TECHNICAL PROPOSALS USING FORM " "PASS/FAIL" "
Provision of "Material and equipment for the modernization of the oil metering system at BK5, CTP2, RP3"

		Hàng hóa được giao tại kho của Vietsovpetro. Доставка товара осуществляется на склад «Вьетсовпетро». Goods are delivered at the warehouse of Vietsovpetro.	Đạt Удовлетворительно Passed		
		Không đáp ứng yêu cầu trên. Не соответствует вышеуказанному требованию Not comply with above requirement.	Không đạt Неудовлетворительно Failed	Không đáp ứng với điều kiện giao hàng của hồ sơ mời thầu Несоблюдение условий поставки тендерной документации Not comply with the delivery conditions of the bidding documents.	
4.2	Thời gian giao hàng - Время поставки - Delivery time				
	Đúng theo yêu cầu В соответствии с требованиями Comply with the requirement.		Đạt Удовлетворительно Passed		
	Chậm hơn từ 1- 3 tuần so với yêu cầu 1- 3 недели позже, чем ТТ 1- 3 weeks later than Technical requirement		Chấp nhận Accepted Приемлемо		
	Chậm quá 3 tuần so với yêu cầu На 3 недели позже Технического требования 3 weeks later than Technical requirement		Không đạt Неудовлетворительно Failed		
5	SỐ LƯỢNG VÀ ĐÓNG GÓI HÀNG HÓA - КОЛИЧЕСТВО И УПАКОВКА ТОВАРА - QUANTITY AND PACKAGING				
5.1	Số lượng hàng hoá - Количество товара - Quantity of goods				
	Đúng theo yêu cầu В соответствии с требованиями Comply with the requirement.		Đạt Удовлетворительно Passed		
	Không đáp ứng yêu cầu trên. Не соответствует вышеуказанному требованию Not comply with above requirement.		Không đạt Неудовлетворительно Failed	Không đảm bảo cung cấp đầy đủ hàng hoá phục vụ SX Необеспечение достаточного снабжения товарами для производства Not ensure sufficient supply of goods for production	
5.2	Đóng gói - Упаковка - Packing				
	Đúng theo yêu cầu В соответствии с требованиями Comply with the requirement		Đạt Удовлетворительно Passed		



EVALUATION CRITERIA OF TECHNICAL PROPOSALS USING FORM "PASS/FAIL"
Provision of "Material and equipment for the modernization of the oil metering system at BK5, CTP2, RP3"

	Không cam kết đóng gói theo yêu cầu Никаких обязательств по упаковке в соответствии с требованиями No obligation to pack as required	Không đạt Неудовлетворительно Failed	Hỏng hóc trong quá trình vận chuyển, lưu giữ Возможность повреждения при транспортировке и хранении Possibility of damage during transportation and storage	
6	TAI LIỆU KỸ THUẬT - ТЕХНИЧЕСКАЯ ДОКУМЕНТАЦИЯ - TECHNICAL DOCUMENTATION			
6.1	Cung cấp tài liệu cùng với chào thầu - Предоставить документы вместе с тендерным предложением - Provide documents in bidding proposal			
	Cung cấp đầy đủ tài liệu theo yêu cầu Предоставление полных документов в соответствии с требованиями Providing complete documents as required	Đạt Удовлетворительно Passed		
	Cung cấp tài liệu chưa đầy đủ theo yêu cầu nhưng không ảnh hưởng đến việc đánh giá Предоставление неполных документов в соответствии с требованиями, но не влияющих на оценку Providing not enough documents as required but not affecting the assessment	Chấp nhận Accepted Приемлемо		
	Không cung cấp tài liệu theo yêu cầu Не предоставление полных документов в соответствии с требованиями Does not provide complete documents as required	Không đạt Неудовлетворительно Failed	Không đủ cơ sở để đánh giá Недостаточно оснований для оценки Insufficient information for evaluation	
6.2	Cung cấp tài liệu kỹ thuật khi giao hàng - Техническая документация при доставке - Providing technical documentation upon delivery			
	Nhà thầu cam kết cung cấp đầy đủ tài liệu theo yêu cầu Подрядчик обязуется предоставить все требуемые документы The Contractor commits to provide all documents as required	Đạt Удовлетворительно Passed		
	Không cam kết cung cấp tài liệu theo yêu cầu Подрядчик не обязуется предоставить все требуемые документы The Contractor Does not commit to provide all documents as required	Không đạt Неудовлетворительно Failed	Không đủ điều kiện để vận hành thiết bị/ vật tư Недостаточно условий для эксплуатации оборудования/ материалов Not qualified to operate equipment/ materials	



EVALUATION CRITERIA OF TECHNICAL PROPOSALS USING FORM "PASS/FAIL"
Provision of "Material and equipment for the modernization of the oil metering system at BK5, CTP2, RP3"

CUNG CẤP CHỨNG CHỈ KHÍ GIAO HÀNG - ПРЕДОСТАВЛЕНИЕ СЕРТИФИКАТОВ НА ДОСТАВКУ - PROVIDING CERTIFICATES OF THE GOODS				
7	Cung cấp chứng chỉ khí giao hàng - Предоставление сертификатов при поставке товаров - Providing certificates of the goods			
7.1	Nhà thầu cam kết cung cấp đầy đủ các chứng chỉ khi giao hàng theo yêu cầu Подрядчик обязуется предоставить все необходимые сертификаты при доставке. The Contractor commits to provide all certificates upon delivery as required	Đạt Удовлетворительно Passed		
	Có thay đổi về hình thức chứng chỉ nhưng vẫn thể hiện đầy đủ thông tin về xuất xứ hay chất lượng hàng hoá Есть изменения в форме сертификата, но он попрежнему полностью отображает информацию о происхождении или качестве товара There are changes in the form of the certificate, but it still fully displays information about the origin or quality of the goods	Chấp nhận Accepted Приемлемо		
	Không cam kết cung cấp 1 hoặc một số loại chứng chỉ Подрядчик не обязуется предоставить один или несколько сертификатов Do not commit to provide 1 or several certificates	Không đạt Неудовлетворительно Failed	Không đáp ứng với yêu cầu về chứng chỉ của hồ sơ mời thầu Несоблюдение требований сертификатов в тендерной документации Not comply with the requirements of certificates in the bidding documents.	

ĐÁNH GIÁ:

- Chào hàng được đánh giá ĐẠT YCKT khi tất cả các tiêu chí được đánh giá ĐẠT và CHẤP NHẬN.
- Chào hàng đánh giá KHÔNG ĐẠT YCKT khi có ít nhất một tiêu chí được đánh giá KHÔNG ĐẠT.

ОЦЕНКА:

- Предложение оценивается как “Удовлетворительно”, если все критерии оцениваются как “Удовлетворительно” и “Приемлемо”.
- Предложение оценивается как “Неудовлетворительно”, если оно нарушает один или несколько критерий “Неудовлетворительно”.

EVALUATION:

- A proposal is assessed as “PASSED” all criteria are assessed as “PASSED” and “ACCEPTED”.
- A proposal is assessed as “FAIL” if it has at least one “FAIL” criteria.



EVALUATION CRITERIA OF TECHNICAL PROPOSALS USING FORM " "PASS/FAIL""
Provision of "Material and equipment for the modernization of the oil metering system at BK5, CTP2, RP3"

